

VITALS

КЕРІВНИЦТВО З ЕКСПЛУАТАЦІЇ



WWW.VITALS.COM.UA



МОДЕЛ

Tf 202JS

Tf 202JSc

6
8
9
10
10
11
11
16
16
16
17
17
18
18
21
23
23
25
25
28



- 1.
- 2.
- 3.
4.
 - 4.1.
 - 4.2.
5.
 - 5.1.
 - 5.2.
 - 5.3.
- 6.
- 7.
- 8.
- 9.



«Vitals»

«Vitals».

«Vitals»

, 70, « 056-374-89-39. »,

Vitals Tf 202JS Tf 202JS

IEC 60335-2-45: 2010.

« 056-374-89-39. »,

056-374-89-38,

www.vitals.com.ua.

«Vitals».



1

«Vitals» Tf 202JS Tf 202JS

220

50

Vitals Tf 202JS Tf 202JS

+0° +40°

«Vitals» Tf 202JS Tf 202JS (

1

1.
2.
3.4.
5.

Tf 202JSc).

6

7

2

1. . . .
2. (. . . 2 . 3).
3. (. . . 2 . 4).
4. (. . . 2 . 5).
5. (. . . 2 . 6).
6. (Tf 202JSc) (. . . 2 . 1).
7. (Tf 202JSc) (. . . 2 . 2).
8. (Tf 202JSc) (. . . 2 . 7).
9.
10.



i

8

3

		Tf 202JS	Tf 202JSc
,		220	
,		50	
,		2000	
		2	
I-	, /	250	
II-		550	
I-	, °	350	
II-		550	
		II	
		-	+
,	260 95 265	290 105 270	
,	0,8	0,9	
,	1,1	1,5	

9

4.

15.

5.

16.

6.

17.

7.

18.

8.

19.

9.

20.

10.

21.

11.

,

12.

,

,

,

,

,

,

,

,

,

,

12

13

22.

« » - ,

30.

23.

31.

24.

32.

25.

33.

26.

34.

27.

35.

28.

!

29.

15

14

5



!

1,5 2.

4 « » ,



5.2.



!

« » ,

I- (350°)

« » («I- »).

250 / , 350°).

250 / ,

(3) (. 1)

(

5.1.

II- (550°)

550 / ,

1. , , , ,
2. , , , ,
3. , , , ,
4. ,

« » («I- »).

550 / ,

(3) (. 1)

(550°).



« » (« »).

(3) (. 1)



!
-30

2 . 6).

()

(5).

(3).



!

5.3.

(3).

30-40 °,

(5) (4)

- 400 °

(5).



!

(5).

i

! , ,

7

i

! ,

-15 ° +55 ° ,
90%.

-15 ° +55 °
90%.

1.


2.

3.

4.

22

23





!

()



():

():

()



():

():

()



():

():





()



, , ,

,

()



ОФИЦИАЛЬНЫЙ ДИЛЕР В УКРАИНЕ:

storgom.ua

ГРАФИК РАБОТЫ:

Пн. – Пт.: с 8:30 по 18:30

Сб.: с 09:00 по 16:00

Вс.: с 10:00 по 16:00

КОНТАКТЫ:

+38 (044) 360-46-77

+38 (066) 77-395-77

+38 (097) 77-236-77

+38 (093) 360-46-77

Детальное описание товара: <https://storgom.ua/product/fen-stroitelnyi-vitals-tf-202jsc.html>

Другие товары: <https://storgom.ua/termofeny.html>