hecht®

made for garden

2017

Spring

EXTENSION CORDS, CYLINDER LAWN MOWERS

120153

CZ SK GB DE PL HU

cable length	20 m	
electric	230 V/50 Hz	
3 x 1,5 mm²		CE

130153

CZ SK GB DE PL HU

cable length	30 m	
electric	230 V/50 Hz	
3 x 1,5 mm²		CE

121153

CZ SK GB DE PL HU

260 x 315 x 185 mm

cable length	20 m	
electric	230 V/50 Hz	
3 x 1,5 mm²		CE

131153

CZ SK GB DE PL HU

260 x 220 x 320 mm

cable length	30 m	
electric	230 V/50 Hz	
3 x 1,5 mm²		CE

420153

CZ SK GB DE PL HU

285 x 355 x 200 mm

cable length	20 m	
electric	230 V/50 Hz	
3 x 1,5 mm²		

430153

CZ SK GB DE PL HU

280 x 230 x360 mm

cable length	30 m	
electric	230 V/50 Hz	
3 x 1,5 mm²		

HECHT 50437

Children mower with sound

»Made in Italy«

WITH SOUND WHILE MOVING

6 PCS

weight	0,9 kg	⟷	dimensions	50 x 27,5 x 52 cm	

HECHT 5030

CZ SK PL GB HU

530 x 380 x 270 mm

PUSHED

manual pushed			height adjustment	10–36 mm	
working width	30 cm		steel chassis		
weight	7,8 kg		collecting box	15 l	

HECHT 504

CZ SK PL GB HU

560 x 320 x 220 mm

PUSHED

manual pushed			height adjustment	17–43 mm	
working width	40 cm		steel chassis		
weight	8,8 kg		collecting box	15 l	

www.hecht.cz

CYLINDER AND ELECTRIC LAWN MOWERS

HECHT 514 PROFI

Contactless cutting cylinder
Blade thickness 3 mm

CZ SK PL GB DE HU

650 x 580 x 275 mm

PUSHED

manual pushed		height adjustment	24–75 mm
working width	46 cm	steel chassis	contactless
weight	17,2 kg	collecting box	50 l

HECHT 1000

Powerful high torque electric motor "TURBO motor"

CZ SK PL GB DE HU

570 x 380 x 305 mm

CE **PUSHED**

electric	230 V/50 Hz	height adjustment	25–55 mm
power input	1000 W	plastic chassis	
working width	32 cm	collecting box	35 l
weight	8,8 kg	wheels (front/rear)	5/5"

HECHT 1233

Powerful high torque electric motor "TURBO motor"

CZ SK PL GB DE HU

600 x 375 x 275 mm

CE **PUSHED**

electric	230 V/50 Hz	height adjustment	20–60 mm
power input	1200 W	plastic chassis	
working width	33 cm	collecting box	30 l
weight	7,1 kg	wheels (front/rear)	5,5/5,5"

HECHT 1434

Powerful high torque electric motor "TURBO motor"

CZ SK PL GB DE HU

655 x 400 x 325 mm

CE **PUSHED**

electric	230 V/50 Hz	height adjustment	25–65 mm
power input	1400 W	plastic chassis	
working width	34 cm	collecting box	35 l
weight	12 kg	wheels (front/rear)	5,5/6"
central adjustment of cutting height			

HECHT 1638 R

Powerful high torque electric motor "TURBO motor"

CZ SK PL GB DE HU

770 x 530 x 370 mm

CE **PUSHED**

electric	230 V/50 Hz	height adjustment	25–65 mm
power input	1600 W	plastic chassis	
working width	38 cm	collecting box	45 l
weight	13 kg	wheels (front/rear)	5,5/7"
central adjustment of cutting height			

HECHT 1844

Powerful high torque electric motor "TURBO motor"

CZ SK PL GB DE HU

770 x 530 x 370 mm

CE **PUSHED**

electric	230 V/50 Hz	height adjustment	25–85 mm
power input	1800 W	plastic chassis	
working width	42 cm	collecting box	50 l
weight	15,5 kg	wheels (front/rear)	6/8"
central adjustment of cutting height			

ELECTRIC LAWN MOWERS

HECHT 1640

CZ SK PL GB DE HU

660 x 510 x 330 mm

PUSHED

	electric	230 V/50 Hz		height adjustment	25-75 mm
	power input	1600 W		steel chassis	
	working width	40 cm		collecting box	45 l
	weight	20 kg		ball bearings	
	central adjustment of cutting height			wheels (front/rear)	6/8"

HECHT 1641

Mulching kit included

Powerful high torque electric motor "TURBO motor"

CZ SK PL GB DE HU

780 x 530 x 370 mm

PUSHED

	electric	230 V/50 Hz		height adjustment	30–75 mm
	power input	1600 W		steel chassis	
	working width	41 cm		collecting box	50 l
	weight	21,3 kg		ball bearings	
	central adjustment of cutting height			wheels (front/rear)	7/8"

HECHT 1845

Mulching kit included

Powerful high torque electric motor "TURBO motor"

CZ SK PL GB DE HU

860 x 570 x 370 mm

PUSHED

	electric	230 V/50 Hz		height adjustment	30–75 mm
	power input	1800 W		steel chassis	
	working width	46 cm		collecting box	60 l
	weight	23,8 kg		ball bearings	
	central adjustment of cutting height			wheels (front/rear)	8/11"

HECHT 1846 4 in 1

CZ SK PL GB DE HU

860 x 570 x 425 mm

alternative side ejection

PUSHED

	electric	230 V/50 Hz		height adjustment	25-75 mm
	power input	1800 W		steel chassis	
	working width	46 cm		collecting box	60 l
	weight	28,5 kg		ball bearings	
	central adjustment of cutting height			wheels (front/rear)	8/11"

HECHT 1803 S 5 in 1

Mulching kit included

Speed 3,6 km/h

Powerful high torque electric motor "TURBO motor"

CZ SK PL GB DE HU

860 x 570 x 370 mm

alternative side ejection

SELF PROPELLED

	electric	230 V/50 Hz		height adjustment	30–75 mm
	power input	1800 W		steel chassis	
	working width	46 cm		collecting box	60 l
	weight	26,4 kg		ball bearings	
	central adjustment of cutting height			wheels (front/rear)	8/11"

HECHT 1805 S 5 in 1

Mulching kit included

Speed 3,6 km/h

CZ SK PL GB DE HU

860 x 570 x 475 mm

alternative side ejection

SELF PROPELLED

	electric	230 V/50 Hz		height adjustment	25-75 mm
	power input	1800 W		steel chassis	
	working width	46 cm		collecting box	60 l
	weight	31,2 kg		ball bearings	
	central adjustment of cutting height			wheels (front/rear)	8/11"

www.hecht.cz

ACCU AND PETROL LAWN MOWERS

HECHT 5035

Li-ion Powered

Battery and charger included

CZ SK PL GB DE HU

735 x 405 x 370 mm

PUSHED

accu Li-Ion	DC 40 V		height adjustment	25–75 mm	
Li-Ion	2,5 Ah		plastic chassis		
working width	35 cm		collecting box	35 l	
weight	17,5 kg		central adjustment of cutting height		
wheels (front/rear)	6/9"				

HECHT 5038

Li-ion Powered

Battery and charger included

CZ SK PL GB DE HU

790 x 455 x 370 mm

PUSHED

accu Li-Ion	DC 40 V		height adjustment	25–75 mm	
Li-Ion	4 Ah		plastic chassis		
working width	38 cm		collecting box	40 l	
weight	16,4 kg		central adjustment of cutting height		
wheels (front/rear)	6/9"				

HECHT 3639

ECO FRIENDLY

Li-ion Powered

Battery 003639A

Charging time 2 h

Battery and charger included

CZ SK PL GB

800 x 450 x 370 mm

PUSHED

accu Li-Ion	DC 36 V		height adjustment	25–75 mm	
Li-Ion	4 Ah		plastic chassis		
working width	37 cm		collecting box	43 l	
weight	16,5 kg		central adjustment of cutting height		
wheels (front/rear)	6/9,5"				

HECHT 5046

Li-ion Powered

Mulching kit included

Battery and charger included

PATENTED WHEELS DESIGN

CZ SK PL GB DE HU

845 x 570 x 430 mm

alternative side ejection

SELF PROPELLED

accu Li-Ion	DC 40 V		height adjustment	25-75 mm	
Li-Ion	4 Ah		steel chassis		
working width	46 cm		collecting box	60 l	
weight	26 kg		ball bearings		
wheels (front/rear)	8/11"		central adjustment of cutting height		

HECHT 5051

Li-ion Powered

Mulching kit included

Battery and charger included

PATENTED WHEELS DESIGN

CZ SK PL GB DE HU

910 x 570 x 430 mm

alternative side ejection

SELF PROPELLED

accu Li-Ion	DC 40 V		height adjustment	25-75 mm	
Li-Ion	4 Ah		steel chassis		
working width	51 cm		collecting box	60 l	
weight	27,7 kg		ball bearings		
wheels (front/rear)	8/11"		central adjustment of cutting height		

HECHT 5406

CZ SK PL GB DE HU

710 x 460 x 380 mm

PUSHED

engine HECHT	OHV		height adjustment	25–55 mm	
displacement	99 cm^3		max.torque	4,7 Nm	
working width	41 cm		steel chassis		
weight	17,4 kg		collecting box	45 l	
wheels (front/rear)	6/6"				

PETROL LAWN MOWERS

HECHT 540

STEEL CHASIS

CZ SK PL GB DE HU

710 x 460 x 380 mm

CE

PUSHED

engine HECHT	OHV	height adjustment	25-55 mm
displacement	99 cm³	max.torque	4,7 Nm
working width	41 cm	steel chassis	
weight	23,5 kg	collecting box	45 l
wheels (front/ rear)	7/7"		

HECHT 540 B

POWERED BY BRIGGS&STRATTON

CZ SK PL GB DE HU

670 x 520 410 mm

CE

PUSHED

engine B&S	Series 450 E	height adjustment	25-55 mm
displacement	125 cm³	max.torque	5,6 Nm
working width	41 cm	steel chassis	
weight	20,5 kg	collecting box	45 l
wheels (front/rear)	7/7"		

HECHT 543

CZ SK PL GB DE HU

765 x 515 x 460 mm

CE

PUSHED

engine HECHT	OHV	height adjustment	25-60 mm
displacement	98 cm³	max.torque	4,7 Nm
working width	43 cm	steel chassis	
collecting box	45 l	ball bearings	
central adjustment of cutting height		wheels (front/rear)	7/10"

HECHT 546

CZ SK PL GB DE HU

775 x 560 x 500 mm

CE

PUSHED

engine HECHT	OHV	height adjustment	25-70 mm
displacement	139 cm³	max.torque	7,5 Nm
working width	46 cm	steel chassis	
collecting box	65 l	ball bearings	
central adjustment of cutting height		wheels (front/rear)	7/10"

HECHT 541 SW

Speed about 3,45 km/h

CZ SK PL GB DE HU

670 x 520 x 410 mm

CE

SELF PROPELLED

engine HECHT	OHV	height adjustment	25–70 mm
displacement	99 cm³	max.torque	5,5 Nm
working width	41 cm	steel chassis	
weight	24 kg	collecting box	45 l
central adjustment of cutting height		ball bearings	
wheels (front/rear)	7/8"		

HECHT 541 BSW

Speed about 3,45 km/h

POWERED BY BRIGGS&STRATTON

CZ SK PL GB DE HU

670 x 520 x 410 mm

CE

SELF PROPELLED

engine B&S	Series 450 E	height adjustment	25–70 mm
displacement	125 cm³	max.torque	6,1 Nm
working width	41 cm	steel chassis	
weight	24 kg	collecting box	45 l
central adjustment of cutting height		ball bearings	
wheels (front/rear)	7/8"		

www.hecht.cz

PETROL LAWN MOWERS

HECHT 543 SX

Speed about 3 km/h

CZ SK PL GB DE HU

765 x 515 x 460 mm

CE SELF PROPELLED

engine HECHT	OHV		height adjustment	25-65 mm
displacement	98 cm³		max.torque	4,7 Nm
working width	43 cm		steel chassis	
collecting box	45 l		ball bearings	
central adjustment of cutting height			wheels (front/rear)	7/10"

HECHT 543 SW 5 in 1

Speed 3,6 km/h

CZ SK PL GB DE HU

810 x 530 x 430 mm

CE SELF PROPELLED

engine HECHT	OHV		height adjustment	25-75 mm
displacement	98,5 cm³		max.torque	5,1 Nm
working width	43 cm		steel chassis	5 in 1
collecting box	50 l		ball bearings	
central adjustment of cutting height			wheels (front/rear)	8/11"

HECHT 543 SWE 5 in 1

Speed 3,6 km/h

Electric starter

EASY
ELECTRIC START
- JUST PRESS THE BUTTON -

CZ SK PL GB DE HU

880 x 530 x 430 mm

CE SELF PROPELLED

engine HECHT	OHV		height adjustment	25-75 mm
displacement	98,5 cm³		max.torque	5,1 Nm
working width	43 cm		steel chassis	5 in 1
collecting box	50 l		ball bearings	
central adjustment of cutting height			wheels (front/rear)	8/11"

HECHT 546 SX

Speed about 3 km/h

MODEL 2016

CZ SK PL GB DE HU

785 x 570 x 500 mm

CE SELF PROPELLED

engine HECHT	OHV		height adjustment	25–65 mm
displacement	135 cm³		max.torque	6,8 Nm
working width	46 cm		steel chassis	
weight	32 kg		collecting box	55 l
central adjustment of cutting height			ball bearings	
wheels (front/rear)	7/10"			

HECHT 547 SXW 5 in 1

Mulching kit included

Speed about 3,6 km/h

CZ SK PL GB DE HU

775 x 560 x 500 mm

CE SELF PROPELLED

engine HECHT	OHV		height adjustment	25–70 mm
displacement	139 cm³		max.torque	7,5 Nm
working width	46 cm		steel chassis	5 in 1
weight	32 kg		collecting box	65 l
central adjustment of cutting height			ball bearings	
wheels (front/rear)	7/10"			

HECHT 546 BSW 5 in 1

Speed 3,35 km/h

POWERED BY BRIGGS&STRATTON

CZ SK PL GB DE HU

775 x 560 x 500 mm

CE SELF PROPELLED

engine B&S	Series 500 E		height adjustment	25-70 mm
displacement	140 cm³		max.torque	6,8 Nm
working width	46 cm		steel chassis	5 in 1
collecting box	65 l		ball bearings	
central adjustment of cutting height			wheels (front/rear)	7/10"

PETROL LAWN MOWERS

HECHT 548 SW
5 in 1

Mulching kit included

Speed 3,6 km/h

PATENTED WHEELS DESIGN

CZ SK PL GB DE HU

860 x 570 x 510 mm

alternative side ejection

SELF PROPELLED

engine HECHT	OHV		height adjustment	25–75 mm	
displacement	135 cm³		max.torque	7 Nm	
working width	46 cm		steel chassis	5 in 1	
weight	35,6 kg		collecting box	60 l	
central adjustment of cutting height			ball bearings		
wheels (front/rear)	8/11"				

HECHT 5484 SX
5 in 1

Mulching kit included

4 speed: 3-4,5 km/h

PATENTED WHEELS DESIGN

CZ SK PL GB DE HU

860 x 570 x 510 mm

alternative side ejection

SELF PROPELLED

engine HECHT	OHV		height adjustment	25–75 mm	
displacement	135 cm³		max.torque	7 Nm	
working width	46 cm		steel chassis	5 in 1	
weight	36,7 kg		collecting box	60 l	
central adjustment of cutting height			ball bearings		
wheels (front/rear)	8/11"				

HECHT 548 SWE
5 in 1

Mulching kit included

Speed 3,6 km/h

Electric starter

EASY ELECTRIC START - JUST TURN THE KEY -

PATENTED WHEELS DESIGN

CZ SK PL GB DE HU

860 x 570 x 510 mm

alternative side ejection

SELF PROPELLED

engine HECHT	OHV		height adjustment	25–75 mm	
displacement	135 cm³		max.torque	7 Nm	
working width	46 cm		steel chassis	5 in 1	
weight	39 kg		collecting box	60 l	
central adjustment of cutting height			ball bearings		
battery 12 V DC, 4,5 Ah			wheels (front/rear)	8/11"	

HECHT 5484 SXE
5 in 1

Mulching kit included

4 speed: 3-4,5 km/h

Electric starter

EASY ELECTRIC START - JUST TURN THE KEY -

PATENTED WHEELS DESIGN

CZ SK PL GB DE HU

860 x 570 x 510 mm

alternative side ejection

SELF PROPELLED

engine HECHT	OHV		height adjustment	25–75 mm	
displacement	135 cm³		max.torque	7 Nm	
working width	46 cm		steel chassis	5 in 1	
weight	36,7 kg		collecting box	60 l	
central adjustment of cutting height			ball bearings		
battery 12 V DC, 4,5 Ah			wheels (front/rear)	8/11"	

HECHT 549 SB
5 in 1

Mulching kit included

Speed 3,6 km/h

PATENTED WHEELS DESIGN

POWERED BY BRIGGS&STRATTON

CZ SK PL GB DE HU

860 x 475 x 570 mm

alternative side ejection

SELF PROPELLED

engine B&S	Series 500 E		height adjustment	25–75 mm	
displacement	140 cm³		max.torque	6,8 Nm	
working width	46 cm		steel chassis	5 in 1	
weight	31,2 kg		collecting box	60 l	
central adjustment of cutting height			ball bearings		
wheels (front/rear)	8/11"				

HECHT 5494 SB
5 in 1

Mulching kit included

4 speed: 3-4,5 km/h

PATENTED WHEELS DESIGN

POWERED BY BRIGGS&STRATTON

CZ SK PL GB DE HU

860 x 475 x 570 mm

alternative side ejection

SELF PROPELLED

engine B&S	Series 500E		height adjustment	25–75 mm	
displacement	140 cm³		max.torque	6,8 Nm	
working width	46 cm		steel chassis	5 in 1	
weight	31,2 kg		collecting box	60 l	
central adjustment of cutting height			ball bearings		
wheels (front/rear)	8/11"				

www.hecht.cz

PETROL LAWN MOWERS

HECHT 551 SX 5 in 1

PATENTED WHEELS DESIGN

Mulching kit included

Speed 3,6 km/h

CZ SK PL GB DE HU

830 x 570 x 460 mm

alternative side ejection

SELF PROPELLED

engine HECHT	OHV		height adjustment	25–65 mm	
displacement	173 cm³		max.torque	9,5 Nm	
working width	51 cm		steel chassis	5 in 1	
weight	36,5 kg		collecting box	55 l	
central adjustment of cutting height			ball bearings		
wheels (front/rear)	7,5/10,5"				

HECHT 553 SW 5 in 1

PATENTED WHEELS DESIGN

Mulching kit included

Speed 3,6 km/h

CZ SK PL GB DE HU

900 x 570 x 515 mm

alternative side ejection

SELF PROPELLED

engine HECHT	OHV		height adjustment	25–75 mm	
displacement	173 cm³		max.torque	10 Nm	
working width	51 cm		steel chassis	5 in 1	
weight	38,1 kg		collecting box	60 l	
central adjustment of cutting height			ball bearings		
wheels (front/rear)	8/11"				

HECHT 5534 SX 5 in 1

PATENTED WHEELS DESIGN

Mulching kit included

4 speed: 3-4,5 km/h

CZ SK PL GB DE HU

900 x 570 x 515 mm

alternative side ejection

SELF PROPELLED

engine HECHT	OHV		height adjustment	25–75 mm	
displacement	173 cm³		max.torque	10 Nm	
working width	51 cm		steel chassis	5 in 1	
weight	38,7 kg		collecting box	60 l	
central adjustment of cutting height			ball bearings		
wheels (front/rear)	8/11"				

HECHT 5534 SWE 5 in 1

EASY ELECTRIC START - JUST TURN THE KEY -

PATENTED WHEELS DESIGN

Mulching kit included

4 speed: 3-4,5 km/h

Electric starter

CZ SK PL GB DE HU

900 x 570 x 515 mm

alternative side ejection

SELF PROPELLED

engine HECHT	OHV		height adjustment	25–75 mm	
displacement	173 cm³		max.torque	10 Nm	
working width	51 cm		steel chassis	5 in 1	
weight	38,1 kg		collecting box	60 l	
central adjustment of cutting height			ball bearings		
battery 12 V DC, 4,5 Ah			wheels (front/rear)	8/11"	

HECHT 551 BS 5 in 1

PATENTED WHEELS DESIGN

Mulching kit included

4 speed: 3-4,5 km/h

POWERED BY BRIGGS&STRATTON

CZ SK PL GB DE HU

890 x 570 x 480 mm

alternative side ejection

SELF PROPELLED

engine B&S	Series 625E		height adjustment	25–75 mm	
displacement	150 cm³		max.torque	8,5 Nm	
working width	51 cm		steel chassis	5 in 1	
weight	33,4 kg		collecting box	60 l	
central adjustment of cutting height			ball bearings		
wheels (front/rear)	8/11"				

HECHT 5534 INSTART 5 in 1

PATENTED WHEELS DESIGN

Mulching kit included

4 speed: 3-4,5 km/h

POWERED BY BRIGGS&STRATTON

EASY ELECTRIC START - JUST PRESS THE BUTTON -

CZ SK PL GB DE HU

890 x 570 x 480 mm

alternative side ejection

SELF PROPELLED

engine B&S	Series 675iS		height adjustment	25–75 mm	
displacement	163 cm³		max.torque	9 Nm	
working width	51 cm		steel chassis	5 in 1	
weight	33,8 kg		collecting box	60 l	
central adjustment of cutting height			ball bearings		
wheels (front/rear)	8/11"				

PETROL LAWN MOWERS

HECHT 553 BSA
5 in 1

Mulching kit included

4 speed: 3-4,5 km/h

POWERED BY BRIGGS&STRATTON

CZ SK PL GB DE HU

905 x 570 x 460 mm

alternative side ejection

CE

SELF PROPELLED

engine B&S	Series 675 EXi		height adjustment	25–75 mm
displacement	163 cm³		max.torque	9,85 Nm
working width	51 cm		aluminium chassis	5 in 1
weight	37 kg		collecting box	60 l
central adjustment of cutting height			ball bearings	
wheels (front/rear)	8/11"			

HECHT 5564 SX
5 in 1

Mulching kit included

4 speed: 3-4,5 km/h

PATENTED WHEELS DESIGN

CZ SK PL GB DE HU

960 x 650 x 515 mm

alternative side ejection

CE

SELF PROPELLED

engine HECHT	OHV		height adjustment	25–75 mm
displacement	173 cm³		max.torque	10 Nm
working width	56 cm		steel chassis	5 in 1
weight	42,8 kg		collecting box	70 l
central adjustment of cutting height			ball bearings	
wheels (front/rear)	8/11"			

EASY
ELECTRIC START
- JUST TURN THE KEY -

HECHT 5564 SXE
5 in 1

Mulching kit included

4 speed: 3-4,5 km/h

Electric starter

PATENTED WHEELS DESIGN

CZ SK PL GB DE HU

960 x 650 x 515 mm

alternative side ejection

CE

SELF PROPELLED

engine HECHT	OHV		height adjustment	25–75 mm
displacement	173 cm³		max.torque	10 Nm
working width	56 cm		steel chassis	5 in 1
weight	42,8 kg		collecting box	70 l
central adjustment of cutting height			ball bearings	
battery 12 V DC, 4,5 Ah			wheels (front/rear)	8/11"

HECHT 556 BS
5 in 1

Mulching kit included

Speed 3,6 km/h

PATENTED WHEELS DESIGN

POWERED BY BRIGGS&STRATTON

CZ SK PL GB

960 x 650 x 490 mm

alternative side ejection

CE

SELF PROPELLED

engine B&S	Series 675		height adjustment	25–75 mm
displacement	190 cm³		max.torque	8,8 Nm
working width	56 cm		steel chassis	5 in 1
weight	38,5 kg		collecting box	70 l
central adjustment of cutting height			ball bearings	
wheels (front/rear)	8/11"			

HECHT 5564 BS
5 in 1

Mulching kit included

4 speed: 3-4,5 km/h

PATENTED WHEELS DESIGN

POWERED BY BRIGGS&STRATTON

CZ SK PL GB

960 x 650 x 490 mm

alternative side ejection

CE

SELF PROPELLED

engine B&S	Series 675		height adjustment	25–75 mm
displacement	190 cm³		max.torque	8,8 Nm
working width	56 cm		steel chassis	5 in 1
weight	38,5 kg		collecting box	70 l
central adjustment of cutting height			ball bearings	
wheels (front/rear)	8/11"			

HECHT 587

Speed about 3 km/h

000587
Optional accessory set
Ploughshare + Chains

CZ SK PL GB DE HU

1050 x 540 x 600 mm

CE

SELF PROPELLED

engine HECHT	OHV		height adjustment	15–90 mm
displacement	173 cm³		steel chassis	
working width	87 cm		ball bearings	
weight	57 kg		wheels	13x3,5-6"

www.hecht.cz

PETROL LAWN MOWERS

HECHT 1863 S
5 in 1

Mulching kit included

Speed 3,6 km/h

PATENTED WHEELS DESIGN

CZ SK PL GB DE HU

860 x 570 x 475 mm

alternative side ejection

SELF PROPELLED

	electric	230 V/50 Hz		height adjustment	25–75 mm
	power input	1800 W		steel chassis	
	working width	46 cm		collecting box	60 l
	weight	33 kg		ball bearings	
	wheels (front/rear)	8/11"			

HECHT 5433 SW
5 in 1

Mulching kit included

PATENTED WHEELS DESIGN

CZ SK PL GB DE HU

810 x 530 x 430 mm

alternative side ejection

SELF PROPELLED

	engine HECHT	OHV		height adjustment	25-75 mm
	displacement	98,5 cm³		max.torque	5,1 Nm
	working width	43 cm		steel chassis	5 in 1
	central adjustment of cutting height			collecting box	50 l
	ball bearings			wheels (front/rear)	8/11"

HECHT 5483 SW
5 in 1

Mulching kit included

Speed 3,3 km/h

PATENTED WHEELS DESIGN

CZ SK PL GB DE HU

850 x 570 x 480 mm

alternative side ejection

SELF PROPELLED

	engine HECHT	OHV		height adjustment	25-75 mm
	displacement	135 cm³		max.torque	7 Nm
	working width	46 cm		steel chassis	5 in 1
	central adjustment of cutting height			collecting box	60 l
	ball bearings			wheels (front/rear)	8/11"

HECHT 5483 SWE
5 in 1

Mulching kit included

Speed 3,3 km/h

Electric starter

EASY ELECTRIC START - JUST PRESS THE BUTTON -

PATENTED WHEELS DESIGN

CZ SK PL GB DE HU

850 x 570 x 480 mm

alternative side ejection

SELF PROPELLED

	engine HECHT	OHV		height adjustment	25-75 mm
	displacement	135 cm³		max.torque	7 Nm
	working width	46 cm		steel chassis	5 in 1
	central adjustment of cutting height			collecting box	60 l
	ball bearings			wheels (front/rear)	8/11"

HECHT 5483 SXE
5 in 1

Mulching kit included

4 speed: 3-4,5 km/h

Electric starter

EASY ELECTRIC START - JUST PRESS THE BUTTON -

PATENTED WHEELS DESIGN

CZ SK PL GB DE HU

900 x 570 x 500 mm

alternative side ejection

SELF PROPELLED

	engine HECHT	OHV		height adjustment	25-75 mm
	displacement	135 cm³		max.torque	7 Nm
	working width	46 cm		steel chassis	5 in 1
	central adjustment of cutting height			collecting box	60 l
	ball bearings			wheels (front/rear)	8/11"

HECHT 5543 SXE
5 in 1

Mulching kit included

4 speed: 3-4,5 km/h

Electric starter

EASY ELECTRIC START - JUST PRESS THE BUTTON -

PATENTED WHEELS DESIGN

CZ SK PL GB DE HU

900 x 570 x 500 mm

alternative side ejection

SELF PROPELLED

	engine HECHT	OHV		height adjustment	25-75 mm
	displacement	173 cm³		max.torque	10 Nm
	working width	51 cm		steel chassis	5 in 1
	central adjustment of cutting height			collecting box	60 l
	ball bearings			wheels (front/rear)	8/11"

PETROL LAWN MOWERS

HECHT 5533 SW 5 in 1

Mulching kit included

Speed 3,3 km/h

PATENTED WHEELS DESIGN

CZ SK PL GB DE HU

840 x 570 x 500 mm

alternative side ejection

SELF PROPELLED

engine HECHT	OHV		height adjustment		25-75 mm
displacement	173 cm³		max.torque		10 Nm
working width	51 cm		steel chassis		5 in 1
central adjustment of cutting height			collecting box		60 l
ball bearings			weight		39,2 kg
wheels (front/rear)	8/11"				

HECHT 5533 SWE 5 in 1

Mulching kit included

Speed 3,3 km/h

Electric starter

EASY ELECTRIC START - JUST PRESS THE BUTTON -

PATENTED WHEELS DESIGN

CZ SK PL GB DE HU

900 x 570 x 490 mm

alternative side ejection

SELF PROPELLED

engine HECHT	OHV		height adjustment		25-75 mm
displacement	173 cm³		max.torque		10 Nm
working width	51 cm		steel chassis		5 in 1
central adjustment of cutting height			collecting box		60 l
ball bearings			weight		43,3 kg
wheels (front/rear)	8/11"				

HECHT 5563 SX 5 in 1

Mulching kit included

PATENTED WHEELS DESIGN

CZ SK PL GB DE HU

alternative side ejection

SELF PROPELLED

engine HECHT	OHV		height adjustment		25-75 mm
displacement	173 cm³		max.torque		10 Nm
working width	56 cm		steel chassis		5 in 1
central adjustment of cutting height			collecting box		60 l
ball bearings			weight		43 kg
wheels (front/rear)	8/11"				

HECHT 5563 SXE 5 in 1

Mulching kit included

Electric starter

EASY ELECTRIC START - JUST PRESS THE BUTTON -

PATENTED WHEELS DESIGN

CZ SK PL GB DE HU

alternative side ejection

SELF PROPELLED

engine HECHT	OHV		height adjustment		25-75 mm
displacement	173 cm³		max.torque		10 Nm
working width	56 cm		steel chassis		5 in 1
central adjustment of cutting height			collecting box		60 l
ball bearings			weight		46 kg
wheels (front/rear)	8/11"				

HECHT 500046

Special lawn mower „TURBO" blade 46 cm

FOR BETTER COLLECTING OF WET GRASS

FOR MODELS:
HECHT 548 SW, 5484 SX, 548 SWE, 5484 SXE

HECHT 500051

Special lawn mower „TURBO" blade 51 cm

FOR BETTER COLLECTING OF WET GRASS

FOR MODELS:
HECHT 551 SB, 553 SW, 5534 SX, 5534 SWE, 5534 INSTART

HECHT 5060 EU

speed 3 km/h

MADE IN CZECH REPUBLIC

CZ SK PL GB DE HU

1050 x 540 x 600 mm

SELF PROPELLED

engine HECHT	OHV		height		35 mm
displacement	173 cm³		steel chassis		
working width	60 cm		ball bearings		
weight	50 kg		wheels		16x3,5-8"

www.hecht.cz

RIDERS, LAWN TRACTORS

HECHT 5161

Speed:
Forward
1,5–4,6 km/h
Reverse
2,3 km/h

CZ SK PL GB DE HU

1480x780x730 mm

CE **SELF PROPELLED**

engine	HECHT		height adjustment	35–75 mm
displacement	196 cm³		recommended area	1500–2000 m²
working width	61 cm		steel chassis	
weight	115 kg		collecting box	150 l
central adjustment of cutting height			ball bearings	

HECHT 5162

POWERED BY BRIGGS&STRATTON

Speed:
Forward
1,5–4,5 km/h
Reverse
1,5 km/h

CZ SK GB PL HU

1550 x 780 x 1030 mm

CE **SELF PROPELLED**

engine B&S	Series 850		height adjustment	30–90 mm
displacement	190 cm³		recommended area	2000–2500 m²
working width	62 cm		steel chassis	
weight	125 kg		collecting box	130 l
central adjustment of cutting height			ball bearings	

HECHT 5114

Speed:
Forward
max. 8,3 km/h
Reverse
2,5 km/h

Side ejection only

CZ SK PL GB HU

steel structure

CE **SELF PROPELLED**

engine HECHT	OHV		height adjustment	30–90 mm
displacement	452 cm³ 1 cylinder		recommended area	3000–4000 m²
working width	98 cm		steel chassis	
weight	165 kg		ball bearings	
central adjustment of cutting height				

HECHT 5176

POWERED BY BRIGGS&STRATTON

Speed:
Forward
max. 8,8 km/h
Reverse
3,8 km/h

CZ SK PL GB HU

2590 x 1080 x 1080 mm
(steel structure)

CE **HYDROSTATIC SELF PROPELLED**

engine B&S	INTEK OHV		height adjustment	30–90 mm
displacement	501 cm³ 1 cylinder		recommended area	3000–4000 m²
working width	102 cm		steel chassis	
weight	220 kg		collecting box	270 l
central adjustment of cutting height			ball bearings	

ROLLER, SERVICE SET, ACCESSORIES

HECHT 5

Service sets for pumping out engine oil or petrol. Suitable for all types of lawn mower engines and lawn tractors.

CZ SK GB PL HU

167 x 155 x 210 mm

manual		
litres	tank volume	1,5 l

HECHT 501

CZ SK GB PL HU

580 x 350 x 390 mm

working width	50 cm	weight	9 kg
Ø diameter	32 cm	filled weight	50 kg ± 20%

HECHT 4T

Recommended oil for 4-stroke engines
Min. order 6 pcs

HECHT 2T

Recommended oil for 2-stroke engines
Min. order 6 pcs

HECHT CHAINOIL 4L

Special oil for greasing bars
Min. order 3 pcs

GREASE GX

Plastic lubricant for angle drives
Min. order 48 pcs

»Made in EU«

HECHT 5W-40

Recommended oil for 4-stroke engines - suitable for all year use
Min. order 6 pcs

HECHT CHAINOIL

Special oil for greasing bars
Min. order 6 pcs

HECHT HC22

Special hydraulic oil 4 l
Min. order 3 pcs

PLASTIC CAN 5 l

No. K00050

»Made in Slovakia«

litres	tank volume	5 l

PLASTIC CAN 20 l

No. K00200

»Made in Slovakia«

litres	tank volume	20 l

PLASTIC CAN 10 l

No. K00100

»Made in Slovakia«

litres	tank volume	10 l

PLASTIC CAN KOMBI

No. K00085

»Made in Slovakia«

litres	tank volume	6 l + 2,5 l

www.hecht.cz

ELECTRIC AND ACCU LAWN AERATORS

HECHT 1420 2 in 1



CZ SK GB PL HU

525 x 425 x 308 mm

	electric	230 V/50 Hz		collecting box	40 l
	power input	1500 W		plastic chassis	
	working width	32 cm		roller with metal wires	
	weight	8,5		16 metal knives	

HECHT 1521 2 in 1



CZ SK GB PL HU

560 x 415 x 325 mm

	electric	230 V/50 Hz		collecting box	40 l
	power input	1500 W		recommended area	1000 m²
	working width	32 cm		plastic chassis	
	weight	10 kg		roller with metal wires	
	16 metal knives			variable adjustment -9 to 3 mm	

HECHT 1538 2 in 1



CZ SK GB PL HU

560 x 540 x 370 mm

	electric	230 V/50 Hz		collecting box	50 l
	power input	1500 W		recommended area	1100 m²
	working width	38 cm		plastic chassis	
	weight	15		roller with metal wires	
	20 metal knives			variable adjustment -12 to 5 mm	

HECHT 1738 2 in 1

CZ SK GB PL HU

560 x 540 x 370 mm

	electric	230 V/50 Hz		collecting box	50 l
	power input	1700 W		recommended area	1200 m²
	working width	38 cm		plastic chassis	
	weight	15 kg		roller with metal wires	
	20 metal knives			variable adjustment -12 to 5 mm	

HECHT 1821 2 in 1

Available from 3/17



CZ SK GB PL HU

680 x 520 x 300 mm

	electric	230 V/50 Hz		collecting box	50 l
	power input	1800 W		recommended area	1200 m²
	working width	36 cm		plastic chassis	
	weight	13		roller with metal wires	
	18 metal knives			variable adjustment -12 to 10 mm	

HECHT 1384

Li-ion Powered

CZ SK GB PL HU

660 x 480 x 340 mm

	accu Li-Ion	DC 40 V		collecting box	45 l
	working width	38 cm		working time	48 min
	weight	14,5		plastic chassis	
	without battery and charger				

ELECTRIC AND PETROL LAWN AERATORS

HECHT 1739

CZ SK GB PL HU

620 x 570 x 360 mm

electric	230 V/50 Hz	collecting box	50 l		
power input	1700 W	recommended area	1200 m²		
working width	37 cm	plastic chassis			
weight	22	variable adjustment	-8 to 12 mm		
26 metal knives					

HECHT 5654

CZ SK PL GB DE HU

670 x 580 x 540 mm

engine	HECHT	collecting box	40 l		
displacement	87 cm³	recommended area	1400 m²		
working width	38 cm	steel chassis			
weight	26,5 kg	variable adjustment	-12 to +10 mm		
18 metal knives					

HECHT 5642

CZ SK PL GB DE HU

670 x 580 x 540 mm

engine	HECHT	collecting box	45 l		
displacement	163 cm³	recommended area	1600 m²		
working width	42 cm	steel chassis			
weight	44 kg	variable adjustment	-12 to 0 mm		
17 metal knives					

HECHT 5675

CZ SK PL GB DE HU

670 x 580 x 540 mm

engine	B&S 750	collecting box	45 l		
displacement	163 cm³	recommended area	1600 m²		
working width	42cm	steel chassis			
weight	38 kg	variable adjustment	-12 to 0 mm		
17 metal knives					

HECHT S 390 H

„Made in Italy“

Original engine HONDA

CZ SK GB DE PL

630 x 860 x 630 mm

engine HONDA	GC 135	collecting box	45 l		
displacement	135 cm³	recommended area	1600 m²		
working width	38 cm	steel chassis			
weight	30 kg	variable adjustment	-10 to 0 mm		
16 metal knives		max.torque	10,3 Nm		

HECHT S 500 H

„Made in Italy“

Original engine HONDA

CZ SK GB DE PL

engine HONDA	GP 160	collecting box	110 l		
displacement	160 cm³	recommended area	3 000 m²		
working width	49 cm	steel chassis			
weight	49 kg	variable adjustment	-15 to 0 mm		
19 metal knives					

www.hecht.cz

ELECTRIC AND PETROL TILLERS

HECHT 730

CZ SK GB PL HU

345 x 285 x 480 mm

CE

	electric	230 V/50 Hz		working width	32 cm
	power input	750 W		weight	8 kg
	4 knives				

HECHT 738

CZ SK GB PL HU

600 x 430 x 275 mm

	electric	230 V/50 Hz		working width	36,5 cm
	power input	1000 W		weight	7,7 kg
	4 knives				

HECHT 739

CZ SK GB PL HU

382 x 288 x 502 mm

CE

	electric	230 V/50 Hz		working width	36 cm
	power input	1050 W		weight	9,8 kg
	4 knives				

HECHT 745

CZ SK GB PL HU

412 x 365 x 560 mm

CE

	electric	230 V/50 Hz		working width	40 cm
	power input	1500 W		weight	11,6 kg
	6 knives				

HECHT 743

CZ SK GB PL HU

560 x 330 x 530 mm

CE

	engine HECHT	2-stroke		working width	23,5 cm
	displacement	43 cm³		weight	21,4 kg
	4 knives				

HECHT 761 R

CZ SK PL GB DE HU

705 x 670 x 390 mm

CE

	engine HECHT	OHV, 4-stroke		working width	36 cm
	displacement	139 cm³		weight	34 kg
4 knives Ø 26 cm			1 speed		

PETROL TILLERS, ACCESSORIES

HECHT 746 R

CZ SK PL GB DE HU

707 x 668 x 381 mm

CE

	engine HECHT	OHV, 4-stroke		working width	36/60 cm
HP	displacement	139 cm³		weight	36 kg
	4/6 knives Ø 26 cm		1 speed		

HECHT 747 SB

POWERED BY BRIGGS&STRATTON

Available from 3/17

CZ SK PL GB DE HU

700 x 380 x 660 mm

CE

	engine B&S	Series 500 E		working width	36/60 cm
HP	displacement	140 cm³		weight	36 kg
	4/6 knives Ø 26 cm		1 speed		

ACCESSORIES FOR HECHT 750

HECHT 000750

Iron wheel set
- 2 pcs.
- for use with ridger

HECHT 000751

Ridger

HECHT 750

CZ SK PL GB DE HU

1100 x 498 x 460 mm

CE

	engine HECHT	OHV, 4-stroke		working width	50 cm
HP	displacement	196 cm³		weight	68 kg
Ø 34 cm			1 speed		

ACCESSORIES FOR HECHT 785, HECHT 790, HECHT 795, HECHT 790 BS

HECHT 8001001

Rear bracket for mounting accessories

HECHT 8001015

Double side Ridge plough

HECHT 8001021

Set of distance tubes (2 pcs) for shaft extension outer edge of wheels 65 - 85 cm

HECHT 8001016

Single side Ridge plough

HECHT 8001017

Wheel 8 inch - 2 pcs

HECHT 8001020

Potato digger

HECHT 8001004

Iron wheel set - 2 pcs - for use with plough or digger

www.hecht.cz

PETROL TILLERS, ACCESSORIES

HECHT 785

CZ SK PL GB DE HU

580 x 405 x 740 mm

CE

	engine HECHT	OHV, 4-stroke		working width	32/50/84 cm
HP	displacement	196 cm³		weight	52 kg
	2/4/6 knives Ø 38 cm		1 speed		

HECHT 790

CZ SK PL GB DE HU

600 x 420 x 740 mm

CE

	engine HECHT	OHV		working width	32/50/84 cm
HP	displacement	196 cm³		weight	54 kg
	2/4/6 knives Ø 38 cm		1 speed		

HECHT 795

Adjustable handle

Multispeed
2 speed forward
1 spedd reverse



CZ SK PL GB DE HU

740 x 660 x 400

CE

	engine HECHT	OHV		working width	32/50/84 cm
HP	displacement	196 cm³		weight	56 kg
	2/4/6 knives Ø 38 cm		2 speed forward, 1 reverse		

HECHT 790 BS

POWERED BY BRIGGS&STRATTON

Adjustable handle

Engine Briggs&Stratton

CZ SK PL GB DE HU

600 x 420 x 740 mm

CE

	engine B&S	CR 950		working width	32/50/8 cm
HP	displacement	196 cm³		weight	55 kg
	2/4/6 knives Ø 38 cm		1 speed		

PETROL TILLER AND ACCESSORIES

HECHT 000721
Plough

HECHT 000720
Wheels 8“

Trailer HECHT 57100
also available
(not included)

HECHT 7970
Available from 5/17

CZ
SK
PL
GB
HU

890 x 460 x 660 mm

	engine HECHT	OHV		working width	110 cm
HP	displacement	212 cm³		weight	78 kg
8 knives			2 speed, 1 reverse		

ACCESSORIES FOR HECHT 7100

HECHT 007116
Single side plough

HECHT 007115
Adjustable digger

HECHT 007120
Potato digger

HECHT 007125
Double side plough 20-25 cm, working depth cca 10 cm

HECHT 007112
Wheel 12 inch with slipping pinion
- 2 pcs
- for use with trailer only (not designed for digging etc.)

HECHT 007131
Three line seeder
working width cca 47 cm,
capacity cca 10 kg

HECHT 007104
Iron wheel set
- 2 pcs
- for use with plough or digger

HECHT 007101
Weigts for wheels
- 2 pcs (2x 12 kg)

HECHT 007128
LED light (3x AAA)

Batteries not included

www.hecht.cz

PETROL TILLER, ACCESSORIES

HECHT 7100

Speed km/h		Gears			
		Gear 3	Gear 2	Gear 1	Gear -1 backward
Gearbox Standard	Speed on axis (rpm)	130	98.9	33.5	33.5
	4.0-8 Iron wheels (km/h)	10.06	7.65	2.59	2.59
	5.0-12 Wheels with tires (km/h)	13.65	10.38	3.52	3.52

CZ SK GB PL HU

780 x 410 x 780 mm

CE

engine HECHT	OHV, 4-stroke		working width	81/104 cm
displacement	208 cm³		weight	72 kg
6 knives		3 speed forward, 1 reverse		

HECHT 57101

Drawbar

350 x 105 x 80 mm

HECHT 57100

Trailer for HECHT 7100

CZ SK GB PL HU

1310 x 470 x 350 mm

dimensions	134 x 92 x 34 cm		wheels	500 x 12“
weight	46,3 kg		max. load	300 kg net. / 500 kg including operator

Slipping pinion on wheels for better turning

HECHT 7100 + 57100 + 57101 + 007112 + 007101

TRAILERS, FERTILIZER

HECHT 52145

Suitable for:
HECHT 5114
HECHT 5116
HECHT 5176
HECHT 5639
HECHT 5938
HECHT 5922
and most garden tractors

Possible to use as trailer for lawn tractor

TILTING

CZ SK GB PL HU

950 x 520 x 220 mm

	body dimensions	94 x 52 x 21 cm / 75 l		wheels	10"x 350-4
	weight	15,5 kg		max. load	250 kg

HECHT 260

Hecht 260 is designed for distribution of fertilizers and seeds, in winter even salt.

Suitable for lawn tractors

CZ SK GB PL HU

740 x 560 x 410 mm

Tow-behind spreader for large areas of ground

	manual pushed		max capacity	60 l	

HECHT 52184

Suitable for:
HECHT 5114
HECHT 5116
HECHT 5176
HECHT 5639
HECHT 5938
HECHT 5922
and most garden tractors

Possible to use as trailer for lawn tractor

215 L

CZ SK GB PL HU

1050 x 550 x 180 mm

	body dimensions	101 x 52 x 41 cm / 215 l		wheels	10"x 350-4
	weight	27,6 kg		max. load	300 kg

HECHT 50005

FOLDING

CZ SK PL GB DE HU

660 x 235 x 860 mm

	body dimensions open	131 x 60 x 108,5 cm		weight	13,5 kg
	body dimensions folded	22,5 x 60 x 80 cm		steel chasis	

HECHT 53038

Suitable for:
HECHT 5114, HECHT 5116, HECHT 5176, HECHT 5639, HECHT 5938, HECHT 5922 and most garden tractors

Available from 4/17

CZ SK GB PL HU

	body dimensions	123 x 77 x 62,5 cm		wheels	3.50-8
	weight	21,4 kg		max. load	200 kg

HECHT 53080

Suitable for:
HECHT 5114, HECHT 5116, HECHT 5176, HECHT 5639, HECHT 5938, HECHT 5922 and most garden tractors

Available from 4/17

CZ SK GB PL HU

	body dimensions	150 x 93,5 x 74,5 cm		wheels	480/400-8
	weight	37,3 kg		max. load	300 kg

www.hecht.cz

ELECTRIC AND PETROL HEDGE TRIMMERS

HECHT 606

CZ SK GB PL HU

900 x 145 x 175 mm

electric	230 V /50 Hz		bar length	50 cm
power intput	520 W		weight	1,9 kg
max. cutting diameter	20 mm			

HECHT 655

CZ SK GB PL HU

1000 x 205 x 180 mm

electric	230 V /50 Hz	bar length	62 cm
power intput	600 W	weight	2,7 kg
max. cutting diameter	20 mm		

HECHT 610

Rotary handle

CZ SK GB PL HU

1120 x 200 x 180 mm

electric	230 V /50 Hz	bar length	68 cm
power intput	600 W	weight	3,1 kg
max. cutting diameter	24 mm		

HECHT 611

Rotary handle

with collecting bar

Laser cut blade

CZ SK GB PL HU

1120 x 200 x 213 mm

electric	230 V/50 Hz	bar length	68 cm
power intput	750 W	weight	4 kg
max. cutting diameter	24 mm		

HECHT 9246

Rotary handle

CZ SK GB PL HU

1110 x 260 x 240 mm

engine volume	24,5 cm³	bar length	70 cm
power output	1 HP	weight	5,8 kg
max. cutting diameter	22 mm		

HECHT 9275 PROFI

Rotary handle

otočná rukojeť

CZ SK GB PL HU

1290 x 260 x 250 mm

engine volume	22,2 cm³	bar length	75 cm
power output	1 HP	weight	5,4 kg
max. cutting diameter	28 mm		

HECHT 9375 PROFI

72 cm bar

CZ SK GB PL HU

1290 x 260 x 250 mm

engine volume	22,2 cm³	bar length	72 cm
power output	0,9 HP	weight	5,3 kg
max. cutting diameter	20 mm		

HEDGE TRIMMERS

HECHT 640

CZ SK GB PL HU

1275 x 195 x 166 mm

	electric	230 V/50 Hz		bar length	40,5 cm
	power intput	450 W		weight	4,2 kg
max	max. cutting diameter	16 mm		lenght	2,16 - 2,87 m

HECHT 675

CZ SK GB PL HU

1150 x 165 x 205 mm

	electric	230 V/50 Hz		bar length	51 cm
	power intput	750 W		weight	5 kg
max	max. cutting diameter	28 mm		lenght	2,35 - 2,8 m

HECHT 6504

Li-ion Powered

CZ SK GB PL HU

1220 x 210 x 140 mm

	Accu Li-ion	DC 40 V		bar length	50 cm
max	max. cutting diameter	20 mm		weight	4,5 kg
	without battery and charger			lenght	1,9 - 2,4 m

HECHT 695



CZ SK GB PL HU

1067 x 187 x 105 mm

	electric	230 V/50 Hz		bar length	41 cm
	power intput	900 W		weight	4,9 kg
max	max. cutting diameter	20 mm		lenght	2,64 m

www.hecht.cz

Net weight of chainsaws is without guide bar and saw chain

PRUNNING SAWS

HECHT 9504

CZ SK GB PL HU

Accu Li-ion	DC 40 V		bar length	20 cm
lenght	2,3–2,8 m		weight	4,4 kg
without battery and charger				

HECHT 971 W

CZ SK GB PL DE HU

1360 x 165 x 110 mm

electric	230 V/ 50 Hz		bar length	30 cm
power intput	750 W		weight	3,2 kg
lenght	2–2,8 m			

HECHT 975 W

CZ SK GB PL DE HU

1730 x 145 x 80 mm

electric	230 V/50 Hz		bar length	24 cm
power intput	750 W		weight	3,1 kg
lenght	1,9–2,85 m			

HECHT 9260

CZ SK GB PL HU

2550 x 270 x 260 mm

engine volume	26 cm³		bar length	34 cm
power output	1 HP		weight	8,5 kg
lenght	2,96–4,27 m			

HECHT 976 W

CZ SK GB PL DE HU

1730 x 160 x 100 mm

electric	230 V/50 Hz		bar length	24 cm
power intput	750 W		weight	3,1 kg
lenght	1,83–2,69 m			

HECHT 690 3in1

3in1

CZ SK GB PL DE HU

1062 x 255 x 100 mm

electric	230 V/50 Hz	bar length - saw		23 cm
power intput	900 W	bar length - hedge trimmer		41 cm
weight	2,5 kg	working width - grass trimmer		36 cm

Net weight of chainsaws is without guide bar and saw chain

PRUNNING SAW, ELECTRIC SAWS

HECHT 59000

Saw for children with sound, moving chain
- 3 batteries AA required (not included)

REALISTIC SOUND
OF STARTING AND CUTTING

HECHT 2035

PROFIL

sprocket teeth detail

CZ SK GB PL HU

465 x 230 x 175 mm

	electric	230 V/50 Hz		bar length	35 cm
CE	power input	2000 W		weight	4,2 kg

HECHT 2250

Soft start – starting capacitor for reduction of starting current.

PROFIL

sprocket teeth detail

CZ SK GB PL HU

550 x 210 x 250/85 mm

	electric	230 V/50 Hz		bar length	40 cm
CE	power input	2400 W		weight	5,6 kg

HECHT 2416 QT

Soft start – starting capacitor for reduction of starting current.

PROFIL

Quick chain tension system

sprocket teeth detail

CZ SK PL GB

480 x 270 x 270 mm

	electric	230 V/50 Hz		bar length	40 cm
CE	power input	2400 W		weight	4,7 kg

HECHT 2439

With Softstart, overload protector, tool free system & metal gear

PROFIL

Quick chain tension system

sprocket teeth detail

CZ SK GB PL HU

565 x 200 x 240 mm

	electric	230 V/50 Hz		bar length	40 cm
CE	power input	2400 W		weight	5 kg

www.hecht.cz

ACCU CHAINSAW AND PETROL CHAINSAWS

HECHT 936

Battery 000936B

BATTERY AND CHARGER INCLUDED

Charging time cca 100 min

ACCU SAMSUNG

Running Time: cca 25 minutes (100x 10 cm soft wood)

CZ SK PL GB

480 x 270 x 270 mm

	Accu (Li-ion) Samsung	36 V, 2600 mAh		bar length	30,5 cm
	charging time	100 min		weight	5 kg

HECHT 9940

ACCU program 5040

ACCU SAMSUNG

BATTERY AND CHARGER NOT INCLUDED

CZ SK GB PL HU

445 x 258 x 290 mm

	accumulator	Li–ion Samsung		bar length	35 cm
	accu article (V)	DC 40 V, 4 Ah		weight	5,5 kg

HECHT 929

hanger for belt

CZ SK GB PL HU

325 x 255 x 255 mm

	engine volume	25,4 cm³		bar length	30 cm
	power output	1,2 HP		weight	2,9 kg

HECHT 941

CZ SK GB PL HU

425 x 245 x 300 mm

	engine volume	40 cm³		bar length	35 cm
	power output	1,8 HP		weight	4,7 kg

HECHT 44

CZ SK GB PL DE HU

430 x 255 x 300 mm

	engine volume	45 cm³		bar length	40 cm
	power output	2,7 HP		weight	5,4 kg

HECHT 44 BOX

CZ SK GB PL DE HU

455 x 305 x 300 mm

	engine volume	45 cm³		bar length	40 cm
	power output	2,7 HP		weight	5,4 kg

Net weight of chainsaws is without guide bar and saw chain

PETROL CHAINSAWS, LOG CUTTING STANDS

HECHT 945

Carburetor WALBRO
Bar + chain OREGON

CZ SK GB PL HU

440 x 250 x 290 mm

engine volume	45 cm³	bar length	39 cm
power output	2,7 HP	weight	5 kg

HECHT 950

Bar + chain OREGON

CZ SK GB PL HU

465 x 265 x 330 mm

engine volume	49,3 cm³	bar length	39 cm
power output	3 HP	weight	5 kg

HECHT 956

decompressor

Carburetor WALBRO
Bar + chain OREGON

CZ SK GB PL HU

450 x 275 x 315 mm

engine volume	56 cm³	bar length	39 cm
power output	3,2 HP	weight	5,1 kg

HECHT 962

decompressor

Carburetor WALBRO
Bar + chain OREGON

2017 model:
Bar 45 cm

CZ SK GB PL HU

570 x 295 x 340 mm

engine volume	62 cm³	bar length	50 cm
power output	4 HP	weight	6,3 kg

HECHT 900

CZ SK PL GB HU

1015 x 280 x 40 mm

weight	8 kg		

HECHT 901

Not intended for
UK, D, FR, IT, A, CH

CZ SK PL GB HU

1210 x 410 x 70 mm

Log Diameter	25–230 mm	weight	10,7 kg

Net weight of chainsaws is without guide bar and saw chain

www.hecht.cz

ACCESSORIES, CHAIN SHARPENERS

HECHT 000040
Chainsaw file 4 mm

3 pcs

HECHT 000048
Chainsaw file 4,8 mm

3 pcs

HECHT 900051
Chainsaw file 5,5 mm

3 pcs

HECHT 900050
Chainsaw file 5,5 mm

12 pcs

HECHT 903400
Chain saw sharpening kit
Files 4 mm

HECHT 903480
Chain saw sharpening kit
Files 4,8 mm

HECHT 004048
Chain saw sharpening kit
Files 4 mm,
4,8 mm, 5,5 mm

HECHT 900401
Timber wedge 5“

HECHT 900402
Timber wedge 8“

HECHT 900405
Timber wedge 10“

HECHT 900009
Apparatus for sharpening saw chains
File 4 mm included

HECHT 9

Spare grinding wheels
H928 (3,2 x 100 x 10)
H928A (4,5x100x10)

CZ SK PL GB HU

275 x 160 x 215 mm

electric	230 V/50 Hz		weight	1,4 kg
power input	250 W	Ø	disc diameter	100 mm

HECHT 9230

Spare grinding wheels
9230A0007 (145 x 3,2 x 22,3)
9230B0007 (145 x 4,7 x 22,3)
9230C0007 (145 x 6 x 22,3)

Positionable



CZ SK PL GB DE HU

370 x 255 x 280 mm

electric	230 V/50 Hz		weight	4,8 kg
power input	230 W	Ø	disc diameter	145 mm

The original chains HECHT for chainsaws

25Q100R ROLE
0,325 – 1,5 mm
1840 links, 30,5 m



33E100R ROLE
3/8 micro – 1,3 mm,
1640 links, 30,5 m

CHAINSAW	CHAIN
HECHT 946 T	25Q66E
HECHT 927	33E40E
HECHT 939 S, 939	33E53E
HECHT 936	33E45E
HECHT 941	33E57E
HECHT 945	25Q66E
HECHT 950, 956	25Q66E
HECHT 1840	33E57E
HECHT 2040, 2040 QT	33E57E
HECHT 2048, 2440	33E57E
HECHT 2216	33E56E
HECHT 2240 QT	33E57E
HECHT 2439, 2250	33E57E
HECHT 2416 QT	33E57E
HECHT 956	25Q72E
HECHT 962	48Y72E
HECHT 927 R, 928 R, 929	33E44E
RAPTOR 645, 245	25Q66E
HECHT 44, 45	25Q66E
HECHT 975 W, 955 W	33E33E
HECHT 976 W	33E33E
HECHT 1835, 1836, 3518	33E53E
HECHT 2014, 2015	33E53E

HECHT 900406
Carburator adjuster set

Blistered

HECHT 002850
Start rope Ø 2,8 mm, 50 m

HECHT 003450
Start rope Ø 3,4 mm, 50 m

HECHT 003850
Start rope Ø 3,8 mm, 50 m

Role

HECHT 900404
Filing stump vise

CZ SK PL GB DE HU

LASH 228 x 100 mm

HECHT 000045
Grease gun for chainsaw chains

CZ SK GB DE PL

LASH 248 x 90 mm

ACCESSORIES

HECHT 900110
Protection shield

CZ SK PL GB DE HU

Blistered

HECHT 900100
Safety helmet with face shield and ear protection.

CZ SK PL GB DE HU

310 x 255 x 167 mm

HECHT 900101
Face shield.

CZ SK PL GB DE HU

250 x 82 mm – plastic bag with header

HECHT 900105
Face shield with ear protection.

CZ SK PL GB DE HU

242 x 240 x 150 mm

HECHT 900102
Ear protection

CZ SK PL GB DE HU

200 x 245 x 80 mm / blistered

HECHT 900106
Safety goggles

CZ SK PL GB DE HU

167 x 157 x 45 mm

HECHT 900106Y
Safety goggles

CZ SK PL GB DE HU

167 x 157 x 45 mm

HECHT 900109
Professional protective covers for shins and knees



HECHT 900507
Safety shoes

CZ SK GB PL

34,5 x 25 x 13 cm

HECHT 900120
Professional protective trousers for chainsaws.

Size: M, L, XL, XXL

CZ SK PL GB DE HU

405 x 290 x 95 mm

HECHT 900121
Professional protective trousers for chainsaws.

(EN 381-5)
Class I.
20 m/s

CZ SK GB DE PL

405 x 290 x 95 mm

HECHT 900122
Professional protective trousers for chainsaws, special lightweight material.

Size: M, L, XL, XXL

(EN 381-5)
Class I.
20 m/s

CZ SK GB DE PL

390 x 320 x 55 mm

HECHT 900107
Protective gloves for chainsaws.
Size: 9, 10, 11, 12

(EN 381-7)
Class I.
20 m/s

CZ SK PL GB DE HU

100 x 77 mm + plastic bag

HECHT 900130
Professional work jacket.

CZ SK GB DE PL

Size: M, L, XL, XXL

400 x 295 x 35 mm

HECHT 900131
Professional work jacket.

CZ SK GB DE PL

400 x 295 x 35 mm

HECHT 900132
Professional work jacket, special lightweight material.

Size: M, L, XL, XXL

3 cm reflective bands

CZ SK GB DE PL

330 x 330 x 49 mm

HECHT 900108
Winter protective gloves for chainsaws.
Size: 9, 10, 11, 12

(EN 381-7)
Class I.
20 m/s

CZ SK PL GB DE HU

100 x 77 mm + plastic bag

www.hecht.cz

AXES, ACCESSORIES

HECHT 900600
Universal axe
Lenght 30 cm, Weight 600 g*

Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 900680
Universal axe
Lenght 38 cm, Weight 1000 g*

Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 901000
Universal axe
Lenght 40 cm, Weight 1000 g*

Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 901001
Splitting axe
Lenght 40 cm
Weight 1000 g*

Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 901500
Universal axe
Lenght 55 cm
Weight 1500 g*

Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 901201
Splitting axe
Lenght 55 cm
Weight 1200 g*

Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 901590
Universal axe
Lenght 55 cm
Weight 1590 g*

Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 902000
Splitting axe
Lenght 63 cm
Weight 2000 g*

Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 902170
Splitting axe
Lenght 40 cm
Weight 2170 g*

Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 902360
Splitting axe
Lenght 55 cm
Weight 2360 g*

Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 900570
TEFLON COATED BLADE
Universal axe
Lenght 35 cm
Weight 570 g*

Handle made of a special composite material which is reinforced with glass fibers.
NYLON + FIBERGLASS

HECHT 900901
TEFLON COATED BLADE
Universal axe
Lenght 44 cm
Weight 900 g*

Handle made of a special composite material which is reinforced with glass fibers.
NYLON + FIBERGLASS

HECHT 900950
TEFLON COATED BLADE
Siekiera rozłupująca
Lenght 44 cm
Weight 950 g*

Handle made of a special composite material which is reinforced with glass fibers.
NYLON + FIBERGLASS

HECHT 901170
TEFLON COATED BLADE
Splitting axe
Lenght 59 cm
Weight 1170 g*

Handle made of a special composite material which is reinforced with glass fibers.
NYLON + FIBERGLASS

HECHT 901550
TEFLON COATED BLADE
Splitting axe
Lenght 70 cm
Weight 1550 g*

Handle made of a special composite material which is reinforced with glass fibers.
NYLON + FIBERGLASS

HECHT 902550
TEFLON COATED BLADE
Splitting axe
Lenght 80 cm
Weight 2550 g*

Handle made of a special composite material which is reinforced with glass fibers.
NYLON + FIBERGLASS

HECHT 900403
Hook for timber

HECHT 900080
Tree felling lever Lenght 80 cm

CZ SK GB PL

HECHT 900613
Tree felling lever Lenght 120 cm

CZ SK GB PL HU

HECHT 908500
Splitting axe
Lenght 85 cm
Weight 2700 g*

Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 903600
Splitting axe
Lenght 91 cm
Weight 3600 g*

Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 909100
Lenght 91 cm



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

LOG SAWS, LOG SPLITTERS

HECHT 8220

CZ SK GB PL DE HU

996 x 845 x 300 / 130 mm

	electric	230 V/50 Hz	max	max. log diameter	135 mm
	power input	2200 W		weight	35 kg

HECHT 830

CZ SK GB PL HU

960 x 750 x 580 / 274 mm

	electric	400 V/50 Hz	max	max. log diameter	170 mm
	power input	3000 W		weight	76 kg

HECHT 845

CZ SK PL GB DE HU

1280 x 970 x 770 mm
(steel structure fully assembled)

	electric	400 V/50 Hz	max	max. log diameter	230 mm
	power input	4500 W		weight	110 kg

HECHT 890

Petrol log saw
4 stroke

CZ SK PL GB DE HU

1260 x 970 x 760 mm
(steel structure fully assembled)

	engine volume	389 cm³	max	max. log diameter	230 mm
HP	power output	13* HP		weight	133 kg

Part no.:
HECHT 000656

HECHT 6370

CZ SK GB PL HU

830 x 460 x 285 mm

	electric	230 V/50 Hz	max	max. log length	370 mm
	power input	1500 W	max	max. log diameter	250 mm
	max. pressure	4 t		weight	38 kg

HECHT 000651

Stand for HECHT 651

845 x 135 x 180 mm

HECHT 651

Part no.:
HECHT 000656

CZ SK GB PL HU

1000 x 285 x 460 mm

	electric	230 V/50 Hz	max	max. log length	520 mm
	power input	1500 W	max	max. log diameter	250 mm
	max. pressure	5 t		weight	41 kg

* The data of engine performance is measured in 3600 rpm^{-1}. This value can not be reached during normal operation.
For accurate comparison of engine power use data of the capacity and type of engine.

www.hecht.cz

LOG SPLITTERS

HECHT 000670

Stand for HECHT 670

820 x 170 x 135 mm

HECHT 670

Part no.:
HECHT 000671

CZ SK GB PL HU

970 x 290 x 460 mm

	electric	230 V/50 Hz	max	max. log length	520 mm
	power input	2000 W	max	max. log diameter	250 mm
	max. pressure	7 t		weight	46 kg

HECHT 656

CZ SK GB PL HU

975 x 325 x 480 mm

	electric	230 V/50 Hz	max	max. log length	520 mm
	power input	2100 W	max	max. log diameter	250 mm
	max. pressure	6 t		weight	51 kg

HECHT 6061

Part no.:
HECHT 006061

CZ SK GB PL DE HU

1060 x 520 x 380 mm

	electric	230 V/50 Hz	max	max. log length	1060 mm
	power input	2200 W	max	max. log diameter	400 mm
	max. pressure	6 t		weight	78 kg

HECHT 681

Part no.:
HECHT 006100 A

Part no.:
HECHT 006100 B

CZ SK GB PL HU

1060 x 560 x 440 mm

	electric	230 V/50 Hz	max	max. log length	1060 mm
	power input	3000 W	max	max. log diameter	400 mm
	max. pressure	8 t		weight	98 kg

HECHT 6100

Part no.:
HECHT 006100 A

Part no.:
HECHT 006100 B

CZ SK GB PL HU

1100 x 555 x 450 mm

	electric	400 V/50 Hz	max	max. log length	1070 mm
	power input	3700 W	max	max. log diameter	400 mm
	max. pressure	10 t		weight	128 kg

HECHT 6414

Part no.:
006414 A
006414 B
006414 C

CZ SK GB PL HU

1040 x 690 x 520 mm

	electric	400 V/50 Hz	max	max. log length	1350 mm
	power input	4300 W	max	max. log diameter	400 mm
	max. pressure	14 t		weight	191 kg

VACUUM CLEANERS / BLOWERS

HECHT 3000

CZ SK PL GB HU

815 x 190 x 235 mm

electric	230 V/50 Hz	air velocity	275 km/h
power input	3000 W	collecting bag	45 l

HECHT 3030

Metal blade

CZ SK PL GB DE HU

920 x 210 x 305 mm

electric	230 V/50 Hz	collecting bag	50 l
power input	3000 W	air velocity	200–300 km/h
weight	4,8 kg	multistage adjustment of engine power	

HECHT 9254

2 IN 1

metal blade

CZ SK PL GB DE HU

580 x 290 x 390 mm

2–stroke engine

engine volume	25,4 cm³	air velocity	148 km/h
power output	1 HP	air volume	0,2 m³/s
weight	5,8 kg	adjustment of engine power	
		collecting bag	50 l

HECHT 9265

metal blade

2 IN 1

CZ SK PL GB HU

580 x 355 x 370 mm

2–stroke engine

engine volume	25,4 cm³	air velocity	180 km/h
power output	1 HP	collecting bag	50 l
weight	4,1 kg	adjustment of engine power	

DOUBLE REINFORCEMENT OF SUCTION / BLOWER AUGER

www.hecht.cz

VACUUM CLEANERS / BLOWERS

HECHT 972 PROFI

CZ SK PL GB DE HU

540 x 430 x 550 mm

2–stroke engine

	engine volume	79,4 cm³		weight without accessory	11 kg
HP	power output	4,6 HP		air volume	0,4 m³/s
	adjustment of engine power				

HECHT 979 PROFI

CZ SK PL GB HU

530 x 410 x 580 mm

2–stroke engine

	engine volume	75,6 cm³		weight without accessory	11,5 kg
HP	power output	4,2 HP		air volume	0,41 m³/s

HECHT 9440

BATTERY AND CHARGER NOT INCLUDED

CZ SK PL GB HU

440 x 390 x 222 mm

	Li-ion	DC 40 V, 4 Ah		air volume blower	0,07 m³/s
	weight blower	2,14 kg		air volume vacuum cleaner	0,1 m³/s
	weight vacuum cleaner	2,88 kg		Battery and charger not included	

OPPAMA PET 304

Engine tachometer

Petrol engine tachometer:
2-stroke - 1 cylinder,
4-stroke - 2 cylinder
Max. 20 000 rpm

„Made in Japan“

OPPAMA PET 1000R

Engine tachometer

Petrol engine tachometer:
2-stroke - 1 cylinder
4-stroke - 2 cylinder

„Made in Japan“

OPPAMA PET 4000

Ignition checker

„Made in Japan“

ACCU PROGRAM 5040

HECHT 5035

WITH BATTERY AND CHARGER

CZ SK PL GB DE HU

735 x 405 x 370 mm

CE

PUSHED

accu Li-Ion	DC 40 V		height adjustment	25–75 mm
Li-Ion	2,5 Ah		plastic chassis	
working width	35 cm		collecting box	35 l
weight	17,5 kg		central adjustment of cutting height	
wheels (front/rear)	6/9"			

HECHT 5038

WITH BATTERY AND CHARGER

CZ SK PL GB DE HU

790 x 455 x 370 mm

CE

PUSHED

accu Li-Ion	DC 40 V		height adjustment	25–75 mm
Li-Ion	4 Ah		plastic chassis	
working width	38 cm		collecting box	40 l
weight	16,4 kg		central adjustment of cutting height	
wheels (front/rear)	6/9"			

HECHT 6504

Accu Li-ion	DC 40 V	
max. cutting diameter	20 mm	
bar length	50 cm	
weight	4,5 kg	
lenght	1,9 - 2,4 m	

CE

CZ SK GB PL HU

1220 x 210 x 140 mm

HECHT 1384

BATTERY AND CHARGER NOT INCLUDED

CZ SK GB PL HU

660 x 480 x 340 mm

CE

accu Li-Ion	DC 40 V		collecting box	45 l
working width	38 cm		working time	48 min
weight	14,5		plastic chassis	
	without battery and charger			

ACCU program 5040

Battery 005040B

DC 40 V, 4 Ah
Available from 1/17

Battery 005025B

DC 40 V, 2,6 Ah
Available from 1/17

HECHT 9040

BATTERY AND CHARGER NOT INCLUDED

CZ SK GB DE PL

570 x 555 x 460 mm

CE

accu Li-Ion	DC 40 V		manual pushed	✓
Li-Ion	4 Ah		weight	19,5 kg
working width	46 cm	Battery and charger not included		

HECHT 9440

BATTERY AND CHARGER NOT INCLUDED

CZ SK PL GB HU

440 x 390 x 222 mm

CE

Li-ion	DC 40 V, 4 Ah		air volume blower	0,07 m³/s
weight blower	2,14 kg		air volume vacuum cleaner	0,1 m³/s
weight vacuum cleaner	2,88 kg		Battery and charger not included	

www.hecht.cz

* Net weight of grass trimmers and brush cutters is without cutting cover and tools, with battery.

ACCU PROGRAM 5040

HECHT 5046

Mulching kit included

WITH BATTERY AND CHARGER

PATENTED WHEELS DESIGN

CZ SK PL GB DE HU

845 x 570 x 430 mm

alternative side ejection

SELF PROPELLED

	accu Li-Ion	DC 40 V		height adjustment	25-75 mm
	Li-Ion	4 Ah		steel chassis	
	working width	46 cm		collecting box	60 l
	weight	26 kg		ball bearings	
	wheels (front/rear)	8/11"		central adjustment of cutting height	

HECHT 5051

Mulching kit included

WITH BATTERY AND CHARGER

PATENTED WHEELS DESIGN

CZ SK PL GB DE HU

910 x 570 x 430 mm

alternative side ejection

SELF PROPELLED

	accu Li-Ion	DC 40 V		height adjustment	25-75 mm
	Li-Ion	4 Ah		steel chassis	
	working width	51 cm		collecting box	60 l
	weight	27,7 kg		ball bearings	
	wheels (front/rear)	8/11"		central adjustment of cutting height	

Charger 005040CH

Available from 1/17

Battery cells SAMSUNG

Li-ion Powered

12 products with 1 battery and charger

ECO FRIENDLY

HECHT 1440

Accu brushcutter

BATTERY AND CHARGER NOT INCLUDED

CZ SK GB PL HU

965 x 280 x 170 mm

	accumulator	Li–ion Samsung
	accu article (V)	DC 40 V, 4 Ah
max	working width blade	25,4 cm
max	working width string head	30
	weight	5,5 kg

HECHT 9504

BATTERY AND CHARGER NOT INCLUDED

CZ SK PL GB HU

	Accu Li-ion	DC 40 V		bar length	20 cm
	lenght	2,3–2,8 m		weight	4,4 kg

HECHT 9940

	accumulator	Li–ion Samsung
	accu article (V)	DC 40 V, 4 Ah
	bar length	35 cm
	weight	5,5 kg

BATTERY AND CHARGER NOT INCLUDED

CZ SK GB PL HU

445 x 258 x 290 mm

HECHT 1040

BATTERY AND CHARGER NOT INCLUDED

CZ SK GB PL HU

1232 x 258 x 118 mm

	accumulator	Li–ion Samsung	max	working width	28-32 cm
	accu article (V)	DC 40 V, 4 Ah		weight	3,8 kg

ORIGINAL ACCESSORIES

Adapters for grass trimmers HECHT

order number dimensions	Hecht 1238	Hecht 1299	Hecht 1445	Hecht 690	HECHT 124	Hecht 124 R	Hecht 130R	Hecht 129 BTS	Hecht 135 BTS	HECHT 1330	Hecht 142 BTS	Hecht 145	Hecht 151	Hecht 152 BTS	Hecht 154	Hecht 150, 163
HECHT 000109 EASY-load			x					x	x	x	x	x	x	x	x	
HECHT 000130 EASY-load											x	x	x	x	x	
HECHT 000108			x	x	x	x	x	x	x	x	x	x	x	x	x	
74201080		x														
74203101	x															
H124-11					x											
124R00004						x	x									
16300000H																x
690002432				x												
600050 ø 255x1,4mm	x		x					x	x	x	x	x	x	x		x
600040 ø 255x1,4mm	x		x					x	x	x	x	x	x	x		x
600250 ø 255x1,4mm	x		x					x	x	x	x	x	x	x		x
600600 ø 250x3,0mm											x	x	x	x		x
600610 ø 300x3,0mm											x	x	x	x		x
600590 ø 255x1,4mm													x	x		x
600640 ø 255x1,8mm													x	x		x

EASY-load

Easy load system - really quick string change without using any tools.

Strings for grass trimmers HECHT

- ● ∅ 1,3 x 15 m (10001513)
- ● ∅ 1,65 x 15 m (10001516)
- ● ∅ 2,0 x 15 m (10001520)
- ● ∅ 2,4 x 15 m (10001524)
- ■ ∅ 2,4 x 15 m (10101524)
- ★ ∅ 2,4 x 15 m (10201524)
- ■ ∅ 3,0 x 15 m (10101530)
- ★ ∅ 3,0 x 15 m (10201530)

- ● ∅ 1,6 x5 180 m (10018016)
- ● ∅ 2,0 x 130 m (10013020)
- ● ∅ 2,4 x 90 m (10009024)
- ● ∅ 3,0 x 60 m (10006030)
- ■ ∅ 2,4 x 60 m (10106024)
- ■ ∅ 3,0 x 40 m (10104030)
- ★ ∅ 2,4 x 90 m (10209024)
- ★ ∅ 3,0 x 60 m (10206030)

- ● ∅ 1,65 x 750 m (10075016)
- ● ∅ 2,0 x 520 m (10052020)
- ● ∅ 2,4 x 360 m (10036024)
- ● ∅ 3,0 x 240 m (10024030)
- ● ∅ 3,3 x 210 m (10021033)
- ● ∅ 4 x 150 m (10015040)
- ■ ∅ 2,4 x 345 m (10134524)
- ■ ∅ 3,0 x 232 m (10123230)
- ■ ∅ 3,3 x 232 m (10123233)
- ★ ∅ 2,4 x 408 m (10240824)
- ★ ∅ 3,0 x 285 m (10228530)
- ★ ∅ 3,3 x 232 m (10223233)

■ square cross strings ● circular cross strings ★ star cross strings

DUAL POWER

Strings with core - DUAL POWER

- ● ∅ 1,65 x 15 m (10301516)
- ● ∅ 1,65 x 180 m (10318016)
- ● ∅ 1,65 x 750 m (10375016)
- ● ∅ 2 x 15 m (10301520)
- ● ∅ 2 x 130 m (10313020)
- ● ∅ 2 x 520 m (10352020)
- ● ∅ 2,4 x 15 m (10301524)
- ● ∅ 2,4 x 90 m (10309024)
- ● ∅ 2,4 x 360 m (10336024)
- ● ∅ 3 x 60 m (10306030)
- ● ∅ 3 x 240 m (10324030)
- ● ∅ 3,3 x 210 m (10321033)
- ■ ∅ 2,4 x 15 m (10401524)
- ■ ∅ 2,4 x 60 m (10406024)
- ■ ∅ 2,4 x 345 m (10434524)
- ■ ∅ 3 x 15 m (10401530)
- ■ ∅ 3 x 40 m (10404030)
- ■ ∅ 3 x 232 m (10423230)
- ■ ∅ 3,3 x 232 m (10423233)

HECHT GREASE GX

Plastic lubricant for angle drives

Min. order 48 pcs

»Made in EU«

Plastic tube

HECHT 000101

Shoulder strap

Plastic bag with hang tag

HECHT 000102

Shoulder strap

Plastic bag with hang tag

HECHT 000103

Shoulder strap

Plastic bag with tag

HECHT 5036 SET 2in1

Separable handle

SAMSUNG



Scissors

Hedge

CZ SK GB PL HU

740 x 130 x 125 mm

ϟ	accumulator	Li–ion Samsung	max	working width	8/11 cm
ϟ	accu article	DC 3,6 V		weight	1 kg

www.hecht.cz

* Net weight of grass trimmers and brush cutters is without cutting cover and tools

ACCU PROGRAM 6020

You can buy grass trimmer HECHT 5020 with a battery and charger included to have no longer to re-buy batteries for other products, or you can buy a battery and charger for other products individually.

3in1

(3 products with 1 battery and charger)

ACCU program 6020

Battery 000620B

DC 20 V, 2 Ah

Charger 000620CH

HECHT 5020

BATTERY AND CHARGER INCLUDED

CZ SK GB PL HU

895 x 250 x 155 mm

	accumulator	Lithium-ion		working width	25 cm
	accu article (V)	DC 20 V. 2 Ah		weight	2 kg
	working time without load	cca 20 min		charging time	cca 2 h

Li-ion Powered

HECHT 6020

BATTERY AND CHARGER NOT INCLUDED

CZ SK PL GB HU

945 x 220 x 170 mm

	accumulator	Lithium-ion		bar length	61 cm
	accu article (V)	DC 20 V. 2 Ah		weight	1,85 kg
	max. cutting diameter	15 mm	Battery and charger not included		

HECHT 9020

BATTERY AND CHARGER NOT INCLUDED

CZ SK PL GB HU

500 x 170 x 210 mm

	accumulator	Lithium-ion		air velocity	198 km/h
	accu article (V)	DC 20 V. 2 Ah		weight	1,3 kg
	Battery and charger not included				

* Net weight of grass trimmers and brush cutters is without cutting cover and tools, with battery.

ELECTRIC AND PETROL GRASS TRIMMERS AND BRUSH CUTTERS

HECHT 300

CZ SK GB PL HU

400 x 195 x 120 mm

electric	230 V/50 Hz	working width	22 cm		
power input	300 W	weight	1,4 kg		

HECHT 530

CZ SK GB PL HU

980 x 245 x 130 mm

electric	230 V/50 Hz	working width	30 cm		
power input	550 W	weight	2,6 kg		

HECHT 630

CZ SK GB PL HU

890 x 250 x 155 mm

electric	230 V/50 Hz	working width	30 cm		
power input	600 W	weight	2,8 kg		

HECHT 1299

Separable shaft

CZ SK GB PL HU

310 x 825 x 140 mm

electric	230 V/50 Hz	working width	38 cm		
power input	1200 W	weight	4,4 kg		

HECHT 1238

Separable shaft

Basic accessories of the machine are: string head and metal blade, shoulder belt

CZ SK GB PL HU

977 x 294 x 130 mm

electric	230 V/50 Hz	working width	38 cm		
power input	1200 W	weight	4,4 kg		

HECHT 1445

Separable shaft

Basic accessories of the machine are: string head and metal blade, shoulder belt

CZ SK GB PL HU

990 x 230 x 110 mm

electric	230 V/50 Hz	working width	42 cm		
power input	1400 W	weight	5 kg		

HECHT 124 R

Separable shaft

Basic accessories of the machine are: string head and metal blade, shoulder belt

CZ SK GB PL HU

986 x 257 x 233 mm

engine volume	25 cm³	working width	43 cm		
power output	1 HP	weight	4,6 kg		

www.hecht.cz

* Net weight of grass trimmers and brush cutters is without cutting cover and tools

PETROL BRUSH CUTTERS

HECHT 130 R

Separable shaft

Basic accessories of the machine are: string head and shoulder belt

CZ SK GB PL HU

1020 x 260 x 260 mm

engine volume	30 cm³	max	working width	43 cm
power output	1,2 HP		weight	5 kg

HECHT 129 BTS

Separable shaft

Basic accessories of the machine are: string head and metal blade, shoulder belt

ULTRA LIGHT

CZ SK GB PL HU

1100 x 270 x 260 mm

engine volume	26 cm³	max	working width	43 cm
power output	1,1 HP		weight	5,9 kg

HECHT 135 BTS

Separable shaft

Basic accessories of the machine are: string head and metal blade, shoulder belt

ULTRA LIGHT

CZ SK GB PL HU

1130 x 270 x 256 mm

engine volume	33 cm³	max	working width	43 cm
power output	1,5HP		weight	6,1 kg

HECHT 142 BTS

Separable shaft

Basic accessories of the machine are: string head and metal blade, shoulder belt

ULTRA LIGHT

CZ SK GB PL HU

1100 x 300 x 300 mm

engine volume	43 cm³	max	working width	43 cm
power output	2 HP		weight	6,8 kg

HECHT 145

Basic accessories of the machine are: string head and metal blade, shoulder belt

CZ SK GB PL HU

1840 x 252 x 302 mm

engine volume	43 cm³	max	working width	42 cm
power output	2 HP		weight	8,5 kg

HECHT 152 BTS

Separable shaft

Basic accessories of the machine are: string head and metal blade, shoulder belt

CZ SK GB PL HU

1100 x 300 x 300 mm

engine volume	52 cm³	max	working width	43 cm
power output	2,2 HP		weight	7,9 kg

* Net weight of grass trimmers and brush cutters is without cutting cover and tools

PETROL BRUSH CUTTERS

HECHT 151

Basic accessories of the machine are: string head and metal blade, shoulder belt

CZ SK PL GB

1850 x 280 x 285 mm

engine volume	51 cm³	max	working width	44 cm
power output	2,4 HP		weight	8,9 kg

HECHT 150

Basic accessories of the machine are: string head and metal blade, shoulder belt

CZ SK GB PL HU

1860 x 310 x 306 mm

engine volume	51,7 cm³	max	working width	43 cm
power output	2,2 HP		weight	10 kg

HECHT 154

Basic accessories of the machine are: string head, shoulder belt and metal blade, carburetor WALBRO

CZ SK GB PL HU

1880 x 315 x 300 mm

engine volume	52 cm³	max	working width	43 cm
power output	2,6 HP		weight	8,7 kg

HECHT 163

A robust cleaning brush cutter for demanding applications

Basic accessories of the machine are: string head, shoulder belt and metal blade,

CZ SK GB PL HU

1871 x 313 x 318 mm

engine volume	63,3 cm³	max	working width	43 cm
power output	3,1 HP		weight	10,8 kg

HECHT 133 R

Basic accessories of the machine are: string head, shoulder belt and metal blade

CZ SK PL GB

1840 x 264 x 270 mm

engine volume	33,5 cm³	max	working width	43 cm
power output	1,1 HP		weight	7,5 kg

HECHT 1330

Multifunctional tool

CZ SK PL GB HU

1080 x 260 x 270 mm

engine volume	26 cm³
power output	1 HP

Lawn cutter - optional accessory for HECHT 0001330

www.hecht.cz

* Net weight of grass trimmers and brush cutters is without cutting cover and tools

PETROL SWEEPERS, GARDEN GLOVES

HECHT 8616

3 in 1

13" Chains
009551

CZ SK PL GB DE HU

840 x 630 x 635 mm

4-stroke OHV engine

HP	displacement	196 cm³		weight	70 kg
	working width	55/62/85 cm		4 gear forward, 2 gear reverse	

HECHT 8616 SE

With 230 V electric starter and adjustable light

3 in 1

13" Chains
009551

CZ SK PL GB DE HU

840 x 630 x 635 mm

4-stroke OHV engine

HP	displacement	196 cm³		weight	72 kg
	working width	55/62/85 cm		4 gear forward, 2 gear reverse	

HECHT 8101

Variable brush speed

CZ SK PL GB DE HU

1140 x 830 x 740 mm

4-stroke HECHT OHV engine

	displacement	173 cm³		weight	79 kg
HP	power input	6,5 HP*		3 gear forward, 1 gear reverse	
	working width	100 cm		brush speed	180 - 350 rpm

Accessories for HECHT 8616 / 8616 E / 8616 SE

Ploughshare
000861 A

Collecting box
000861 B

Snow thrower
000861 C

Accessories for HECHT 8101 / 8101 S / 8101 BS

Ploughshare 008101 A

Collecting box
008101 B

13" Chains
009551

HECHT 8101 S

Variable brush speed

Equipped with battery starter

CZ SK PL GB DE HU

1140 x 830 x 740 mm

4-stroke HECHT OHV engine

	displacement	173 cm³		weight	82 kg
HP	power input	6,5 HP*		3 gear forward, 1 gear reverse	
	working width	100 cm		brush speed	180 - 350 rpm

HECHT 8101 BS

Variable brush speed

CZ SK PL GB DE HU

1140 x 830 x 740 mm

4-stroke engine B&S 750 EX

	displacement	161 cm³		weight	76 kg
HP	power input	6,5 HP*		3 gear forward, 1 gear reverse	
	working width	100 cm		brush speed	180 - 350 rpm

* The data of engine performance is measured in 3600 rpm^{-1}. This value can not be reached during normal operation.
For accurate comparison of engine power use data of the capacity and type of engine.

GARDEN TOOLS

420 CC

421

498 D2

435 HB 2L

493 A

494 ADN

176 GT

434DLA08
Ratchet shears

527A

023 - 2W

041 C

018KB

020 AKB

R4

036 WLG

018SGHJ2

020ASGHJ2

018 LGG

020 ALGG

0182036L



050GAH9L



050TAH9L



060AH9L

M4 T2A - aluminium - telescopic
130–243 cm

2002

2003

2004

G02FHN

JZN200 - universal garden prunning shears 200 cm

JZN356 - universal garden prunning shears 200-356 cm

www.hecht.cz

SPADES, RAKES

HECHT 600801

Working part made of carbon steel.

thickness 1,8 mm
blade lenght 295 mm
neck lenght 300 mm
handle lenght 1050 mm

Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

CZ SK PL GB DE HU

Box: 3 pcs

HECHT 600805

Working part made of carbon steel.

thickness 2 mm
blade lenght 295 mm
neck lenght 300 mm
handle lenght 1050 mm

Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

CZ SK PL GB DE HU

Box: 3 pcs

HECHT 600808

Working part made of carbon steel.

thickness 1,8 mm
blade lenght 295 mm
neck lenght 300 mm
handle lenght 850 mm

Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

CZ SK PL GB DE HU

Box: 3 pcs

HECHT 600821

Working part made of carbon steel.

thickness 2 mm
blade lenght 295 mm
neck lenght 300 mm
handle lenght 1200 mm

Handle made of durable ash wood.

CZ SK PL GB DE HU

Box: 3 pcs

HECHT 600818

Working part made of carbon steel.

lenght 1220 mm

Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

CZ SK PL GB DE HU

Box: 3 pcs

HECHT 2213

Working part made of carbon steel.

lenght 1145 mm

CZ SK PL GB DE

Box: 3 pcs

5in1

(5 blades with 1 handle)

You can buy one handle HECHT 600101 and then buy the rake blades individually.

HECHT 600101

oval auminum handle with plastic sleeve, soft grip and end hook

161 cm

CZ SK PL GB DE HU

Box: 6 pcs

QUICK ASSEMBLY



HECHT 600135

PET rake blade 35 teeth
size 760 x 310 mm

Box: 6 pcs

HECHT 600123

PET rake blade 23 teeth
size 480 x 260 mm

Box: 6 pcs

HECHT 600112

Nylon rake blade 12 teeth
size 410 mm

Box: 6 pcs

HECHT 600113

PET rake blade 13 teeth
size 240 x 200 mm

Box: 6 pcs

HECHT 600118

Nylon rake blade 18 teeth
size 580 mm

Box: 6 pcs

GARDEN TOOLS, BOW SAWS, COMPOSTERS

600631
47 cm

M4B1
prunning shears for trimming branches and tall trees

900442

folding

F2AD

folding

HECHT 600605
lenght 53,4 cm
Bow saw for wood cutting

HECHT 600620
lenght 61 cm
Bow saw for wood cutting

M9GLC
tool holder

5 PCS SET

HECHT 36

Garden composter for biological waste, grass, leaves. Ideal for preparing high-quality compost.

CZ SK PL GB DE HU

235 x 845 x 725 mm

	max capacity	360 l
	dimensions	78 x 78 x 84 cm

HECHT 4600

Garden composter for biological waste, grass, leaves. Ideal for preparing high-quality compost.

CZ SK PL GB DE HU

770 x 240 X 1090 mm

	max capacity	600 l
	dimensions	80 x 80 x 108 cm

www.hecht.cz

GARDEN CARTS, FERTILIZERS

HECHT GARDEN CART

order no.:
HCG401

PLASTIC WITH WHEELS

max weight	30 kg		
max capacity	60 l		

HECHT PROFI CART

order no.:
HCP402

PLASTIC WITH WHEELS

max weight	150 kg		
max capacity	110 l		

HECHT 33

Hecht 33 is designed for distribution of fertilizers and seeds, in winter even salt.

sprading regulation

CZ SK PL GB HU

plastic bag

manual			max capacity	cca 3 l	
weight	0,5 kg	max.	max. width of sprading	2 m	

HECHT 212

Hecht 212 is designed for distribution of fertilizers and seeds, in winter even salt.

sprading regulation

CZ SK PL GB DE HU

245 x 210 x 575 mm

manual pushed			max capacity	12 l	
weight	2 kg	max.	max. width of sprading	45 cm	

HECHT 220

Hecht 220 is designed for distribution of fertilizers and seeds, in winter even salt.

sprading regulation

CZ SK PL GB HU

595 x 295 x 210 mm

manual pushed			max capacity	20 l	
weight	2,9 kg	max.	max. width of sprading	48 cm	

HECHT 270

Hecht 270 is designed for distribution of fertilizers and seeds, in winter even salt.

sprading regulation

CZ SK PL GB HU

500 x 280 x 390 mm

manual pushed			max capacity	27 l	
weight	4,4 kg	max.	max. width of sprading	3 m	

FERTILIZERS, GARDEN SHREDDERS

HECHT 229

Hecht 229 is designed for distribution of fertilizers and seeds, in winter even salt.

sprading regulation

CZ SK PL GB HU

620 x 420 x 320 mm

manual pushed			max capacity	29 l
weight	11 kg	max.	max. width of sprading	3 m

HECHT 256

Hecht 256 is designed for distribution of fertilizers and seeds, in winter even salt.

sprading regulation

CZ SK PL GB HU

780 x 550 x 450 mm

manual pushed			max capacity	60 l
weight	17,3 kg	max.	max. width of sprading	3,5 m

HECHT 260

Suitable for lawn tractors

Hecht 260 is designed for distribution of fertilizers and seeds, in winter even salt.

sprading regulation

CZ SK PL GB HU

740 x 560 x 410 mm

Tow-behind spreader for large areas of ground

manual pushed			max capacity	60 l
weight	12,6 kg	max.	max. width of sprading	4 m

HECHT 624

Including cca 50 l bag

shredded branches

CZ SK GB PL HU

680 x 275 x 360 mm

electric	230 V/50 Hz	max.	cut branches up to	4,5 cm
power input	2400 W		electric overload protection	

HECHT 6224

Including cca 60 l bag

shredded branches

CZ SK GB PL

650 x 370 x 475 mm

electric	230 V/50 Hz	max.	cut branches up to	4 cm
power input	2400 W		electric overload protection	

HECHT 624 BOX

box cca 50 l

shredded branches

CZ SK GB PL HU

485 x 385 x 555 mm

electric	230 V/50 Hz	max.	cut branches up to	4 cm
power input	2500 W		collecting box	cca 50 l
electric overload protection				

www.hecht.cz

GARDEN SHREDDERS

HECHT 6284 XL

box
cca 60 l

shredded branches

CZ SK GB PL HU

575 x 420 x 505 mm

	electric	230 V/50 Hz	max	cut branches up to	4,5 cm
	power input	2800 W		collecting box	cca 60 l
	electric overload protection				

HECHT 626 Silent

Including cca 50 l bag

shredded branches

CZ SK GB PL HU

620 x 515 x 255 mm

	electric	230 V/50 Hz	max	cut branches up to	4 cm
	power input	2600 W	auto	automatic branch pulling	
	electric overload protection			engine brake	
	shredding by crushing roller (very silent)				

HECHT 6285 XL

shredded branches

CZ SK GB PL HU

570 x 380 x 520 mm

	electric	230 V/50 Hz	max	cut branches up to	4,4 cm
	power input	2800 W		collecting box	cca 60 l
	electric overload protection				

HECHT 6280 XL

shredded branches

box
cca 60 l

CZ SK GB PL HU

600 x 387 x 445 mm

	electric	230 V/50 Hz	max	cut branches up to	4,5 cm
	power input	2800 W	auto	automatic branch pulling	
	electric overload protection			engine brake	
	shredding by crushing roller (very silent)			collecting box	cca 60 l

HECHT 6173

Including box for shredded branches

shredded branches

CZ SK GB PL HU

790 x 420 x 790 mm

	engine HECHT	OHV		collecting box	cca 30 l
	displacement	173 cm³		weight	45 kg

HECHT 6420



Shredding knives

Towing rod

Including bag for shredded branches

CZ SK GB PL DE HU

1125 x 780 x 460 mm

	engine HECHT	OHV	max	cut branches up to	5 cm
HP	displacement	389 cm³	auto	automatic branch pulling	
	weight	110 kg			

HAND AND KNAPSACK SPRAYERS

HECHT 401

Plastic bag

manual		litres	tank volume	0,9 l
weight	0,15 kg			

HECHT 415 V

Adjustable spraying jet

Relief valve

CZ SK PL GB DE HU

plastic bag

manual			weight	0,5 kg
max. pressure	2 bar		piston	
tank volume	1,5 l			

HECHT 405

Adjustable spraying jet



CZ SK PL GB DE HU

160 x 185 x 420 mm

manual			weight	1,3 kg
max. pressure	3 bar		piston	
tank volume	5 l			

HECHT 408

Adjustable spraying jet

CZ SK PL GB DE HU

182 x 182 x 555 mm

manual			weight	1,4 kg
max. pressure	3 bar		piston	
tank volume	8 l			

ACCESSORIES

1.	003016	30-75 cm telescopic rod with a flexible nozzle for HECHT 405, 408, 4500
2.	000408	The ability to connect multiple units in a row 38 cm for HECHT 405, 408, 4500
3.	004500	telescopic rod max 150 cm for HECHT 405, 408, 4500
4.	000416	telescopic rod max 150 cm for HECHT 425, 4120
5.	000400	gloss applicator for HECHT 405, 408, 4500
6.	004112	set of nozzles for HECHT 4112, 4116
7.	000415A	nozzle „F-type“ for HECHT 415 ACCU

HECHT 4500

Adjustable spraying jet



Manometer

CZ SK PL GB DE HU

181 x 439 x 181 mm

manual			weight	1,4 kg
max. pressure	3 bar		piston	
tank volume	5 l			

www.hecht.cz

SPRAYERS AND MIST DUSTERS

HECHT 4112

CZ SK GB PL HU

425 x 165 x 559 mm

	manual		litres	tank volume	12 l
max	max. pressure	4 bar		piston	

HECHT 4116

CZ SK GB PL HU

440 x 185 x 570 mm

	manual		litres	tank volume	16 l
max	max. pressure	4 bar		piston	

HECHT 451

Including applicator for granules

without auxiliary pump

CZ SK PL GB DE HU

510 x 400 x 690 mm

CE

	engine HECHT	2 stroke		weight	11 kg
	engine volume	51,7 cm³	litres	tank volume	14 l
HP	power output	2 HP	range		≤12 m

HECHT 459

Including applicator for granules

with auxiliary pump

CZ SK PL GB DE HU

500 x 440 x 680 mm

CE

	engine HECHT	2 stroke		weight	10,5 kg
	engine volume	59,2 cm³	litres	tank volume	14 l
HP	power output	3,6 HP	range		≤16 m

HECHT 415 ACCU

Li-ion battery included

Available from 4/17

CZ SK GB PL HU

CE

370 x 240 x 550 mm

	accu	12 V, 7 Ah	litres	tank volume	15 l
max	max. pressure	2,75 bar		weight	4,4 kg

HECHT 433

Available from 5/17

CZ SK GB PL HU

CE

425 x 350 x 535 mm

	engine HECHT	2 stroke		weight	9,2 kg
	engine volume	25,4 cm³	litres	tank volume	15 l
HP	power output	1 HP	max	max. pressure	25 bar

SUBMERSIBLE, SURFACE AND GARDEN PUMPS

HECHT 3018

Second extension

POND PUMP

CZ SK PL GB HU

200 x 200 x 100 mm

CE

	electric	230 V/ 50 Hz		max. delivery height	1,4 m
	power input	18 W	max	max. delivery volume	900 l/h
pipe diameter		1,4"		10 m rubber power cable	

HECHT 3051

Interchangeable attachments

POND PUMP

CZ SK PL GB HU

200 x 205 x 160 mm

CE

	electric	230 V/ 50 Hz		max. delivery height	2,3 m
	power input	50 W	max	max. delivery volume	1750 l/h
pipe diameter		1,2"		10 m rubber power cable	

HECHT 3350



CZ SK PL GB HU

220 x 370 x 160 mm

plastic chassis

CE

	electric	230 V/ 50 Hz		max.delivery height	10 m
	power input	350 W		10 m rubber power cable	
	clear water		max	max. delivery volume	3000 l/h

HECHT 3400

CZ SK PL GB HU

228 x 168 x 325 mm

plastic chassis

CE

	electric	230 V/ 50 Hz		max.delivery height	5 m
	power input	400 W		10 m rubber power cable	
	dirty water		max	max. delive-ry volume	8000 l/h

HECHT 3752

CZ SK PL GB HU

228 x 168 x 340 mm

plastic chassis

CE

	electric	230 V/ 50 Hz		max.delivery height	8 m
	power input	750 W		10 m rubber power cable	
	dirty water		max	max. delivery volume	12500 l/h

HECHT 3011

CZ SK PL GB HU

228 x 168 x 360 mm

inox chassis

CE

	electric	230 V/ 50 Hz		max.delivery height	10 m
	power input	1100 W		10 m rubber power cable	
	dirty water		max	max. delivery volume	16000 l/h

HECHT 3301

CZ SK PL GB HU

150 x 100 x 280 mm

steel chassis

CE

	electric	230 V/ 50 Hz		max.delivery height	55 m
	power input	300 W		10 m rubber power cable	
			max	max. delive-ry volume	1400 l/h

HECHT 3602

CZ SK PL GB HU

170 x 120 x 280 mm

steel chassis

CE

	electric	230 V/ 50 Hz		max.delivery height	70 m
	power input	600 W		10 m rubber power cable	
			max	max. delive-ry volume	1700 l/h

HECHT 3520

CZ SK PL GB HU

225 x 175 x 635 mm

steel chassis

CE

	electric	230 V/ 50 Hz		max.delivery height	55 m
	power input	1000 W		10 m rubber power cable	
			max	max. delive-ry volume	5200 l/h

www.hecht.cz

GARDEN PUMPS, GREENHOUSE ACCESSORIES

HECHT 3080

CZ SK PL GB HU

370 x 210 x 260 mm

	electric	230 V/ 50 Hz		max.delivery height	38 m
	power input	800 W	max	max. delivery volume	3200 l/h
max	max. pressure	3,8 bar			

HECHT 3800

CZ SK PL GB HU

465 x 280 x 570 mm

	electric	230 V/ 50 Hz		max.suction lift	8 m
	power input	800 W	max	max. delivery volume	3200 l/h
	max. delivery height	38 m	litres	tank volume	20 l

HECHT 000031

7m / 1" Suction hose with possibility of easy shortening for the length required.

carton header

HECHT 3101 INOX

CZ SK PL GB HU

465 x 280 x 510 mm

	electric	230 V/ 50 Hz		max.delivery height	44 m
	power input	1000 W	max	max. delivery volume	3500 l/h
max	max. pressure	1,5-3 bar			

HECHT 343

CZ SK PL GB DE HU

400 x 300 x 400 mm

	engine HECHT	2-stroke		max.suction lift	8 m
	engine volume	43 cm³		weight	9,5 kg
	max. delivery height	35 m	max	max. delivery volume	15 000 l/h

HECHT 3635

CZ SK PL GB HU

485 x 383 x 400 mm

	engine HECHT	OHV, 4-stroke		max.suction lift	7 m
HP	power output	6,5 HP*	max	max. delivery volume	30000 l/h
	max. delivery height	27 m			

HECHT 3680

Suction strainer included

FOR DIRTY WATER

CZ SK PL GB DE HU

570 x 445 x 435 mm

	engine HECHT	OHV, 4-stroke		max.suction lift	7 m
HP	power output	6,5 HP*		weight	37 kg
	max. delivery height	25 m	max	max. delivery volume	45000 l/h

* The data of engine performance is measured in 3600 rpm^{-1}. This value can not be reached during normal operation.
For accurate comparison of engine power use data of the capacity and type of engine.

HOSE CONNECTIONS, EXTENTIONS AND GUNS

CONNECTION

08010C 1/2"

CONNECTION

08011C 1/2"

TAP EXTENTION

08028C 1"

SPRAYING GUN

02095

HECHT 02096

CONNECTION



08029C 3/4"



08030C 3/4"

IRRIGATION NOZZLE

08024C 1/2" & 3/4"

THREE-WAY CONNECTION

08015E

ALUMINIUM

CONNECTION

HECHT 08010

1/2" hoses

HECHT 08011

1/2" hoses

HECHT 08111

3/4" - 5/8" - 1/2" hoses

CONNECTION

HECHT 08029

3/4" hoses

HECHT 08030

3/4" hoses

CORRECTION CONNECTION

HECHT 08013 3/4" - 5/8" - 1/2" hoses

Universal

TAP EXTENSION

HECHT 08018

3/4" hoses

HECHT 08023

3/4" & 1" hoses

HECHT 08024

1/2" & 3/4' hoses

TWO-WAY CONNECTION

HECHT 08016

CONNECTION SET

HECHT 08025

SPRINKLER

HECHT 08109

up to 10 m diameter

ELECTRONIC TIMER

HECHT 08907

multifunction pre-set
watering selection
digital LCD time display
only 2 AA batteries
required (not included)
adaptor 3/4 and 1" hose

MECHANICAL TIMER

HECHT 08901

setting 0/120 min
no batteries needed
adaptor 3/4 and 1"

TWO-WAY TAP EXTENSION

HECHT 08104

IMPLUSE SPRINKLER

HECHT 01023

HECHT 08103

HECHT 06043

HECHT 02677

www.hecht.cz

HOSE CONNECTIONS, EXTENTIONS AND GUNS

SHOWER

HECHT 08230
65 cm

10 patterns

8 PATTERN OSCILLATING SPRINKLER 3 IN 1

HECHT 06018

8 patterns:
circle, semicircle, rectangle, sector, shower, square, triangle, semiflat

8 PATTERN SPRINKLER

HECHT 07060

500 x 120 x 165 mm

pressure 2-4 bar, max. 20 l/min, max. area 280 m²

OSCILLATING SPRINKLER

HECHT 08601
max. 4 bar,
12,4 m diameter

OSCILLATING SPRINKLER

HECHT 08702
17 holes

SPRAYING GUNS

HECHT 02002

HECHT 02063

HECHT 02036

HECHT 02064

HECHT 02037

HOSES

HECHT 05915

332 x 235 mm

HECHT 05120 1/2"
Working pressure 5 bar
Bursting pressure 17 bar
20 m

HOSE HANGER

HECHT 00632

HOSE REEL

HECHT 08666
20 m of 1/2" hose

HECHT 00627

335 x 150 x 370 mm

max 50 m of 1/2" hose

HOSE CART

HECHT 00628

530 x 160 x 395 mm

max 50 m of 1/2" hose

HECHT 08623

570 x 160 x 370 mm

max 50 m of 1/2" hose

HECHT 00638

470 x 190 x 575 mm

max 100 m of 1/2" hose

GREENHOUSES

MINI

CZ SK GB PL

BOX: 1020 x 100 x 100 mm

100 x 60 x 60 cm		metal frame, PE cover

TOMATO BASIC

CZ SK GB PL

BOX: 570 x 140 x 85 mm

100 x 50 x 150 cm		metal frame, PE cover

ELONGATED

CZ SK GB PL

BOX: 900 x 140 x 115 mm

180 x 90 x 92 cm		metal frame, PE cover

BALCONY B

CZ SK GB PL

BOX: 500 x 90 x 920 mm

90 x 49 x 150 cm		metal frame, PE cover

BALCONY

CZ SK GB PL

BOX: 460 x 67 x 690 mm

68 x 49 x 125 cm		metal frame, PE cover

TILT

CZ SK GB PL

BOX: 1020 x 280 x 130 mm

143 x 73 x 195 cm		metal frame, PE cover

TUNNEL

STEEL FRAME

CZ SK PL GB HU

BOX: 1070 x 400 x 170 mm

300 x 200 x 200 cm		metal frame, PE cover

HECHT CANOPY

BOX: 3030 x 650 x 200 mm

435 x 206/258 x 303 cm	metal frame

HECHT WORKBENCH

GALVANIZED STEEL CONSTRUCTION

CZ SK GB PL

1 BOX: 1130 x 620 x 90 mm

112 x 61 x 109 cm	galvanized steel construction

HECHT 000608

AUTO VENT OPENER

NOT FOR THE MODEL HECHT GREENHOUSE

www.hecht.cz

GREENHOUSES

HECHT PLANTER I.

ALU FRAME 1 mm
+ POLYCARBONATE

CZ SK PL GB HU

1 BOX: 1090 x 60 x 560 mm

108 x 56 x 41 cm	0,6 m²
alu frame, 4 mm pc board	

HECHT SEEDBED I.

ALU FRAME 1 mm
+ POLYCARBONATE

CZ SK PL GB HU

1 BOX: 1090 x 60 x 560 mm

108 x 56 x 41 cm	0,6 m²
alu frame, 4 mm twinwall polycarbonate	

HECHT SEEDBED II.

ALU FRAME 1 mm
+ POLYCARBONATE

CZ SK PL GB HU

1 BOX: 620 x 560 x 110 mm

180 x 51 x 51 cm	0,9 m²	alu frame, 4 mm pc board

HECHT GREENHOUSE I.

ALU FRAME 1 mm
+ POLYCARBONATE

BASE INCLUDED
(GALVANIZED STEEL)

CZ SK GB PL

2 BOXES: 1230 x 130 x 620, 2540 x 200 x 160 mm

250 x 190 x 195 cm	4,93 m²	1 mm alu frame, 4 mm twinwall polycarbonate

HECHT RANCHER II.

ALU FRAME 1,2 mm
+ POLYCARBONATE

BASE INCLUDED
(GALVANIZED STEEL)

CZ SK PL GB HU

2 BOXES: 1380 x 640 x 140, 3170 x 200 x 190 mm

315 x 190 x 195 cm	5,98 m²	1,2 mm alu frame, 4 mm twinwall polycarbonate

HECHT GARDENER I.

ALU FRAME 1,2 mm
+ POLYCARBONATE

BASE INCLUDED
(GALVANIZED STEEL)

CZ SK PL GB HU

2 BOXES: 1360 x 680 x 160, 1700 x 260 x 200 mm

310 x 250 x 190 cm	7,75 m²	1,2 mm alu frame, 4 mm twinwall polycarbonate

HECHT GREENGROCER

ALU FRAME 1,5 mm
+ POLYCARBONATE

BASE INCLUDED
(GALVANIZED STEEL)

CZ SK PL GB HU

2 BOXES: 1420 x 730 x 140, 368 x 240 x 140 mm

365 x 244 x 250 cm	8,9 m²	1,5 mm alu frame, 4 mm twinwall polycarbonate

HIGH PRESSURE WASHERS

HECHT 317

Equipment:
variojet, bottle for cleaner with foam jet, power cable 3 meter, 3 meter pressure hose with gun

CZ SK PL GB HU

260 x 250 x 470 mm

	electric	230 V/50 Hz	max	max. pressure	105 bar
	power input	1600 W		delivery volume	360 l/h

HECHT 320

Equipment:
variojet, bottle for cleaner with foam jet, power cable 5 meter, 5 meter pressure hose with gun, accessories holder

BRUSH - 000320B
FOR HECHT 320 AND 323

max	max. pressure	180 bar
	max. temperature	60° C

170 x 70 x 118 mm

CZ SK PL GB HU

325 x 295 x 600 mm

	electric	230 V/50 Hz	max	max. pressure	165 bar
	power input	2000 W		delivery volume	390 l/h

HECHT 323

PRESSURE HOSE - 000320D
FOR HECHT 320 AND 323

270 x 90 x 270 mm

ROTARY BRUSH
- 000320E
FOR HECHT 320
AND 323

170 x 120 x 370 mm

Equipment:
variojet, bottle for cleaner with foam jet, power cable, 5 meter pressure hose with gun, accessories holder

CZ SK PL GB HU

350 x 325 x 735 mm

	electric	230 V/50 Hz	max	max. pressure	165 bar
	power input	2200 W		delivery volume	480 l/h

HECHT 321



Pump with strengthening of the output pressure

Equipment:
variojet, bottle for cleaner with foam jet, power cable 5 meter, 7 meter pressure hose with gun

Self-priming
- no need of pressure water supply, also works with pressure water

CZ SK PL GB

350 x 890 x 290 mm

	electric	230 V/50 Hz	max	max. pressure	135 bar
	power input	1900 W		delivery volume	480 l/h

HECHT 324

Equipment:
bottle for cleaner with foam jet, power cable, 8 meter pressure hose with gun, power cable 5 meter

CZ SK PL GB HU

520 x 410 x 640 mm

	electric	230 V/50 Hz	max	max. pressure	150 bar
	power input	2300 W		delivery volume	420 l/h

HECHT 326

Equipment:
variojet, bottle for cleaner with foam jet, power cable 5 meter, 5 meter pressure hose with gun

CZ SK PL GB HU

860 x 380 x 360 mm

	electric	230 V/50 Hz	max	max. pressure	200 bar
	power input	2600 W		delivery volume	420 l/h

www.hecht.cz

* The data of engine performance is measured in 3600 rpm^{-1}. This value can not be reached during normal operation.
For accurate comparison of engine power use data of the capacity and type of engine.

PETROL GENERATOR

HECHT 3227

Equipment:
pressure hose with gun, hose for cleaner, 5 jets, hose holder, gun holder, cleaning tool

Folding handle

CZ SK PL GB HU

575 x 525 x 580 mm

	engine HECHT	4-stroke	max	max. pressure	186 bar
	engine volume	196 cm³	max	delivery volume	474 l/h

HECHT 3230

Equipment:
pressure hose with gun, hose for cleaner, 5 jets, hose holder, gun holder, cleaning tool

CZ SK PL GB HU

620 x 490 x 555 mm

	engine HECHT	4-stroke	max	max. pressure	207 bar
	engine volume	196 cm³	max	delivery volume	681 l/h

WASHER ACCESSORIES

HECHT 000317

15 m

This equipment is approved solely for cleaning blockages from pipes, down pipes, drains and toilets (for HECHT 318, 326, 3220 use the reduction H318326).

230 x 100 x 230

Rotating brush (for HECHT 318, 326, 3220 use the reduction H318326)
Part no.: 000318

Reduction
Part no.: H318326

Rotating brush for the terrace cleaning (for HECHT 318, 326, 3220 use the reduction H318326)
Part no.: 000326

HECHT GG 950 DC

Machine panel equipped with: 1 socket 230 V + 1 socket 12 V, fuse, power syst. grounding,

CZ SK PL GB HU

375 x 330 x 320 mm

2-stroke engine

	displacement	63 cm³		voltage	~230 V/=12 V
HP	power output	2 HP*		noise level	95 dB
	steady electrical output	650 W	tank	tank	4,2 l
	max. electrical output	720 W		weight	16,5 kg

HECHT GG 1300

Machine panel equipped with: 1 socket 230 V + 1 socket 12 V, fuse, voltmeter, power syst. grounding, adj. of el. tension.

CZ SK PL GB HU

460 x 360 x 410 mm

4-stroke engine

	displacement	87 cm³		voltage	~230 V/=12 V
HP	power output	2,4 HP*		noise level	93 dB
	steady electrical output	900 W	tank	tank	5,2 l
	max. electrical output	1000 W		weight	27 kg

HECHT GG 3300

Machine panel equipped with: 2 socket 230 V + 1 socket 12 V, fuse, voltmeter, power syst. grounding, adj. of el. tension.

CZ SK PL GB HU

600 x 450 x 515 mm

4-stroke engine

	displacement	208 cm³		voltage	~230 V/=12 V
HP	power output	7 HP*		noise level	96 dB
	steady electrical output	2600 W	tank	tank	15 l
	max. electrical output	3000 W		weight	46,5 kg

* The data of engine performance is measured in 3600 rpm^{-1}. This value can not be reached during normal operation.
For accurate comparison of engine power use data of the capacity and type of engine.

PETROL GENERATORS, SEPARATOR

HECHT GG 6500

Machine panel equipped with: 3 socket 230 V + 1 socket 12 V

e-start

1x industrial socket 32 A

CZ SK PL GB HU

725 x 555 x 590 mm

4-stroke engine

CE

	displacement	389 cm³		voltage	~230 V/=12 V
HP	power output	13 HP*		weight	84 kg
	steady electrical output	5000 W	tank	tank	25 l
	max. electrical output	5500 W			

HECHT GG 8000

Machine panel equipped with: 2x socket 230 V, 1x 400 V, 1x 12 V

e-start

folding handle

socket counter-parts included

CZ SK PL GB HU

Available from 3/17

710 x 536 x 600 mm

4-stroke engine

CE

	displacement	420 cm³		voltage	~230 V / 400 V =12 V
HP	power output	14 HP*		noise level	98 dB
	steady electrical output	6500 W	tank	tank	25 l
	max. electrical output	7000 W		weight	88 kg

HECHT GG 10000

Machine panel equipped with: 2x socket 230 V, 1x 400 V, 1x 12 V

e-start

folding handle

socket counter-parts included

CZ SK PL GB HU

Available from 3/17

710 x 536 x 600 mm

4-stroke engine

CE

	displacement	459 cm³		voltage	~230 V / 400 V =12 V
HP	power output	16 HP*	tank	tank	25 l
	steady electrical output	7500 W		weight	102 kg
	max. electrical output	8500 W			

HECHT GG 1000i

Machine panel equipped with: 1 socket 230 V + 1 socket 12 V, fuse, power syst. grounding, adj. of el. tension.

Produces a constant voltage - suitable for the power supply of computers, TVs, electronics ...

CZ SK GB PL

430 x 370 x 290 mm

4-stroke engine

CE

	displacement	53,5 cm³		voltage	~230 V/=12 V
HP	power output	1,7 HP*		noise level	95 dB
	steady electrical output	900 W	tank	tank	2,7 l
	max. electrical output	1000 W		weight	14 kg

HECHT GG 2000i

Machine panel equipped with: 1 socket 230 V + 1 socket 12 V, fuse, power syst. grounding, adj. of el. tension.

Produces a constant voltage - suitable for the power supply of computers, TVs, electronics ...

CZ SK PL GB HU

550 x 480 x 320 mm

4-stroke engine

CE

	displacement	105,7 cm³		voltage	~230 V/=12 V
HP	power output	3 HP*		noise level	92 dB
	steady electrical output	1600 W	tank	tank	3,5 l
	max. electrical output	2000 W		weight	22 kg

HECHT 20 E



CZ SK PL GB HU

610 x 355 x 355 mm

CE

	electric	230 V/50 Hz	litres	tank volume	18 l
	power input	1000 W			

www.hecht.cz

* The data of engine performance is measured in 3600 rpm^{-1}. This value can not be reached during normal operation. For accurate comparison of engine power use data of the capacity and type of engine.

VACUUM CLEANERS, PLATE COMPACTORS

HECHT 008314

5 m hose for HECHT 8212, 8314, 8314 Z

HECHT 8212

WET & DRY CLEANING

Foam filter
for HECHT 8212,
nr. EKF 1005

CZ SK PL GB HU

445 x 321 x 323 mm

electric	230 V/50 Hz	litres	tank volume	20 l	
power input	1250 W				

HECHT 8314

HEPA filter
for HECHT 8314, 8314 Z,
nr. EKF 1009

WET & DRY CLEANING

CZ SK PL GB HU

610 x 355 x 355 mm

tank volume	230 V/50 Hz	litres	tank volume	30 l	
power input	1400 W				

HECHT 8314 Z

WET & DRY CLEANING

Bag filter
for HECHT 8212,
8314, 8314 Z
3 szt,
nr. EKF 1001

With socket 230 V / 50 Hz

Socket turns on the vacuum cleaner about 3 seconds after switching on the device in the socket (eg drills).

CZ SK PL GB HU

610 x 355 x 355 mm

tank volume	230 V/50 Hz	litres	tank volume	30 l	
power input	1400 W				

HECHT 1111

FOLDING WHEELS AND DAMPING PAD INCLUDED

CZ SK PL GB HU

700 x 398 x 480 mm

steel chasis

engine HECHT	OHV		Compaction pressure	11000 N	
displacement	163 cm³		Compaction depth	25 cm	
Dimensions of plate	530 x 370 mm		weight	63 kg	

HECHT 1113

FOLDING WHEELS AND DAMPING PAD INCLUDED

CZ SK PL GB HU

700 x 442 x 485 mm

steel chasis

engine HECHT	OHV		Compaction pressure	13000 N	
displacement	196 cm³		Compaction depth	30 cm	
Dimensions of plate	540 x 420 mm		weight	83 kg	

HECHT 1114

FOLDING WHEELS AND DAMPING PAD INCLUDED

Available from 4/17

CZ SK PL GB HU

steel chasis

engine HECHT	OHV		Compaction pressure	20000 N	
displacement	196 cm³		Compaction depth	35 cm	
Dimensions of plate	580 x 500 mm		weight	92 kg	

MIXERS, EARTH AUGER

HECHT 2116

transmission detail

CZ SK PL GB HU

770 x 690 x 440 mm

CE

	electric	230 V/50 Hz		weight	43,5 kg
	power input	500 W		drum volume	120 l

HECHT 2140

transmission detail

CZ SK PL GB HU

CE

	electric	230 V/50 Hz		weight	47 kg
	power input	550 W		drum volume	140 l

HECHT 2180

transmission detail

CZ SK PL GB HU

770 x 680 x 520 mm

CE

	electric	230 V/50 Hz		weight	71 kg
	power input	800 W		drum volume	180 l

HECHT 2220

transmission detail

CZ SK PL GB HU

1280 x 910 x 1400 mm

CE

	electric	230 V/50 Hz		weight	95 kg
	power input	1050 W		drum volume	220 l

HECHT 1137

Suitable for mixing coarse mixtures, mixing fine mixtures needs a change of mixing tool

CZ SK PL GB HU

245 x 370 x 320 mm

CE

	electric	230 V/50 Hz	tool diameter		120 mm
	power input	1400 W	tool height		590 mm
	no load speed	0-570/0-760 rpm		weight	3,5 kg

with mixing tool (connection M14)

HECHT 001135

Suitable for mixing coarse mixtures

HECHT 001136D

Suitable for mixing fine mixtures

DIRECTION OF MOVEMENT OF THE MATERIAL 001136D

DIRECTION OF MOVEMENT OF THE MATERIAL 001135

DIRECTION OF MOVEMENT OF THE MATERIAL

CZ SK GB PL

Paper hang tag

HECHT 52

Drilling auger bit 150 mm included

Drilling auger bits

Diameter	Part no.
100 mm	0043100
150 mm	0043150
200 mm	0043200
346 mm extension	0043346

CZ SK PL GB HU

760 x 480 x 410 mm

CE

	engine type	2-stroke engine		engine volume	52 cm³
HP	power output	1,8 kW*		rotation speed	160 / min.
	weight	13 kg		drilling depth	730 mm

www.hecht.cz

TRANSPORTERS, CHARGERS

HECHT 2630

CZ SK GB PL

1650 x 720 x 1150 mm

steel chasis

CE

	engine HECHT	OHV		max load	300 kg
HP	displacement	196 cm³		weight	178 kg
Self propelled		3 gears forward, 1 backward	box dimensions		907 x 600 x 210 mm / 1004 x 860 x 210 mm

HECHT 2950

002950

Snow Blade

CZ SK PL GB HU

1650 x 720 x 1100 mm

hydraulic lifting

steel chasis

CE

	engine HECHT	OHV		max load	500 kg
HP	displacement	270 cm³		weight	270 kg
Self propelled		3 gears forward, 1 backward	box dimensions		1004 x 700 x 450 mm

HECHT 2012

smart battery charger

Available from 3/17

5 steps charging

Input cable lenght: 1,5 m
Output cable lenght: 1,5 m

CZ SK PL GB HU

blister

CE

	electric	230 V/50 Hz	for batteries	4-120 Ah
	power input	62 W	output	6V - 0,55A / 12V - 1A

BOOSTER
JUST 5 MIN. CHARGING

6 CHARGING STEPS, UP TO 15 A

SHORT-CIRCUIT AND POLARITY PROTECTION

12-VOLT SOCKET FOR CONNECTING ACCESSORIES

HECHT 2013

smart battery charger

CZ SK PL GB HU

230 x 155 x 230 mm

CE

	power output	12V / 2-15 A	for batteries	4-300 Ah
	power input	230 V/50 Hz 220 W	weight	1,53 kg

COMPRESSORS

HECHT 2001

FUNCTIONS:
COMPRESSOR
LIGHT
WARNING FLASH LIGHT

Standard accessory

CAN BE PLUGGED IN THE CAR LIGHTER SOCKET

CZ SK PL GB HU

470 x 125 x 335 mm

	electric	12 V		weight	1 kg
	current	10 A		max. output presure	17 bar

HECHT 2883

Dimensions:
46 x 13 x 33 cm

Standard accessory

CZ SK PL GB HU

470 x 125 x 335 mm

	electric	230 V / 50 Hz		Max suction power	180 l/min.
	power input	1100 W		max. output presure	8 bar

HECHT 2026

CZ SK PL GB HU

650 x 280 x 630 mm

	electric	230 V / 50 Hz	litres	air tank volume	24 l
	power input	1,5 kW / 2 HP		max. output presure	8 bar
	Max suction power	184 l/min.		weight	25 kg

HECHT 2052

CZ SK PL GB HU

740 x 315 x 640 mm

	electric	230 V / 50 Hz	litres	air tank volume	50 l
	power input	1,5 kW / 2 HP		max. output presure	8 bar
	Max suction power	184 l/min.		weight	32 kg

Inflator + 5 m hose + adaptors — HECHT 002024

suitable with HECHT 2026, 2052, 2353

2 inflators + 5 m hose + large set of adaptors, — HECHT 002026

suitable with HECHT 2026, 2052, 2353

TWO OUTLETS

TWIN CYLINDER

CZ SK PL GB HU

770 x 370 x 645 mm

HECHT 2353

	electric	230 V / 50 Hz	litres	air tank volume	50 l
	power input	2,2 kW / 3 HP		max. output presure	8 bar
	Max suction power	316 l/min.		weight	44 kg

www.hecht.cz

POWER TOOLS

HECHT 1150

CZ SK PL GB HU

210 x 58 x 163 mm

ACCU	3,6 V	chuck capacity		1/4" hex
battery	Li-ion 1,3 Ah	max. torque		4 N.m
no load speed	180 rpm	weight		0,41 kg

LED light, LED charging indicator, charger (3-5 h), set of bits, plastic carrying case

HECHT 1153

CZ SK PL GB HU

155 x 55 x 150 mm

ACCU	3,6 V	chuck capacity		1/4" hex
battery	LI-ion, 1,3 Ah	max. torque		4 N.m
no load speed	0-180 rpm	weight		0,5 kg

battery charger (3-5 h), 10 pcs screw bits, intergrated bit magazine

HECHT 1260

CZ SK PL GB HU

222 x 67 x 213 mm

ACCU	10,8 V	chuck capacity		0,8-10 mm
battery	LI-ion, 1,5 Ah	max. torque		20 N.m
no load speed	0-350/0-1350 rpm	weight		1 kg

2 speed, with battery, charger (3-5 h), charging base

HECHT 1215

CZ SK PL GB HU

295 x 95 x 230 mm

ACCU	12 V	chuck capacity		0,8-10 mm
battery	LI-ion, 1,5 Ah	max. torque		20 N.m
no load speed	0-350/0-1350 rpm	weight		1,05 kg

2 speed, with battery, quick charger (1 h), 6 pcs screw bits, 6 pcs drill bits, magnetic bit holder, plastic carrying case

HECHT 1223

CZ SK PL GB HU

295 x 95 x 230 mm

ACCU	20 V	chuck capacity		0,8-10 mm
battery	LI-ion, 1,3 Ah	max. torque		25 N.m
no load speed	0-350/0-1250 rpm			

2 speed, 2x battery, quick charger (1 h), 6 pcs screw bits, 6 pcs drill bits, magnetic bit holder, plastic carrying case

HECHT 1277

CZ SK PL GB HU

230 x 295 x 95 mm

ACCU	20 V	chuck capacity		0,8-10 mm
battery	LI-ion, 1,5 Ah	max. torque		25 N.m
no load speed	0-350/0-1250 rpm	weight		1.4 kg

2 speed, 2x battery, quick charger (1 h), 6 pcs screw bits, 6 pcs drill bits, magnetic bit holder, plastic carrying case

POWER TOOLS

HECHT 1278

ACCU program 1278

Charger 001278CH

2x Battery 001277B

CZ SK PL GB HU

230 x 295 x 95 mm

ACCU	20 V	chuck capacity		2-13 mm
battery	Li-ion, 1,5 Ah	impact rate		0-525/0-18750
no load speed	0-350/0-1250 rpm	weight		1,54 kg
max. torque	35 N.m			

2 speed, 2x battery, quick charger (1 h), 6 pcs screw bits, 6 pcs drill bits, magnetic bit holder, plastic carrying case

HECHT 1288

PROFI TOOL

Charger 001288CH

2x Battery 001288B

CZ SK PL GB HU

339 x 90 x 240 mm

ACCU	20 V	chuck capacity		2-13 mm
battery	Li-ion, 1,5 Ah	impact rate		0-6000/0-22500
no load speed	0-400/0-1500 rpm	weight		1,49 kg
max. torque	50 N.m			

2 speed, 2x battery, quick charger (1 h), 6 pcs screw bits, 6 pcs drill bits, magnetic bit holder

HECHT 1065

CZ SK PL GB HU

300 x 220 x 80 mm

electric	230 V/50 Hz	drilling capacity - steel		10 mm
power input	650 W	drilling capacity - concrete		13 mm
no load speed	0-2800 rpm	drilling capacity - wood		20 mm
impact rate	0-50400 rpm	weight		1,58 kg

variable speed, auxiliary handle, depth gauge

HECHT 1075

CZ SK PL GB HU

320 x 230 x 80 mm

electric	230 V/50 Hz	drilling capacity - steel		13 mm
power input	750 W	drilling capacity - concrete		13 mm
no load speed	0-3000 rpm	drilling capacity - wood		25 mm
impact rate	0-54000 rpm			

variable speed, with keyless chuck, auxiliary handle, depth gauge

HECHT 1076

CZ SK PL GB HU

320 x 230 x 80 mm

electric	230 V/50 Hz	drilling capacity - steel		13 mm
power input	950 W	drilling capacity - concrete		13 mm
no load speed	0-3000 rpm	drilling capacity - wood		25 mm
impact rate	0-54000 rpm			

variable speed, with keyless chuck, auxiliary handle, depth gauge

HECHT 1112

CZ SK PL GB HU

395 x 270 x 95 mm

electric	230 V/50 Hz	drilling capacity - steel		13 mm
power input	1200 W	max. chuck size		13 mm
no load speed	0-1200/0-2800 rpm	weight		3.4 kg

variable speed, auxiliary handle, depth gauge

www.hecht.cz

POWER TOOLS

HECHT 1080

CZ SK PL GB HU

305 x 380 x 105 mm

electric	230 V/50 Hz	drilling capacity - steel		13 mm
power input	800 W	drilling capacity - concrete		26 mm
no load speed	0-1000 rpm	drilling capacity - wood		42 mm
impact rate	0-5000 rpm	weight		3,1 kg

SDS plus drive, auxiliary handle, depth gauge, 2pcs Chisel Bits(14x250 mm), 3pcs Drill Bits(8x150/10x150/12x150 mm), plastic carrying case

HECHT 1028

CZ SK PL GB HU

380 x 320 x 120 mm

electric	230 V/50 Hz	tool holder		SDS plus
power input	1050 W	drilling capacity - concrete		26 mm
no load speed	950 rpm	impact power		4,5 J
impact rate	4250 rpm	weight		4,5 kg

SDS plus drive, auxiliary handle, 1pc point chisel 14x250mm, 1 pc flat chisel 14x250mm, 3 drill bits--8/10/12x150mm, depth gauge, wrench, plastic carrying case

HECHT 1069

CZ SK PL GB HU

450 x 385 x 132 mm

electric	230 V/50 Hz	tool holder		SDS max
power input	1600 W	drilling capacity - concrete		40 mm
no load speed	560 rpm	impact power		9 J
impact rate	3530 rpm	weight		7,3 kg

SDS max drive, auxiliary handle, 1pc point chisel 18x320mm, 1 pc drill bit 18x320mm, wrench, plastic carrying case

HECHT 000996

Set of drill bits for wood 8 pcs

Ø: 3; 4; 5; 6; 7; 8; 9; 10 mm

HECHT 000995

Set of drill bits for concrete 5 pcs

Ø: 4; 5; 6; 7; 8 mm

HECHT 000998

Set of drill bits 19 pcs

drill bits - Ø: 1; 1,5; 2; 2,5; 3; 3,5; 4; 4,5; 5; 5,5; 6; 6,5; 7; 7,5; 8; 8,5; 9; 9,5; 10 mm, metal box

HECHT 2005

tool set 49 pcs

Standard accessory:

screwdrivers, precision screwdrivers, double open wrenches, hand saw with 2 blades, utility cutter, cutter blades, 6" combination pliers, bits holder, 250 V electricity tester, hex keys, 10" water pump pliers, 200g machinist hammer, 3m measuring tape, 25 bits, adatpor, BMC

Suitable for workshop or car

HECHT 0003

BAMBOO WORKING DESK

FOLDING

CZ SK PL GB HU

LEG FRAME 30X30 MM

735 x 130 x 155 mm

dimensions	62,5 x 60,5 x 75,5 cm
max. load capacity	100 kg

ACCU PROGRAM - TOOLS FOR THE WHOLE WORKSHOP

Compatible with batteries for HECHT 1277 and HECHT 1278

You buy a drill HECHT 1277 or HECHT 1278 to have no longer to re-buy batteries for other products.

001277B
spare battery 1,5 Ah
for HECHT 1277 and 1278

001278B
spare battery 3 Ah
for HECHT 1277 and 1278

001277CH
charger for HECHT 1277 and 1278

HECHT 1670
accu circular saw

no load speed	0-4200 rpm
blade diameter	150 mm
cutting depth	48 mm
weight	2,37 kg

Battery not included

CE

CZ SK PL GB HU

310 x 225 x 285 mm

HECHT 001670
saw blade for wood
24 teeth, 150x10x1,6 mm

8in1
(8 products with 1 battery)

HECHT 1277 o

HECHT 1720
accu rotary sander

no load speed	5000 / 7000 / 9000 rpm
baseboard size Ø	125 mm
weight	1,1 kg

Battery not included

CE

CZ SK PL GB HU

182 x 128 x 168 mm

HECHT 001726
sandpaper roughness 60

HECHT 001728
sandpaper roughness 80

HECHT 001720
sandpaper roughness 120

HECHT 1510
accu reciprocating saw

no load speed	0-3000 rpm
cutting depth - wood	115 mm
cutting depth - steel	10 mm
weight	2,11 kg

Battery not included

CE

CZ SK PL GB HU

405 x 85 x 185 mm

ACCU PROGRAM - TOOLS FOR THE WHOLE WORKSHOP

Compatible with batteries for HECHT 1277 and HECHT 1278

Li-ion Powered

HECHT 1320
accu angle grinder

no load speed	8500 rpm
disc size	115 mm
sprindle thread	M14
weight	1,7 kg

Battery not included

CZ SK PL GB HU

CE

350 x 135 x 110 mm

including 2 batteries and charger in package

r HECHT 1278

HECHT 1255
accu impact wrench

no load speed	0-2200 rpm
max. torque	150 N.m
chuck capacity	1/4" mm
weight	1,18 kg

Battery not included

CZ SK PL GB HU

CE

195 x 83 x 195 mm

HECHT 1531
accu jigsaw

no load speed	0-2400 rpm
cutting depth - wood	80 mm
cutting depth - steel	10 mm
weight	1,7 kg

Battery not included

CZ SK PL GB HU

CE

229 x 86 x 215 mm

HECHT 1707
accu LED light

LED 9 diod	2,2 W
LED light intensity	40 lumen
time of lighting ca	18 h
weight	293 g

Battery not included

CZ SK PL GB HU

CE

125 x 85 x 210 mm

POWER TOOLS

HECHT 1540

CZ SK PL GB HU

210 x 250 x 78 mm

	electric	230 V/50 Hz	cutting depth - wood		55 mm
	power input	400 W	cutting depth - steel		6 mm
	no load speed	3000 rpm		weight	1,75 kg

with saw blade, hex key

HECHT 1568

CZ SK PL GB HU

283 x 85 x 225 mm

	electric	230 V/50 Hz	cutting depth - wood		65 mm
	power input	650 W	cutting depth - steel		8 mm
	no load speed	800-3000 rpm		weight	2,31 kg

with saw blade, dust adaptor, guide fence

HECHT 1569

CZ SK PL GB HU

286 x 85 x 225 mm

	electric	230 V/50 Hz	cutting depth - wood		80 mm
	power input	810 W	cutting depth - steel		10 mm
	no load speed	800-3000 rpm		weight	2,38 kg

with saw blade, dust adaptor, guide fence

000989

saw blades for metal for jigsaws 5 pcs

Standard accesories



HECHT 1630

CZ SK PL GB HU

355 x 266 x 95 mm

	electric	230 V/50 Hz	Quick Change Multi-function Tool		
	power input	300 W		no load speed	15000 - 22000 rpm

1pc saw blade, 1pc spade, 1pc sandpaper fixing plate, 1pc sandpaper for metal, 1pc sandpaper for wood, plactic cyrrying case

Available accessories

0001630A
2 pcs saw blades

0001630B
10 pcs sanding papers
roughness 60, 100, 120, 240

0001630C
2 pcs abrasive blades

www.hecht.cz

HECHT 1372

Quick-release disc guard

Available from 4/17

CZ SK PL GB HU

330 x 130 x 120 mm

CE

electric	230 V/50 Hz	disc size		115 mm
power input	710 W	sprindle thread		M14
no load speed	12000 rpm	weight		1,9 kg

auxiliary handle, wrench, the grindstone is not included

HECHT 1389

Quick-release disc guard

CZ SK PL GB HU

325 x 140 x 120 mm

CE

electric	230 V/50 Hz	disc size		115 mm
power input	900 W	sprindle thread		M14
no load speed	12000 rpm	weight		2,15 kg

auxiliary handle, wrench, the grindstone is not included

HECHT 1390

CZ SK PL GB HU

330 x 140 x 120 mm

CE

electric	230 V/50 Hz	disc size		125 mm
power input	900 W	sprindle thread		M14
no load speed	10500 rpm	weight		2,36 kg

auxiliary handle, wrench, the grindstone is not included

HECHT 1309

Quick-release disc guard

CZ SK PL GB HU

440 x 140 x 130 mm

CE

electric	230 V/50 Hz	disc size		125 mm
power input	1200 W	sprindle thread		M14
no load speed	12000 rpm	weight		2,6 kg

auxiliary handle, wrench, the grindstone is not included

HECHT 1314

Quick-release disc guard

Available from 4/17

CZ SK PL GB HU

510 x 115 x 150 mm

CE

electric	230 V/50 Hz	disc size		150 mm
power input	1400 W	sprindle thread		M14
no load speed	8600 rpm	weight		3,1 kg

auxiliary handle, wrench, the grindstone is not included

HECHT 1318

CZ SK GB PL

530 x 114 x 160 mm

CE

electric	230 V/50 Hz	disc size		180 mm
power input	1800 W	sprindle thread		M14
no load speed	8000 rpm	weight		4,48 kg

auxiliary handle, wrench, the grindstone is not included

HECHT 1323

CZ SK PL GB HU

565 x 165 x 125 mm

	electric	230 V/50 Hz	disc size	230 mm
	power input	2350 W	sprindle thread	M14
	no load speed	6500 rpm	weight	4,9 kg

auxiliary handle, wrench, soft start, the grindstone is not included

000994
diamond blade 115 mm

000993
diamond blade 125 mm

000992
saw blade 185 x 20 x 40T

000991
saw blade 185 x 20 x 60T

HECHT 1726

CZ SK PL GB HU

290 x 185 x 205 mm

	electric	230 V/50 Hz	disc size	150 mm
	power input	150 W	disc hole diameter	12,7 mm
	no load speed	2960 rpm	weight	4,3 kg

spark guard, workpiece support

HECHT 1727

CZ SK PL GB HU

355 x 240 x 280 mm

	electric	230 V/50 Hz	disc size	200 mm
	power input	350 W	disc hole diameter	16 mm
	no load speed	2960 rpm	weight	8,5 kg

spark guard, workpiece support

HECHT 1728

CZ SK PL GB HU

420 x 260 x 265 mm

	electric	230 V/50 Hz	disc size (dry grinding)	150 mm
	power input	250 W	disc size (wet grinding)	200 mm
	no load speed	2960 rpm	weight	8 kg

spark guard, workpiece support

www.hecht.cz

HECHT 1760

000176060
sandpaper for HECHT 1760
3 pcs, roughness 60

000176080
sandpaper for HECHT 1760
3 pcs, roughness 80

000176020
sandpaper for
HECHT 1760
3 pcs, roughness 120

CZ SK PL GB HU

338 x 126 x 247 mm

electric	230 V/50 Hz	baseboard size		140 X 80 mm
power input	220 W	weight		2 kg
no load speed	13000 rpm			

sandpaper, plastic dust container

HECHT 1762

000176260
sandpaper for HECHT 1762
5 pcs, roughness 60

000176280
sandpaper for HECHT 1762
5 pcs, roughness 80

000176220
sandpaper for
HECHT 1762
5 pcs, roughness 120

CZ SK PL GB HU

electric	230 V/50 Hz	baseboard size		187 X 90 mm
power input	220 W	weight		1,66 kg
no load speed	12000 rpm			

sandpaper, plastic dust container

HECHT 1764

000176460
sandpaper for HECHT 1762
5 pcs, roughness 60

000176480
sandpaper for HECHT 1762
5 pcs, roughness 80

000176420
sandpaper for
HECHT 1762
5 pcs, roughness 120

CZ SK PL GB HU

305 x 130 x 190 mm

electric	230 V/50 Hz	no load orbital stroke rate		26000 rpm
power input	450 W	baseboard size		Ø 125 mm
no load speed	13000 rpm	weight		2 kg

sandpaper, plastic dust container

HECHT 1781

0001781060
sandpaper for HECHT 1781
5 pcs, 533 x 76 mm, roughness 60

0001781080
sandpaper for HECHT 1781
5 pcs, 533 x 76 mm,
roughness 80

0001781120
sandpaper for
HECHT 1781
5 pcs, 533 x 76 mm,
roughness 120

CZ SK PL GB HU

353 x 160 x 165 mm

electric	230 V/50 Hz	sanding size		140 X 76 mm
power input	810 W	sanding belt		533 x 76 mm
no load speed	380 rpm	weight		3,2 kg

sanding belt, dust bag

HECHT 1790

CZ SK PL GB HU

188 x 340 x 167 mm

electric	230 V/50 Hz	max. planing width	82 mm
power input	900 W	max. planing depth	3 mm
no load speed	16000 rpm	max. rebating depth	15 mm
weight	2,8 kg	with accesories box (key, allen key), guide fence	

HECHT 001790

Upside down table for HECHT 1790

CZ SK GB PL

315 x 185 x 230 mm

POWER TOOLS

HECHT 1066



CZ SK PL GB HU

532 x 142 x 234 mm

CE

electric	230 V/50 Hz	blade diameter	89 mm		
power input	705 W	max. cutting depth	28,5 mm		
no load speed	4500 rpm	weight	2,55 kg		

3 blades, guide fence, hex key, dust adapter

HECHT 1618

001618
Blade for HECHT 1618
blade diameter 185 mm

CZ SK PL GB HU

190 x 330 x 250 mm

CE

electric	230 V/50 Hz	blade diameter	185 mm		
power input	1300 W	max. cutting depth	65 mm		
no load speed	5000 rpm	weight	4 kg		

with saw blade, guide fence

HECHT 1615

Available from 3/17

HECHT 001615
Blade for HECHT 1615
blade diameter 185 mm

CZ SK PL GB HU

360 x 245 x 265 mm

CE

electric	230 V/50 Hz	blade diameter	185 mm		
power input	1500 W	max. cutting depth	65 mm		
no load speed	5500 rpm	weight	5,26 kg		

with saw blade

HECHT 1619

001619
Blade for HECHT 1619
blade diameter 190 mm

CZ SK PL GB HU

190 x 343 x 252 mm

CE

electric	230 V/50 Hz	blade diameter	190 mm		
power input	1600 W	max. cutting depth	63 mm		
no load speed	5000 rpm	weight	4,6 kg		

with saw blade, guide fence

HECHT 1570

blade for wood and steel included

CZ SK PL GB HU

480 x 80 x 190 mm

CE

electric	230 V/50 Hz	cutting depth - wood	115 mm		
power input	710 W	cutting depth - steel	5 mm		
no load speed	0-2500 rpm	weight	2,74 kg		

www.hecht.cz

POWER TOOLS, ELECTRIC HEATER

HECHT 814

Mitre saw with laser

CZ SK PL GB HU

490 x 300 x 290 mm

electric	230 V/50 Hz	No load speed	5000 rpm	
power input	1400 W	Tilting range	-45° / 0° / 45°	
Saw blade	ø 210 mm	Mitre cuts	0° to 45° to the left	

HECHT 818

Double bevel

Mitre saw with AC laser

CZ SK PL GB HU

725 x 455 x 390 mm

electric	230 V/50 Hz	No load speed	5000 rpm	
power input	1800 W	Tilting range	-45° / 0° / 45°	
Saw blade	ø 210 mm	Mitre cuts	0° to 45° to the left and right	

HECHT 8199 PROFI

Mitre saw with AC laser

CZ SK GB PL

740 x 540 x 430 mm

electric	230 V/50 Hz	No load speed	4700 rpm	
power input	1900 W	Tilting range	-45° / 0° / 45°	
Saw blade	ø 255 mm	Mitre cuts	0° to 45° to the left	

003180

termostat with remote control for HECHT 3180, 3240

HECHT 3240

CZ SK PL GB HU

1580 x 250 x 145 mm

electric	230 V/50 Hz	heating area - covered	30 m²	
power input	2400 W	dimensions	150 x19 x 6,7 cm	
weight	9,7 kg			

HECHT 3021

DIESEL
WITH THERMOSTAT
AUTOMATIC SHUTDOWN

CZ SK GB PL

805 x 335 x 440 mm

electric	230 V/50 Hz	heating area	166 m²	
power output	20 kW	thermal performance	70 000 Btu	
fuel tank capacity	19 l	consumption	2 l/h	

HECHT 3610

REMOTE CONTROL

ROTARY

LCD DISPLAY

CAN BE USED AS A VENTILATOR

CERAMIC HEATER ELEMENT

CZ SK PL GB HU

895 x 135 x 525 mm

electric	230 V/50 Hz	dimensions	220 x 230 x 772	
power input	2000 W	airflow	80 m³/h	
weight	4,5 kg	setting	1200 / 2000 W	

POWER TOOLS

HECHT 1811

Available from 4/17

electric	230V/50 Hz
power input [W]	40
glue stick Ø [mm]	11

CZ SK GB DE PL

double blister

HECHT 1812

electric	230V/50 Hz
power input [W]	80
glue stick Ø [mm]	11,2

Cordless work thanks to heat accumulation

CZ SK GB DE PL HU

270 x 238 x 73 mm

HECHT 1816

Electrode welder - invertor

CZ SK PL GB HU

428 x 221 x 287 mm

input capacity	6,4 KVA	electrode diameter		1 - 4 mm
welding current	20 - 160 A	weight		5 kg
welding voltage	26,4 V	electrode holder		
duty cycle	160 A - 40 % , 124 A - 60 %, 80 A - 100 %			

HECHT 1817

Electrode welder - invertor

CZ SK PL GB HU

input capacity	6,4 KVA	electrode diameter		1 - 4 mm
welding current	20 - 160 A	weight		5 kg
welding voltage	26,4 V	electrode holder		
duty cycle	160 A - 40 % , 124 A - 60 %, 80 A - 100 %			

HECHT 1820

Electrode welder - invertor

200 A

CZ SK PL GB HU

428 x 221 x 287 mm

input capacity	7,5 KVA	electrode diameter		1 - 4 mm
welding current	20 - 200 A	weight		6,4 kg
welding voltage	27,2 V	electrode holder		
duty cycle	200 A - 40 %, 155 A - 60 %, 126 A - 100 %			

HECHT 900201

Welding shield

CZ SK PL GB HU

238 x 238 x 323 mm

window dimensions	100 x 50 mm
response time	≤ 1/25000 s
weight	0,49 kg
solar cells + replaceable Lithium battery, fully automatic ON/OFF, low battery alarm	

HECHT 900221

Welding shield

CZ SK PL GB HU

238 x 238 x 323 mm

window dimensions	100 x 50 mm
response time	≤ 1/25000 s
weight	0,49 kg
solar cells + replaceable Lithium battery, fully automatic ON/OFF, low battery alarm	

HECHT 900241

Welding shield

CZ SK PL GB HU

238 x 238 x 323 mm

window dimensions	100 x 50 mm
response time	≤ 1/25000 s
weight	0,49 kg
solar cells + replaceable Lithium battery, fully automatic ON/OFF, low battery alarm	

www.hecht.cz

OUTER LED LIGHTS

HECHT 2020

Accessories
nr. 002020 for HECHT
2020, 2021, 2200

CZ SK PL GB HU

293 x 280 x 95 mm

CE

electric	230 V /50 Hz	temperature setting	350 / 600 °C
power input	2000 W	air volume	480 l/min
weight	0,6 kg		

HECHT 2021

Adjustable temperature setting 80-600 °C

CZ SK PL GB HU

270 x 235 x 76 mm

CE

electric	230 V /50 Hz	temperature setting	80 - 600 °C
power input	2000 W	air volume	480 l/min
weight	0,9 kg		

HECHT 2200

Available from 4/17

Display

Adjustable temperature setting 80-600 °C

CZ SK GB PL

105 x 105 x 45 mm

CE

electric	230 V /50 Hz	temperature setting	80 / 600 °C
power input	2000 W	air volume	480 l/min
weight	0,7 kg		

HECHT 2801

LED light

electric	230 V/50 Hz	light temperature	6500 K
power input	10 W	light intensity	750 lm
dimensions		130 x 90 x 34 mm	

HECHT 2802

LED light

electric	230 V/50 Hz	light temperature	6500 K
power input	20 W	light intensity	1500 lm
dimensions		180 x 126 x 36 mm	

HECHT 2803

LED light

electric	230 V/50 Hz	light temperature	6500 K
power input	30 W	light intensity	2400 lm
dimensions		210 x 147 x 37 mm	

HECHT 2811

LED light with sensor

motion sensor

Setting: sensitivity, lighting time, lighting modes

remote control

electric	230 V/50 Hz	light temperature	6500 K
power input	10 W	light intensity	750 lm
dimensions		130 x 90 x 34 mm	

HECHT 2812

LED light with sensor

motion sensor

Setting: sensitivity, lighting time, lighting modes

remote control

electric	230 V/50 Hz	light temperature	6500 K
power input	20 W	light intensity	1500 lm
dimensions		180 x 126 x 36 mm	

HECHT 2813

LED light with sensor

motion sensor

Setting: sensitivity, lighting time, lighting modes

remote control

electric	230 V/50 Hz	light temperature	6500 K
power input	30 W	light intensity	2250 lm
dimensions		210 x 147 x 37 mm	

HECHT 2815

LED light with sensor

motion sensor

Setting: sensitivity, lighting time, lighting modes

remote control

electric	230 V/50 Hz	light temperature	6500 K
power input	50 W	light intensity	3750 lm
dimensions		260 x 182 x 51 mm	

GARDEN GRILLS

HECHT BALL

Suitable for sheltered garden areas.

- **stainless steel**
- **ash catcher**
- **height: 100 cm**
- **width: 65 x 59 cm**

CZ SK GB PL

610 x 582 x 230 mm

HECHT MALAGA

Suitable for sheltered garden areas.

- **steel plate**
- **adjustable charcoal grid**
- **warming rack**
- **ash catcher**
- **thermometer**
- **height: 94 cm**
- **width: 56 x 69 cm**

CZ SK PL GB HU

600 x 560 x 200 mm

HECHT MERIDA

Suitable for sheltered garden areas.

- **heavy stamped steel construction**
- **tough baked finish for durability and easy cleaning**
- **chrome plated cooking grill**
- **height: 92 cm**
- **diameter: 53,5 cm**

CZ SK PL GB HU

580 x 580 x 250 mm

HECHT KUGELGRILL

Optional alloy grid HECHT 50011

Suitable for sheltered garden areas.

- **heavy stamped steel construction**
- **tough baked finish for durability and easy cleaning**
- **ash catcher**

- **height: 116 cm**
- **width: 60 x 98 cm**

CZ SK GB PL

600 x 600 x 415 mm

HECHT SENTINEL MINOR

Suitable for sheltered garden areas and exteriors.

- **heat resistant sheet steel**
- **2 heating chambers**
- **2 cooking areas**
- **stacking area**
- **thermometer**

Steel 1 mm

CZ SK PL GB HU

1010 x 320 x 325 mm

HECHT SENTINEL

Suitable for sheltered garden areas and exteriors.

- **heat resistant sheet steel**
- **2 heating chambers**
- **3 cooking areas**
- **stacking area**
- **thermometer**

Steel 1 mm

Optional grill cover HECHT 0001058

CZ SK PL GB HU

760 x 260 x 480 mm

www.hecht.cz

GARDEN GRILLS

HECHT SENTINEL LUX

Suitable for sheltered garden areas and exteriors.

- **heat resistant sheet steel**
- **2 heating chambers**
- **2 cooking areas**
- **stacking area**
- **thermometer**

Steel 1,2 mm

CZ SK GB PL

710 x 520 x 510 mm

HECHT SENTINEL MAX

Suitable for sheltered garden areas and exteriors.

Steel 1,5 mm

- **heat resistant sheet steel**
- **2 heating chambers**
- **2 cooking areas**
- **stacking area**
- **thermometer**

CZ SK GB PL HU

1085 × 505 × 515 mm

HECHT STEAMROLLER

Optional alloy grid HECHT 000666

Suitable for sheltered garden areas and exteriors.

- **heat resistant sheet steel**
- **thermometer**

Steel 1,5 mm

CZ SK GB PL

710 x 510 x 520 mm

HECHT SMOKEHOUSE

Suitable for sheltered garden areas and exteriors.

- **heat resistant sheet steel**
- **thermometer**

Steel 1,5 mm

CZ SK GB PL

755 x 505 x 515 mm

HECHT CONTACT

Not intended for D and PL

Gass grill - suitable for sheltered garden areas and exteriors.

- **3 burners**
- **2x enamel wire grills**

Cover 003101C

CZ SK GB

835 x 625 x 310 mm

HECHT ADELLE

Not intended for D and PL

Gass grill - suitable for sheltered garden areas and exteriors.

- **4 burners**
- **1x enamel mat cast iron grill + 1 x mat enamel cast cooking plate**

Optional grill rack 004205M

Cover 004205C

Standard accessory

CZ SK GB

740 x 730 x 525 mm

GARDEN FURNITURE

EKONOMY SET 4

Steel-Aluminium with komaxit finish. Suitable for sheltered garden areas. Not for wet places.

CZ SK PL GB DE HU

Table: L 141 x W 91 x H 73 cm /
Chair: L 55 x W 76 x H 96 cm
Maximum load: 120 kg

Chair 20 pcs stockable:
570 x 800 x 2300 mm

Table:
1420 x 920 x 70 mm

EKONOMY SET 6

Steel-Aluminium with komaxit finish. Suitable for sheltered garden areas. Not for wet places.

CZ SK PL GB DE HU

Maximum load: 120 kg

Chair 20 pcs stockable:
570 x 800 x 2300 mm

Table: L 141 x W 91 x H 73 cm /
Chair: L 55 x W 76 x H 96 cm

Table:
1420 x 920 x 70 mm

SOFIA SET 4

Aluminium construction and tempered glass. Suitable for sheltered garden areas.

CZ SK PL GB DE HU

Table: L 150 x W 90 x H 73 cm /
Chair: L 55 x W 75 x H 95 cm
Maximum load: Chair 120 kg

Chair 20 pcs stockable:
570 x 800 x 2300 mm

Table:
1520 x 920 x 70 mm

SOFIA SET 6

Aluminium construction and tempered glass. Suitable for sheltered garden areas.

CZ SK PL GB DE HU

Maximum load: Chair 120 kg

Chair 20 pcs stockable:
570 x 800 x 2300 mm

Table: L 150 x W 90 x H 73 cm /
Chair: L 55 x W 75 x H 95 cm

Table:
1520 x 920 x 70 mm

HONEY SET 6

Aluminium construction and tempered black glass. Suitable for sheltered garden areas.

CZ SK PL GB DE HU

Maximum load: Chair 120 kg

Chair 20 pcs stockable

Table: L 150 x W 90 x H 72 cm /
Chair: L 58 x W 74 x H 97 cm

Table: 1520 x 920 x 70 mm

HONEY SET MAXI

Aluminium construction and tempered black glass. Suitable for sheltered garden areas.

CZ SK GB DE PL

Maximum load: Chair 120 kg

Chair 20 pcs stockable

Table: L 168 x W 97 x H 72 cm /
Chair: l 57 x W 86 x H 111 cm

Table: 1700 x 70 x 980 mm

www.hecht.cz

GARDEN FURNITURE

HECHT GRAPHITE SET

Aluminium construction, wood imitation. Suitable for sheltered garden areas.

CZ SK GB DE PL

Chair stackable

Table: 1520 x 80 x 1520 mm

HECHT BIER SET

Tropical hard wood Meranti. Suitable for sheltered garden areas.

CZ SK GB DE PL

1450 x 690 x 1300 mm

SHADOW SET

Aluminium construction and tempered black glass. Suitable for sheltered garden areas.

A set of table with 6 chairs and parasol included.

Folding chairs
Parasol 270 cm,
8 steel ribs,
steel frame

CZ SK PL GB DE HU

Chair: (2 pcs. in box) 870 x 570 x 250 mm

Table: 1520 x 920 x 70 mm

Parasol: 1400 x 150 x 150 mm

HECHT BALCONY SET A

Hard wood Acacia. Suitable for sheltered garden areas.

CZ SK GB DE PL

Maximum load: Chair 160 kg

970 x 860 x 140 mm

Table: L 60 x W 60 x H 72 cm /
Chair: L 40 x W 53 x H 80 cm

HECHT WEEKEND SET

Tropical hard wood Meranti. Suitable for sheltered garden areas.

CZ SK PL GB DE HU

Maximum load: Chair 150 kg / Bench 300 kg

Bench: 2021 x 571 x 226 mm

Chair: (2 pcs. in box) 2015 x 570 x 225 mm

Table: L 150 x W 90 x H 74 cm /
Chair: L 60 x W 61 x H 93 cm /
Bench: L 120 x W 60 x H 93 cm

Table: 2017 x 570 x 225 mm

GARDEN FURNITURE

HECHT BASIC SET 4

Hard wood Acacia.
Suitable for sheltered garden areas.

1 CHAIR
C003AGF

CZ SK GB DE PL

Maximum load: Chair 160 kg

Chair: (2 pcs. in box)
1190 x 560 x 210 mm

Table: L 120 x W 75 x H 72 cm /
Chair: L 53 x W 57 x H 86 cm

Table:
1235 x 1160 x 280 mm

HECHT BASIC SET 6

Hard wood Acacia.
Suitable for sheltered garden areas.

CZ SK GB DE PL

Chair: (2 pcs. in box)
1190 x 560 x 210 mm

Table: L 120 x W 75 x H 72 cm /
Chair: L 53 x W 57 x H 86 cm

Table:
1235 x 1160 x 280 mm

HECHT NARROW SET

Hard wood Acacia.
Suitable for sheltered garden areas.

CZ SK PL GB DE HU

HECHT ROUNDED SET

Hard wood Acacia.
Suitable for sheltered garden areas.

CZ SK GB DE PL

Maximum load: Chair 160 kg

Chair: (2 pcs. in box)
650 x 530 x 255 mm

Table: L 165 x W 100 x H 75 cm /
Chair: L 61,5 x W 63 x H 95 cm

Table:
1690 x 1040 x 120 mm

HECHT LEADER SET

Hard wood Acacia.
Suitable for sheltered garden areas.

P015

CZ SK GB DE PL

Table: L 200/150 x W 100 x H 74 cm /
Chair: L 61 x W 77 x H 106 cm
Maximum load: Chair 160 kg

Chair: (6 pcs. in box)
930 x 630 x 150 mm

Table:
1530 x 1030 x 170 mm

HECHT CAMBERET SET

Hard wood Acacia.
Suitable for sheltered garden areas.

CZ SK PL GB DE HU

Table: L 200/150 x W 100 x H 74 cm /
Chair: L 58 x W 68 x H 110 cm
Maximum load: Chair 160 kg

Chair: (1 pcs. in box)
1030 x 610 x 170 mm

Table:
1520 x 1020 x 150 mm

www.hecht.cz

GARDEN FURNITURE

HECHT ROYAL SET

Hard wood Acacia.
Suitable for sheltered garden areas.

Massive construction
Table desk thickness cca 4 cm

Folding table - 3 different sizes

CZ SK PL GB DE HU

Maximum load: Chair 160 kg

Chair: (1 pcs. in box)
1030 x 610 x 170 mm

Table:
1835 x 1185 x 215 mm

Table: L 180/280 x W 115 x H 76 cm /
Chair: L 58 x W 68 x H 110 cm

HECHT RELAXING CHAIR

Made from steel pipes.
Not suitable for wet places.

CZ SK GB DE PL

Maximum load: Chair 120 kg

960 x 150 x 650 mm

HECHT 000119

Weight: 12,5 kg
Dimensions: 1400 x 770 x 1060 mm
Material: PP

CZ SK GB DE PL

Maximum load: 120 kg

1030 x 780 x 240 mm

SOFIA LOUNGER

Aluminium construction.
Suitable for sheltered garden areas.

CZ SK PL GB DE HU

Maximum load: 120 kg

HONEY LOUNGER

Aluminium construction.
Suitable for sheltered garden areas.

CZ SK PL GB DE HU

Maximum load: 120 kg

GARDEN FURNITURE

HECHT RESORT I

Tropical hard wood Meranti. Suitable for sheltered garden areas.

CZ SK PL GB DE HU

Maximum load: 120 kg

1820 x 625 x 90 mm

HECHT RESORT A

Hard wood Acacia. Suitable for sheltered garden areas.

CZ SK PL GB DE HU

Maximum load: 160 kg

2030 x 630 x 90 mm

HECHT ERA

Tropical hard wood Meranti. Suitable for sheltered garden areas.

CZ SK PL GB DE HU

Maximum load: 250 kg

2018 x 571 x 268 mm

HECHT COMFORT

Hard wood Acacia. Suitable for sheltered garden areas.

CZ SK GB DE PL

Maximum load: 160 kg

1960 x 660 x 120 mm

HECHT CAMBERET LOUNGER

Hard wood Acacia. Suitable for sheltered garden areas.

CZ SK PL GB DE HU

Maximum load: 160 kg

955 x 615 x 195 mm

88276

Dimensions:
46 x 4 x 109 cm

Suitable for:
Deluxe Bench
Weekend set (bench)

88919

Dimensions:
55 x 4 x 178 cm

Suitable for:
Resort I

88275

Dimensions:
46 x 4 x 46 cm

Suitable for:
Occassional Bench
Manton Set
Chicago Set
Gallery Set
Balcony
Dynasty Set

88278

Dimensions:
47 x 4 x 109 cm

Suitable for:
Dynasty Set, Prague Set
Grandeur Set, Revo Set
Boston Set, Rectangle Set

GARDEN FURNITURE

HECHT TEEBENCH

Tropical hard wood Meranti. Suitable for sheltered garden areas.

CZ SK PL GB DE HU

Maximum load: 150 kg pier side

1970 x 560 x 267 mm

HECHT CLASSIC

Hard wood Acacia. Suitable for sheltered garden areas.

CZ SK PL GB DE HU

Maximum load: 300 kg

1610 x 630 x 140 mm

HECHT WOODBENCH

Available from 3/17

CZ SK PL GB DE HU

HECHT TABLE BENCH

Hard wood Acacia. Suitable for sheltered garden areas.

CZ SK PL GB DE HU

1630 x 640 x 110 mm

HECHT TOYBOX

Tropical hard wood Meranti. Suitable for sheltered garden areas.

CZ SK GB DE PL

Maximum load: 150 kg

1960 x 556 x 266 mm

HECHT SPACE

Hard wood Acacia. Suitable for sheltered garden areas.

CZ SK PL GB DE HU

1220 x 600 x 180 mm

GARDEN FURNITURE

HECHT ROSE

Hard wood Acacia.
Suitable for sheltered garden areas.

CZ SK PL GB DE HU

Maximum load: 300 kg

1640 x 580 x 110 mm

HECHT COUNTRY

Hard wood Acacia.
Suitable for sheltered garden areas.

CZ SK PL GB DE HU

Maximum load: 300 kg

1700 x 620 x 150 mm

HECHT S TROLLEY

Hard wood Acacia.
Suitable for sheltered garden areas.

CZ SK PL GB DE HU

Maximum load: 50 kg

1040 x 450 x 120 mm

HECHT SERVING

Tropical hard wood Meranti.
Suitable for sheltered garden areas.

CZ SK PL GB DE HU

Maximum load: 120 kg

1070 x 560 x 170 mm

HECHT DREAM PINK

Maximum load: 120 kg

Made from steel pipes. Not suitable for wet places.

CZ SK PL GB DE HU

1280 x 760 x 380 mm

HECHT DREAM R

Maximum load: 120 kg

Made from steel pipes. Not suitable for wet places.

CZ SK PL GB DE HU

1280 x 760 x 380 mm

HECHT DREAM S

Maximum load: 120 kg

Made from steel pipes. Not suitable for wet places.

CZ SK PL GB DE HU

1280 x 760 x 380 mm

www.hecht.cz

GARDEN SWINGS

HECHT DREAM HONEY

Maximum load: 120 kg

Made from steel pipes.
Not suitable for wet places.

CZ SK PL GB DE HU

1280 x 760 x 380 mm

BERLIN

CZ SK PL GB DE HU

1925 x 685 x 230 mm

Maximum load: 240 kg

Made from steel pipes.
Suitable for sheltered garden areas.
Not for wet places.

BERLIN D

CZ SK PL GB DE HU

1925 x 685 x 230 mm

Maximum load: 240 kg

Made from steel pipes.
Suitable for sheltered garden areas.
Not for wet places.

HECHT FUTON

Available from 4/17

CZ SK PL GB DE HU

HECHT MONTE CARLO

Tropical hard wood Meranti.
Suitable for covered garden areas.

Available from 4/17

CZ SK GB DE PL

2000 x 1630 x 370 mm

Suitable for sheltered garden areas.

Maximum load: 200 kg

HECHT BAHARU LUX

Tropical hard wood Meranti.

Available from 3/17

Suitable for covered garden areas.

2 positions: bench or bed

CZ SK PL GB DE HU

2334 x 571 x 228 mm

Maximum load: 300 kg

GARDEN SWINGS, PARASOLS

SUNSET

cross-section

Diameter: 240 cm
No. of struts: 6
Height: 2 m
Withoiut base

CZ SK PL GB DE HU

1340 x 150 x 150 mm

SHADOW

cross-section

Diameter: 270 cm
No. of struts: 8
Height: 2,2 m
Withoiut base

CZ SK PL GB DE HU

1400 x 150 x 150 mm

SANDY 1

cross-section



Diameter: 250 cm
No. of struts: 6
Diameter of rod rack: 4,8 cm
Polyester 180 g/m²
Base 100 x 100 cm

CZ SK PL GB DE HU

1850 x 335 x 135 mm

SUNNY

cross-section



Diameter: 300 cm
No. of struts: 8
Diameter of rod rack: 4,8 cm
Polyester 180 g/m²
Base 100 x 100 cm

CZ SK PL GB DE HU

2010 x 355 x 135 mm

SOL

cross-section



Diameter: 350 cm
No. of struts: 8
Polyester 210 g/m²
Base 100 x 100 cm

CZ SK PL GB

2700 x 440 x 180 mm

Opening by handle

Rotating base

www.hecht.cz

GARDEN SHEDS, LED LIGHTS

ANCHOR SET 000808
for HECHT 53x33, 4x6, 4x6 PLUS, 6x8, 6x8 PLUS, 8x8, 8x8 PLUS, 10x8, 10x8 PLUS, 10x10, 10x10 PLUS

HECHT 4X6 PLUS
(dark grey)

GARDEN SHED, BASE INCLUDED (0,6 mm ZINC STEEL)

CZ SK PL GB DE HU

890 x 570 x 480 mm

109 x 184 x 181 cm (L X W X H)	0,3 mm board, 0,6 mm zinc steel frame

HECHT 6X8 PLUS
(dark grey)

CZ SK PL GB DE HU

GARDEN SHED, BASE INCLUDED (0,6 mm ZINC STEEL)

2 BOXES: 1760 x 880 x 50 mm, 1950 x 200 x 120 mm

0,3 mm BOARD (20 % MORE THAN OTHER PRODUCERS)

257 x 205 x 212 cm (L X W X H)	
0,3 mm board, 0,6 mm zinc steel frame	

HECHT 8X8 PLUS
(dark grey)

CZ SK PL GB DE HU

GARDEN SHED, BASE INCLUDED (0,6 mm ZINC STEEL)

2 BOXES: 1760 x 880 x 90 mm, 1330 x 200 x 170 mm

0,3 mm BOARD (20 % MORE THAN OTHER PRODUCERS)

259 x 257 x 212 cm (L X W X H)	
0,3 mm board, 0,6 mm zinc steel frame	

HECHT 10X8 PLUS
(dark grey)

CZ SK PL GB DE HU

GARDEN SHED, BASE INCLUDED (0,6 mm ZINC STEEL)

2 BOXES: 1760 x 880 x 50 mm, 1580 x 200 x 170 mm

0,3 mm BOARD (20 % MORE THAN OTHER PRODUCERS)

257 x 312 x 212 cm (L X W X H)	
0,3 mm board, 0,6 mm zinc steel frame	

HECHT 10X10 PLUS
(dark grey)

CZ SK PL GB DE HU

GARDEN SHED, BASE INCLUDED (0,6 mm ZINC STEEL)

2 BOXES: 1760 x 880 x 50 mm, 1580 x 200 x 170 mm

0,3 mm BOARD (20 % MORE THAN OTHER PRODUCERS)

315 x 315 x 217,5 cm (L X W X H)	
0,3 mm board, 0,6 mm zinc steel frame	

HECHT 5001

Solar powered mole scarer

solar

voltage	1,2 V
signal range	ca 30 m
Interval	30 s



CZ SK GB PL

390 x 100 x 85 mm

HECHT 2706

voltage 1,2 V
solar

CZ SK PL GB HU

10 PCS in BOX
390 x170 x100 mm

HECHT 2193

voltage 1,2 V
solar



CZ SK GB PL

12 PCS in BOX:
310 × 100 × 235 mm

GARDEN FURNITURE

GARDEN POOLS, INFLATABLE POOLS

HECHT 3590 BLUESEA

Family pool of solid construction

Available from 4/17

dimensions	350 x 90 cm	foil thickness	0,3 mm
volume	7200 l	wall thickness	0,3 mm

package contains: pool, foil, 12V skimfilter (GS certification, 1700 l/h, filter element), pool ladders (steel/plastic)

CZ SK PL GB HU

HECHT 3612 BLUESEA

Family pool of solid construction

Available from 4/17

dimensions	360 x 120 cm	foil thickness	0,4 mm
volume	10 680 l	wall thickness	0,4 mm

package contains: pool, foil

CZ SK PL GB HU

HECHT 3076 BLUESEA

Annular inflatable pool with a self-supporting structure

Available from 4/17

Cartridge filtration

dimensions	300 x 76 cm	volume	3618 l

3 ply PVC material without the use of phthalates, repair kit and cartridge filtration included

CZ SK PL GB HU

330 x 250 x 580 mm

HECHT 3609 BLUESEA

Annular inflatable pool with a self-supporting structure

Available from 4/17

dimensions	360 x 90 cm	volume	6654 l

3 ply PVC material without the use of phthalates, repair kit included

CZ SK PL GB HU

445 x 265 x 520 mm

HECHT 520427

inflatable paddling pool

CE

dimensions	190 x 145 x 45 cm	for children aged 6+ years	
volume	450 l	wall thickness	0,27 mm

bicameral, strong construction, material PVC without phthalates, repair kit included

CZ SK PL GB DE HU

320 x 270 x 100 mm

HECHT 520421

inflatable paddling pool

dimensions	262 x 175 x 51 cm	for children aged 6+ years	
volume	778 l	wall thickness	0,27 mm

bicameral, strong construction, material PVC without phthalates, repair kit included

CZ SK PL GB DE HU

440 x 340 x 110 mm

www.hecht.cz

POOL ACCESSORIES

HECHT 00090
Ladders for pools

height [cm]	90

Steel frame with surface finish and plastic treads (resistant to UV rays and pool chemicals)

Available from 4/17

CZ SK PL GB HU

390 x 115 x 650 mm

HECHT 00122
Ladders for pools

height [cm]	122

Steel frame with surface finish and plastic treads (resistant to UV rays and pool chemicals)

Available from 4/17

CZ SK PL GB HU

445 x 115 x 890 mm

HECHT 016123
Underlay pad for pools

dimensions [cm]	309x309
material PE [g/m²]	90

Available from 4/17

CZ SK PL GB HU

250 x 90 x 250 mm

HECHT 30003
Skimmer

hose coupler [mm]	32/38

Complete mounting kit

Available from 4/17

CZ SK PL GB HU

HECHT 003609
Cartridge filtration

voltage [V]	220-240
water flow [m³/hod]	1,2
hose coupler [mm]	32

Complete mounting kit

Available from 4/17

CZ SK PL GB HU

230 x 230 x 115 mm

029587

Replacement filters for cartridge filtration 2 pcs

HECHT 302110
10" Sand filtration with prefilter for rough dirt

voltage [V]	220-240
power [W]	250
sand capacity [kg]	13,6
water flow [m³/hod]	4,54
hose coupler [mm]	38

Certification GS/CE

Available from 4/17

CZ SK PL GB HU

480 x 280 x 430 mm

HECHT 302231
10" Sand filtration without prefilter for rough dirt

voltage [V]	220-240
power [W]	250
sand capacity [kg]	13,6
water flow [m³/hod]	4,54
hose coupler [mm]	38

Certification GS/CE

Available from 4/17

CZ SK PL GB HU

480 x 280 x 430 mm

HECHT 302112
12" Sand filtration with prefilter for rough dirt

voltage [V]	220-240
power [W]	250
sand capacity [kg]	42
water flow [m³/hod]	7
hose coupler [mm]	38

Certification GS/CE

Available from 4/17

CZ SK PL GB HU

440 x 590 x 470 mm

POOL ACCESSORIES

HECHT 060501
THERMOMETER

HECHT 060504
FLOATING THERMOMETER

HECHT 060510
THERMOMETER

HECHT 060512
THERMOMETER

HECHT 060104
TRIANGULAR VACUUM CLEANER
30 cm

HECHT 060102
VACUUM CLEANER DE LUX
with side brushes

HECHT 060301
LEAF SKIMMER
for surface-collecting debris

HECHT 060302
LEAF SKIMMER
for surface-collecting debris

HECHT 060308
LEAF SKIMMER
for deep-collecting debris

HECHT 060309
LEAF SKIMMER
for deep-collecting debris
(reinforced frame)

HECHT 060307
LEVEL SKIMMER
ON ALUMINUM ROD
lenght 1,3 m,
telescopic

HECHT 060402
TELESCOPIC ROD
three parts 1,2 - 3,6m

HECHT 060203
BRUSH
for removing dirt from the bottom and the edges
Dimension: 25 cm

HECHT 060205
BRUSH
for removing dirt from the bottom and the edges
Dimension: 45 cm

HECHT 060702
FLOATING CHLORINE DISPENSER
(medium) 20g / 200g

HECHT 060703
FLOATING CHLORINE DISPENSER
200g

HECHT 061002
POOL SERVICE KIT
4 pcs

HECHT 060607
TEST STRIPS 4IN1

HECHT 061210
REPAIR KIT
including glue and patches

HECHT 060601
TESTER PH/CL
basic set for measuring
pH / CL in pool water

www.hecht.cz

INFLATABLE TOYS, WATER GUNS

HECHT 000036
Covering tarp
Available from 4/17

CZ SK PL GB HU

250 x 90 x 250 mm

diameter	360 cm	material PE	90 g/m²
Drainage holes, pulling rope			

HECHT 000030
Covering tarp
Available from 4/17

CZ SK PL GB HU

250 x 60 x 250 mm

diameter	300 cm	material PE	90 g/m²
Drainage holes, pulling rope			

HECHT 300908
Solar shower

volume [l]	8
cylinder diameter [mm]	110
height [cm]	215

Available from 4/17

CZ SK PL GB HU

1210 x 150 x 150 mm

HECHT 510501
children's inflatable whale

dimensions	170 x 87 cm	for children aged 3+ years
wall thickness	0,22 mm	
two solid handles for a comfortable fit, material PVC without phthalates, repair kit included		

CZ SK PL GB DE HU

230 x 195 x 70 mm

HECHT 510503
children's inflatable orca

dimensions	190 x 76 cm	for children aged 3+ years
wall thickness	0,25 mm	
two solid handles for a comfortable fit, material PVC without phthalates, repair kit included		

CZ SK PL GB DE HU

230 x 195 x 70 mm

HECHT 570109
hand airpump

height 30 cm,
solid construction,
three different attachments

HECHT 20631
water gun

HECHT 20681
water gun

HECHT 20632
water gun

HECHT 20711
water gun

POOLS

CHILDREN

TOYS – INFLATABLE BOUNCERS

HECHT 59236

The package of each bouncer includes inflating fan:

330 W for 59314, 59072;

450 W for 59236, 59112, 59160, 59271;

680 W for 59060, 59109.

A new attraction for your children! They can fully enjoy their favorite activities - jumping, sliding, crawling and to spent many hours of great fun and healthy exercise. Bouncy castles are suitable for children from age of 3 years. Bouncy castle sides are fitted with soft mesh security nets for the best safety of your children during play. Ground pins are provided for firm anchor of the castle to the ground. A big advantage is the minimal storage space needed - just simply deflate and fold. Bouncy castle is inflated within 1 minutes.

Not intended for: FR, A, D, H, GR, RO, UA, NL, B, IRL, P, DK.

CZ SK GB PL

450 x 430 x 580 mm

dimensions	350 x 210 x 200 cm	nr. of children	2
weight	17,6 kg	max. load	90 kg

Jumping part out of a highly durable laminated PVC, other parts of polyester. Included are ground pins, patches for repairing and a fan.

HECHT 59072

VOLLEYBALL NET INCLUDED

CZ SK GB PL

760 x 380 x 380 mm

dimensions	800 x 335 x 180 cm	number of children	10
weight	22,5 kg		

Inflatable part made from highly durable laminated PVC, other parts from polyester. Included are ground pins, patches for repairing and a fan.

Toys meet directives of European Parliament and European Council 2009/48/EC from 18th of June 2009 regarding safety of toys and all legal standards in accordance with Czech legislation.
Not intended for: Fr, A, D, H, Gr, Ro, Ua, Nl, B, Irl, P, Dk.

KIDS GARDEN TOOLS, PEDAL TRACTORS AND KARTS

KIDS GARDEN TOOLS
PT406
Mix children's equipment, 60 pieces, with sales box.

KID'S SPADE
PT406-1

KID'S SHOVEL
PT406-2

KID'S RAKE
PT406-4

KID'S RAKE
PT406-5

KID'S HOE
PT406-6

KID'S SHOVEL
PT406-7

55202
SET OF GARDEN TOOLS FOR CHILDREN AND ADULTS

GIFT PACKAGE

8 pcs

HECHT 51312

Pedal tractor

CZ SK PL GB HU

775 x 430 x 330 mm

93 x 45 x 53 cm	Pedal tractor with chain drive. For children aged 3-6 years.
maximum load: 30 kg	weight: 7,6 kg

HECHT 51311

Pedal tractor

Available from 4/17

CZ SK PL GB HU

775 x 430 x 330 mm

85 x 45 x 53 cm	Pedal tractor with chain drive. For children aged 3-6 years.
maximum load: 25 kg	weight: 6,8 kg

HECHT 51413

Pedal tractor with trailer

CZ SK PL GB HU

775 x 430 x 470 mm

154 x 45 x 61 cm	Pedal tractor with chain drive. For children aged 3-6 years.
maximum load: 30 kg	weight: 10,2 kg

HECHT 51412

Pedal tractor with trailer

CZ SK PL GB HU

775 x 430 x 390 mm

148 x 45 x 53 cm	Pedal tractor with trailer and chain drive. For children aged 3-6 years.
maximum load: 30 kg	weight: 9,2 kg

PEDAL AND ACCU CARS

HECHT 59788

Pedal kart

Available from 5/17

CZ SK PL GB HU

900 x 280 x 610 mm

94 x 63 x 51 cm	Pedal kart with chain drive. For children aged 3-6 years.
maximum load: 30 kg	weight: 10,2 kg

HECHT 59789

Pedal kart

Available from 5/17

CZ SK PL GB HU

900 x 280 x 610 mm

94 x 63 x 51 cm	Pedal kart with chain drive. For children aged 3-6 years.
maximum load: 30 kg	weight: 10,2 kg

HECHT 50100

Pedal kart

Available from 5/17

CZ SK PL GB HU

1080 x 280 x 620 mm

106 x 59 x 65 cm	Pedal kart with chain drive. For children aged 3-6 years.
maximum load: 30 kg	weight: 15 kg

HECHT 50200

Pedal kart

Available from 5/17

CZ SK PL GB HU

1080 x 280 x 620 mm

106 x 59 x 65 cm	Pedal kart with chain drive. For children aged 3-6 years.
maximum load: 30 kg	weight: 15 kg

HECHT 55128

CZ SK PL GB HU

1010 x 670 x 525 mm

112 x 70 x 74 cm	battery 12 V / 7 Ah / 2x 25 W, weight 17 kg, speed 3-6 km/h
maximum load: 30 kg	For children aged 3-8 years. Sound effects, reverse, 2 motors.

www.hecht.cz

ACCU CARS

BMW S1000RR-Grey

Available from 4/17

ORIGINAL LICENSED BMW

CZ SK PL GB HU

1100 x 410 x 680 mm

110 x 52 x 70 cm	battery 12 V / 7 Ah / 2x 35 W, weight 14,6 kg, speed 3-6 km/h
maximum load: 30 kg	For children aged 3-8 years, 2 motors, original licensed BMW

BMW S1000RR-Red

Available from 4/17

ORIGINAL LICENSED BMW

CZ SK PL GB HU

1100 x 410 x 680 mm

110 x 52 x 70 cm	battery 12 V / 7 Ah / 2x 35 W, weight 14,6 kg, speed 3-6 km/h
maximum load: 30 kg	For children aged 3-8 years, 2 motors, original licensed BMW

HECHT 51117

Available from 4/17

CZ SK PL GB HU

1025 x 530 x 290 mm

101 x 53 x 43,5 cm	battery (2x) 6 V / 4 Ah / 2x 15 W, weight 9,9 kg, speed 3-5 km/h
maximum load: 25 kg	For children aged 3-8 years. Light and sound effects, reverse, 2 motors, remote control.

HECHT 51119

Available from 4/17

CZ SK PL GB HU

1025 x 530 x 290 mm

101 x 53 x 43,5 cm	battery (2x) 6 V / 4 Ah / 2x 15 W, weight 9,9 kg, speed 3-5 km/h
maximum load: 25 kg	For children aged 3-8 years. Light and sound effects, reverse, 2 motors, remote control.

MINI HATCH-YELLOW

ORIGINAL LICENSED BMW

CZ SK PL GB HU

1110 x 600 x 330 mm

110 x 62 x 51 cm	battery 2x 6 V / 4 Ah, weight 14 kg, speed 3-6 km/h
maximum load: 30 kg	For children aged 3-8 years. Light and sound effects, remote control

HECHT 56181

CZ SK PL GB HU

1170 x 610 x 380 mm

110 x 73 x 78 cm	battery (2x) 6 V / 7 Ah / 25 W, weight 17,5 kg, speed 3,2-6,8 km/h
maximum load: 30 kg	For children aged 3-8 years. Light and sound effects, reverse, big wheels, 2 motors.

ACCU CARS

HECHT 56186

CZ SK PL GB HU

1170 x 610 x 380 mm

110 x 73 x 78 cm	battery (2x) 6 V / 10 Ah / 25 W, weight 17,5 kg, speed 4-7 km/h
maximum load: 30 kg	For children aged 3-8 years. Light and sound effects, reverse, big wheels, 2 motors, remote control, audio input.

HECHT 56185

CZ SK PL GB HU

1170 x 610 x 380 mm

110 x 73 x 78 cm	battery (2x) 6 V / 10 Ah / 25 W, weight 17,5 kg, speed 4-7 km/h
maximum load: 30 kg	For children aged 3-8 years. Light and sound effects, reverse, big wheels, 2 motors, remote control, audio input.

VOLKSWAGEN GOLF A7 GTI-RED

ORIGINAL LICENSED VOLKSWAGEN

CZ SK PL GB HU

1140 x 590 x 370 mm

110 x 74 x 55 cm	battery 12 V / 7 Ah / 2x 30 W, weight 15,5 kg, speed 2,5-5 km/h
maximum load: 30 kg	For children aged 3-8 years. Light and sound effects, SD card slot

VOLKSWAGEN GOLF A7 GTI-WHITE

ORIGINAL LICENSED VOLKSWAGEN

CZ SK PL GB HU

1140 x 590 x 370 mm

110 x 74 x 55 cm	battery 12 V / 7 Ah / 2x 30 W, weight 15,5 kg, speed 2,5-5 km/h
maximum load: 30 kg	For children aged 3-8 years. Light and sound effects, SD card slot

HECHT 58587

+ GUN AS A GIFT

CZ SK PL GB HU

1200 x 630 x 440 mm

120 x 62 x 44 cm	battery 12 V / 7 Ah / 2x 30 W, weight 19 kg, speed 3-7 km/h
maximum load: 30 kg	For children aged 3-8 years. Light and sound effects, reverse, remote control

HECHT 58588

+ GUN AS A GIFT

CZ SK PL GB HU

1200 x 630 x 440 mm

120 x 62 x 44 cm	battery 12 V / 7 Ah / 2x 30 W, weight 19 kg, speed 3-7 km/h
maximum load: 30 kg	For children aged 3-8 years. Light and sound effects, reverse, remote control

ACCU CARS

HECHT 51235

CZ SK PL GB HU

1180 x 650 x 475 mm

118 x 74 x 75 cm	battery 2x 6 V / 10 Ah / 12 V, 30 W, weight 19 kg, speed 3-5 km/h
maximum load: 30 kg	For children aged 3-8 years. Light and sound effects, reverse

MERCEDES BENZ GLK- CLASS - WHITE

ORIGINAL LICENSED MERCEDES

CZ SK PL GB HU

1320 x 660 x 490 mm

130 x 78 x 58 cm	battery 12 V, 7 Ah / 12 V, 35 W, weight 22,5 kg, speed 2,5-6,5 km/h
maximum load: 30 kg	For children aged 3-8 years. Light and sound effects, opening doors, reverse, remote control

MERCEDES BENZ GLK- CLASS - RED

ORIGINAL LICENSED MERCEDES

CZ SK PL GB HU

1320 x 660 x 490 mm

130 x 78 x 58 cm	battery 12 V, 7 Ah / 12 V, 35 W, weight 22,5 kg, speed 2,5-6,5 km/h
maximum load: 30 kg	For children aged 3-8 years. Light and sound effects, opening doors, reverse, remote control

HECHT 54812

Accu buggy for children

138 x 83 x 90 cm
battery 48 V, 12 Ah / 1000 W, speed max. 35 km/h
Wheels 13"x5-6

ACCU CHILDREN ATV - QUADS

HECHT 54800

Speed and battery life depends on the terrain and the weight of the operator.

Max range
13-18 km

Charging time
8 hours

CZ SK PL GB HU

970 x 570 x 414 mm

dimensons 100 x 60 x 59 cm	Battery Lead-acid 36 V, 800 W, 12 Ah, max. speed 20-25 km/h, wheels 6", weight 42 kg

Safety pedal, battery indicator, three speed switch, drive - chain

HECHT 54801

Speed and battery life depends on the terrain and the weight of the operator.

Max range
13-18 km

Charging time
8 hours

CZ SK PL GB HU

970 x 570 x 414 mm

dimensons 100 x 60 x 59 cm	Battery Lead-acid 36 V, 800 W, 12 Ah, max. speed 20-25 km/h, wheels 6", weight 42 kg

Safety pedal, battery indicator, three speed switch, drive - chain

HECHT 56800

Speed and battery life depends on the terrain and the weight of the operator.

Max range
13-18 km

Charging time
8 hours

CZ SK PL GB HU

1050 x 580 x 440 mm

dimensons 110 x 60 x 59 cm	Battery Lead-acid 36 V, 800 W, 12 Ah, max. speed 20-25 km/h, wheels 6", weight 43 kg

Safety pedal, battery indicator, three speed switch, horn, drive - chain

HECHT 56801

Speed and battery life depends on the terrain and the weight of the operator.

Max range
13-18 km

Charging time
8 hours

CZ SK PL GB HU

1050 x 580 x 440 mm

dimensons 110 x 60 x 59 cm	Battery Lead-acid 36 V, 800 W, 12 Ah, max. speed 20-25 km/h, wheels 6", weight 43 kg

Safety pedal, battery indicator, three speed switch, horn, drive - chain

ATV have a metal frame as classic motor-powered ATV, just the drive is electric and silent. This allows you to ride also at the places where you would disturb the others by operation the classic petrol ATV. Thus, children can go along with you in the park or a walk in the forest. You can select the mode max. 8 km/h, max 20 km/h or max. 35 km/h according to the skills of the child. Mode is selected by the key, after its removing the child cannot change it by itself.

www.hecht.cz

CAT SCRATCHING POSTS, DOG BEDS

PETS

CUBE B
(beige)

Suitable for kittens



325 x 325 x 310 mm

CUBE S
(grey)

Suitable for kittens

325 x 325 x 310 mm

GINGER B
(beige)

Suitable for kittens

310 x 310 x 330 mm

GINGER S
(grey)

Suitable for kittens

310 x 310 x 330 mm

GANDALF B
(beige)

520 x 520 x 350 mm

ALEX B (beige)

570 x 570 315 mm

ALEX S (grey)



570 x 570 315 mm

GARFIELD B (beige)



710 x 620 x 440 mm

GARFIELD S (grey)

710 x 620 x 440 mm

ROSE

Material: flax

	L x W x H [cm]
ROSE S (Nr.: ROSE S)	60 x 40 x 16
ROSE M (Nr.: ROSE M)	75 x 50 x 16

SINDY

Material: suede

	L x W x H [cm]
SINDY L (Nr.: SINDY L)	90 x 60 x 18
SINDY XL (Nr.: SINDY XL)	105 x 70 x 20

DOG BEDS, DOG HOUSES, ANIMAL HOUSES

PETS

SULTAN

Material: flax, corduroy

	L x W x H [cm]
SULTAN M (Nr.: SULTAN M)	75 x 50 x 16
SULTAN L (Nr.: SULTAN L)	90 x 60 x 18
SULTAN XL (Nr.: SULTAN XL)	105 x 70 x 20

LORD

Material: corduroy, cotton

	L x W x H [cm]
LORD S (Nr.: LORD S)	60 x 40 x 16
LORD M (Nr.: LORD M)	75 x 50 x 16
LORD L (Nr.: LORD L)	90 x 60 x 18
LORD XL (Nr.: LORD XL)	105 x 70 x 20

AGATHA

Material: flax, long plush

	L x W x H [cm]
AGATHA S (Nr.: AGATHA S)	50 x 50 x 20
AGATHA M (Nr.: AGATHA M)	70 x 70 x 20
AGATHA L (Nr.: AGATHA L)	90 x 90 x 20

MIKE SD / MIKE L

112 x 96 x 105 cm

88 x 78 x 81 cm

Air ventilation

930 x 665 x 130 mm / 1120 x 810 x 170 mm

	doghouse	plastic door	insulation
doghouse S	MIKE SD	PLD-MIKES	ISO-MIKES
doghouse L	MIKE L	PLD-MIKEL	ISO-1201L

HOLIDAY

Made from durable wood

98 x 50 x 41 cm

1030 x 480 x 75 mm

BUNNY

Made from durable wood

111,5 x 45 x 92 cm

1140 x 475 x 175 mm

www.hecht.cz

ANIMAL HOUSES

PETS

MICKEY

Made from durable wood

91,5 x 45 x 70 cm

935 x 460 x 137 mm

CLAUDIE

Made from durable wood

180 x 90 x 48 cm

1820 x 490 x 117 mm

000022

Suitable for Oliver

Made from durable wood

1455 x 525 x 171 mm

OLIVER

Made from durable wood

134 x 90 x 99 cm

982 x 976 x 219 mm

TWEETY

Made from durable wood

201 x 68 x 102 cm

1730 x 780 x 110 mm

OREO

Made from durable wood

195 x 73 x 98 cm

2 BOXES: 650 x 635 x 131 mm, 955 x 635 x 107 mm

BRAND HECHT® made for garden IN EUROPE



HECHT MOTORS s.r.o., U Mototechny 131, 251 62 Mukařov - Tehovec, tel.: +420 323 661 347, fax: +420 323 661 348, WWW.HECHT.CZ
HECHT SK, spol. s r. o., Letisková 20, 971 01 Prievidza, e-mail: hecht@hecht.sk, tel.: +421 46 542 03 20, WWW.HECHT.SK
HECHT Polska Sp. z o. o., Mickiewicza 54, 66-450 Bogdaniec, e-mail: info@hechtpolska.pl, tel.: +48 957 117 140 WWW.HECHTPOLSKA.PL
HECHT HUNGARY Kft., II. Rákoczi Ferenc út 323, 1214 Budapest, e-mail: hecht@hecht.hu, tel.: +36 1/951 4525, WWW.HECHT.HU
Descriptions, pictures and specifications may vary at time of shipping. Weights of chainsaws are stated without cutting accessories. Edition: January 2017
Product images are for illustrative purposes only. Real product and accessories may vary.

E-MAIL: HECHT@HECHT.CZ WWW.HECHT.CZ FAX: 800 100 247

2 000000 003740

ОФИЦИАЛЬНЫЙ ДИЛЕР В УКРАИНЕ:
storgom.ua

ГРАФИК РАБОТЫ:
Пн. – Пт.: с 8:30 по 18:30
Сб.: с 09:00 по 16:00
Вс.: с 10:00 по 16:00

КОНТАКТЫ:
+38 (044) 360-46-77
+38 (066) 77-395-77
+38 (097) 77-236-77
+38 (093) 360-46-77

Детальное описание товара: https://storgom.ua/product/gidravlicheskii-drovokol-hecht-6061.html
Другие товары: https://storgom.ua/drovokoly.html