

HECHT[®]

made for garden



2017

Spring



EXTENSION CORDS, CYLINDER LAWN MOWERS

120153



⚡ cable length 20 m

⚡ electric 230 V/50 Hz

3 x 1,5 mm² **CE**

130153



⚡ cable length 30 m

⚡ electric 230 V/50 Hz

3 x 1,5 mm² **CE**

121153



260 x 315 x 185 mm

⚡ cable length 20 m

⚡ electric 230 V/50 Hz

3 x 1,5 mm² **CE**

131153



260 x 220 x 320 mm

⚡ cable length 30 m

⚡ electric 230 V/50 Hz

3 x 1,5 mm² **CE**

420153



285 x 355 x 200 mm

⚡ cable length 20 m

⚡ electric 230 V/50 Hz

3 x 1,5 mm²

430153



280 x 230 x 360 mm

⚡ cable length 30 m

⚡ electric 230 V/50 Hz

3 x 1,5 mm²

HECHT 50437

Children mower with sound



WITH SOUND WHILE MOVING



6 PCS

⚖ weight 0,9 kg ↔ dimensions 50 x 27,5 x 52 cm

www.hecht.cz

HECHT 5030



530 x 380 x 270 mm

👉 manual pushed

👉 working width 30 cm

⚖ weight 7,8 kg

👉 height adjustment 10–36 mm

👉 steel chassis

👉 collecting box 15 l

PUSHED

HECHT 504



560 x 320 x 220 mm

👉 manual pushed

👉 working width 40 cm

⚖ weight 8,8 kg

👉 height adjustment 17–43 mm

👉 steel chassis

👉 collecting box 15 l

PUSHED

CYLINDER AND ELECTRIC LAWN MOWERS

HECHT 514 PROFI

Contactless cutting cylinder
Blade thickness 3 mm



650 x 580 x 275 mm

PUSHED

	manual pushed		height adjustment	24–75 mm
	working width		steel chassis	contactless
	weight		collecting box	50 l

HECHT 1000

Powerful high torque
electric motor
“TURBO motor“



570 x 380 x 305 mm

CE PUSHED

	electric	230 V/50 Hz		height adjustment	25–55 mm
	power input	1000 W		plastic chassis	
	working width	32 cm		collecting box	35 l
	weight	8,8 kg		wheels (front/rear)	5/5"

HECHT 1233

Powerful high torque
electric motor
“TURBO motor“



600 x 375 x 275 mm

CE PUSHED

	electric	230 V/50 Hz		height adjustment	20–60 mm
	power input	1200 W		plastic chassis	
	working width	33 cm		collecting box	30 l
	weight	7,1 kg		wheels (front/rear)	5,5/5,5"

HECHT 1434

Powerful high torque
electric motor
“TURBO motor“



655 x 400 x 325 mm

CE PUSHED

	electric	230 V/50 Hz		height adjustment	25–65 mm
	power input	1400 W		plastic chassis	
	working width	34 cm		collecting box	35 l
	weight	12 kg		wheels (front/rear)	5,5/6"
	central adjustment of cutting height				

HECHT 1638 R

Powerful high torque
electric motor
“TURBO motor“



770 x 530 x 370 mm

CE PUSHED

	electric	230 V/50 Hz		height adjustment	25–65 mm
	power input	1600 W		plastic chassis	
	working width	38 cm		collecting box	45 l
	weight	13 kg		wheels (front/rear)	5,5/7"
	central adjustment of cutting height				

HECHT 1844

Powerful high torque
electric motor
“TURBO motor“



770 x 530 x 370 mm

CE PUSHED

	electric	230 V/50 Hz		height adjustment	25–85 mm
	power input	1800 W		plastic chassis	
	working width	42 cm		collecting box	50 l
	weight	15,5 kg		wheels (front/rear)	6/8"
	central adjustment of cutting height				

ELECTRIC LAWN MOWERS

HECHT 1640



660 x 510 x 330 mm

CE PUSHED

⚡	electric	230 V/50 Hz	📏	height adjustment	25-75 mm
🔌	power input	1600 W	🔪	steel chassis	
📏	working width	40 cm	🗑️	collecting box	45 l
👤	weight	20 kg	🛞	ball bearings	
📏	central adjustment of cutting height		🛞	wheels (front/rear)	6/8"

HECHT 1641

Mulching kit included

Powerful high torque electric motor "TURBO motor"



780 x 530 x 370 mm

CE PUSHED

⚡	electric	230 V/50 Hz	📏	height adjustment	30-75 mm
🔌	power input	1600 W	🔪	steel chassis	
📏	working width	41 cm	🗑️	collecting box	50 l
👤	weight	21,3 kg	🛞	ball bearings	
📏	central adjustment of cutting height		🛞	wheels (front/rear)	7/8"

HECHT 1845

Mulching kit included

Powerful high torque electric motor "TURBO motor"



860 x 570 x 370 mm

CE PUSHED

⚡	electric	230 V/50 Hz	📏	height adjustment	30-75 mm
🔌	power input	1800 W	🔪	steel chassis	
📏	working width	46 cm	🗑️	collecting box	60 l
👤	weight	23,8 kg	🛞	ball bearings	
📏	central adjustment of cutting height		🛞	wheels (front/rear)	8/11"

HECHT 1846

4 in 1



860 x 570 x 425 mm

alternative side ejection

CE PUSHED

⚡	electric	230 V/50 Hz	📏	height adjustment	25-75 mm
🔌	power input	1800 W	🔪	steel chassis	
📏	working width	46 cm	🗑️	collecting box	60 l
👤	weight	28,5 kg	🛞	ball bearings	
📏	central adjustment of cutting height		🛞	wheels (front/rear)	8/11"

HECHT 1803 S 5 in 1

Mulching kit included

Speed 3,6 km/h

Powerful high torque electric motor "TURBO motor"



860 x 570 x 370 mm

alternative side ejection

CE SELF PROPELLED

⚡	electric	230 V/50 Hz	📏	height adjustment	30-75 mm
🔌	power input	1800 W	🔪	steel chassis	
📏	working width	46 cm	🗑️	collecting box	60 l
👤	weight	26,4 kg	🛞	ball bearings	
📏	central adjustment of cutting height		🛞	wheels (front/rear)	8/11"

HECHT 1805 S 5 in 1

Mulching kit included

Speed 3,6 km/h



860 x 570 x 475 mm

alternative side ejection

CE SELF PROPELLED

⚡	electric	230 V/50 Hz	📏	height adjustment	25-75 mm
🔌	power input	1800 W	🔪	steel chassis	
📏	working width	46 cm	🗑️	collecting box	60 l
👤	weight	31,2 kg	🛞	ball bearings	
📏	central adjustment of cutting height		🛞	wheels (front/rear)	8/11"










ACCU AND PETROL LAWN MOWERS



Li-ion **HECHT 5035**
Battery and charger included

-  CZ
-  SK
-  PL
-  GB
-  DE
-  HU

735 x 405 x 370 mm CE PUSHED










	accu Li-Ion	DC 40 V		height adjustment	25–75 mm
	Li-Ion	2,5 Ah		plastic chassis	
	working width	35 cm		collecting box	35 l
	weight	17,5 kg		central adjustment of cutting height	
	wheels (front/rear)	6/9"			



Li-ion **HECHT 5038**
Battery and charger included

-  CZ
-  SK
-  PL
-  GB
-  DE
-  HU

790 x 455 x 370 mm CE PUSHED










	accu Li-Ion	DC 40 V		height adjustment	25–75 mm
	Li-Ion	4 Ah		plastic chassis	
	working width	38 cm		collecting box	40 l
	weight	16,4 kg		central adjustment of cutting height	
	wheels (front/rear)	6/9"			




Li-ion **HECHT 3639**
Battery 003639A
Charging time 2 h

-  CZ
-  SK
-  PL
-  GB

800 x 450 x 370 mm CE PUSHED











	accu Li-Ion	DC 36 V		height adjustment	25–75 mm
	Li-Ion	4 Ah		plastic chassis	
	working width	37 cm		collecting box	43 l
	weight	16,5 kg		central adjustment of cutting height	
	wheels (front/rear)	6/9,5"			



Li-ion **HECHT 5046**
Mulching kit included
Battery and charger included

-  CZ
-  SK
-  PL
-  GB
-  DE
-  HU

845 x 570 x 430 mm CE SELF PROPELLED

	accu Li-Ion	DC 40 V		height adjustment	25-75 mm
	Li-Ion	4 Ah		steel chassis	
	working width	46 cm		collecting box	60 l
	weight	26 kg		ball bearings	
	wheels (front/rear)	8/11"		central adjustment of cutting height	



Li-ion **HECHT 5051**
Mulching kit included
Battery and charger included

-  CZ
-  SK
-  PL
-  GB
-  DE
-  HU

910 x 570 x 430 mm CE SELF PROPELLED

	accu Li-Ion	DC 40 V		height adjustment	25-75 mm
	Li-Ion	4 Ah		steel chassis	
	working width	51 cm		collecting box	60 l
	weight	27,7 kg		ball bearings	
	wheels (front/rear)	8/11"		central adjustment of cutting height	



HECHT 5406

-  CZ
-  SK
-  PL
-  GB
-  DE
-  HU

710 x 460 x 380 mm CE PUSHED

	engine HECHT	OHV		height adjustment	25–55 mm
	displacement	99 cm ³		max.torque	4,7 Nm
	working width	41 cm		steel chassis	
	weight	17,4 kg		collecting box	45 l
	wheels (front/rear)	6/6"			

PETROL LAWN MOWERS

HECHT 540

STEEL CHASSIS



710 x 460 x 380 mm

CE PUSHED

	engine HECHT	OHV		height adjustment	25-55 mm
	displacement	99 cm ³		max.torque	4,7 Nm
	working width	41 cm		steel chassis	
	weight	23,5 kg		collecting box	45 l
	wheels (front/rear)	7/7"			

HECHT 540 B



670 x 520 410 mm

CE PUSHED

	engine B&S	Series 450 E		height adjustment	25-55 mm
	displacement	125 cm ³		max.torque	5,6 Nm
	working width	41 cm		steel chassis	
	weight	20,5 kg		collecting box	45 l
	wheels (front/rear)	7/7"			

HECHT 543

HECHT 546



765 x 515 x 460 mm

CE PUSHED

	engine HECHT	OHV		height adjustment	25-60 mm
	displacement	98 cm ³		max.torque	4,7 Nm
	working width	43 cm		steel chassis	
	collecting box	45 l		ball bearings	
	central adjustment of cutting height			wheels (front/rear)	7/10"



775 x 560 x 500 mm

CE PUSHED

	engine HECHT	OHV		height adjustment	25-70 mm
	displacement	139 cm ³		max.torque	7,5 Nm
	working width	46 cm		steel chassis	
	collecting box	65 l		ball bearings	
	central adjustment of cutting height			wheels (front/rear)	7/10"

HECHT 541 SW

Speed about 3,45 km/h



670 x 520 x 410 mm

CE SELF PROPELLED

	engine HECHT	OHV		height adjustment	25-70 mm
	displacement	99 cm ³		max.torque	5,5 Nm
	working width	41 cm		steel chassis	
	weight	24 kg		collecting box	45 l
	central adjustment of cutting height			ball bearings	
	wheels (front/rear)	7/8"			

HECHT 541 BSW

Speed about 3,45 km/h



670 x 520 x 410 mm

CE SELF PROPELLED

	engine B&S	Series 450 E		height adjustment	25-70 mm
	displacement	125 cm ³		max.torque	6,1 Nm
	working width	41 cm		steel chassis	
	weight	24 kg		collecting box	45 l
	central adjustment of cutting height			ball bearings	
	wheels (front/rear)	7/8"			

PETROL LAWN MOWERS

HECHT 543 SX

Speed about 3 km/h



765 x 515 x 460 mm

CE SELF PROPELLED

	engine HECHT	OHV		height adjustment	25-65 mm
	displacement	98 cm ³		max.torque	4,7 Nm
	working width	43 cm		steel chassis	
	collecting box	45 l		ball bearings	
	central adjustment of cutting height			wheels (front/rear)	7/10"

HECHT 543 SW

5 in 1

Speed 3,6 km/h



810 x 530 x 430 mm

alternative side ejection

CE SELF PROPELLED

	engine HECHT	OHV		height adjustment	25-75 mm
	displacement	98,5 cm ³		max.torque	5,1 Nm
	working width	43 cm		steel chassis	5 in 1
	collecting box	50 l		ball bearings	
	central adjustment of cutting height			wheels (front/rear)	8/11"

HECHT 543 SWE

5 in 1

Speed 3,6 km/h
Electric starter



880 x 530 x 430 mm

alternative side ejection

CE SELF PROPELLED

	engine HECHT	OHV		height adjustment	25-75 mm
	displacement	98,5 cm ³		max.torque	5,1 Nm
	working width	43 cm		steel chassis	5 in 1
	collecting box	50 l		ball bearings	
	central adjustment of cutting height			wheels (front/rear)	8/11"

HECHT 546 SX

Speed about 3 km/h



785 x 570 x 500 mm

MODEL 2016

CE SELF PROPELLED

	engine HECHT	OHV		height adjustment	25-65 mm
	displacement	135 cm ³		max.torque	6,8 Nm
	working width	46 cm		steel chassis	
	weight	32 kg		collecting box	55 l
	central adjustment of cutting height			ball bearings	
	wheels (front/rear)	7/10"			

HECHT 547 SXW

5 in 1

Mulching kit included
Speed about 3,6 km/h



775 x 560 x 500 mm

alternative side ejection

CE SELF PROPELLED

	engine HECHT	OHV		height adjustment	25-70 mm
	displacement	139 cm ³		max.torque	7,5 Nm
	working width	46 cm		steel chassis	5 in 1
	weight	32 kg		collecting box	65 l
	central adjustment of cutting height			ball bearings	
	wheels (front/rear)	7/10"			

HECHT 546 BSW

5 in 1

Speed 3,35 km/h



775 x 560 x 500 mm

alternative side ejection

CE SELF PROPELLED

	engine B&S	Series 500 E		height adjustment	25-70 mm
	displacement	140 cm ³		max.torque	6,8 Nm
	working width	46 cm		steel chassis	5 in 1
	collecting box	65 l		ball bearings	
	central adjustment of cutting height			wheels (front/rear)	7/10"

PETROL LAWN MOWERS



PATENTED WHEELS DESIGN



860 x 570 x 510 mm

alternative side ejection



	engine HECHT	OHV		height adjustment	25–75 mm
	displacement	135 cm ³		max.torque	7 Nm
	working width	46 cm		steel chassis	5 in 1
	weight	35,6 kg		collecting box	60 l
	central adjustment of cutting height			ball bearings	
	wheels (front/rear)	8/11"			

HECHT 548 SW 5 in 1

Mulching kit included
Speed 3,6 km/h



PATENTED WHEELS DESIGN



860 x 570 x 510 mm

alternative side ejection



	engine HECHT	OHV		height adjustment	25–75 mm
	displacement	135 cm ³		max.torque	7 Nm
	working width	46 cm		steel chassis	5 in 1
	weight	36,7 kg		collecting box	60 l
	central adjustment of cutting height			ball bearings	
	wheels (front/rear)	8/11"			

HECHT 5484 SX 5 in 1

Mulching kit included
4 speed: 3-4,5 km/h



EASY
ELECTRIC START
- JUST TURN THE KEY -



860 x 570 x 510 mm

alternative side ejection



	engine HECHT	OHV		height adjustment	25–75 mm
	displacement	135 cm ³		max.torque	7 Nm
	working width	46 cm		steel chassis	5 in 1
	weight	39 kg		collecting box	60 l
	central adjustment of cutting height			ball bearings	
	battery 12 V DC, 4,5 Ah			wheels (front/rear)	8/11"

HECHT 548 SWE 5 in 1

Mulching kit included
Speed 3,6 km/h
Electric starter



EASY
ELECTRIC START
- JUST TURN THE KEY -



860 x 570 x 510 mm

alternative side ejection



	engine HECHT	OHV		height adjustment	25–75 mm
	displacement	135 cm ³		max.torque	7 Nm
	working width	46 cm		steel chassis	5 in 1
	weight	36,7 kg		collecting box	60 l
	central adjustment of cutting height			ball bearings	
	battery 12 V DC, 4,5 Ah			wheels (front/rear)	8/11"

HECHT 5484 SXE 5 in 1

Mulching kit included
4 speed: 3-4,5 km/h
Electric starter

www.hecht.cz



PATENTED WHEELS DESIGN



860 x 475 x 570 mm

alternative side ejection



	engine B&S	Series 500 E		height adjustment	25–75 mm
	displacement	140 cm ³		max.torque	6,8 Nm
	working width	46 cm		steel chassis	5 in 1
	weight	31,2 kg		collecting box	60 l
	central adjustment of cutting height			ball bearings	
	wheels (front/rear)	8/11"			

HECHT 549 SB 5 in 1

Mulching kit included
Speed 3,6 km/h



PATENTED WHEELS DESIGN



860 x 475 x 570 mm

alternative side ejection



	engine B&S	Series 500E		height adjustment	25–75 mm
	displacement	140 cm ³		max.torque	6,8 Nm
	working width	46 cm		steel chassis	5 in 1
	weight	31,2 kg		collecting box	60 l
	central adjustment of cutting height			ball bearings	
	wheels (front/rear)	8/11"			

HECHT 5494 SB 5 in 1

Mulching kit included
4 speed: 3-4,5 km/h



PETROL LAWN MOWERS



PATENTED WHEELS DESIGN



- CZ
- SK
- PL
- GB
- DE
- HU



830 x 570 x 460 mm

alternative side ejection



SELF PROPELLED

	engine HECHT	OHV		height adjustment	25–65 mm
	displacement	173 cm ³		max.torque	9,5 Nm
	working width	51 cm		steel chassis	5 in 1
	weight	36,5 kg		collecting box	55 l
	central adjustment of cutting height			ball bearings	
	wheels (front/rear)	7,5/10,5"			

HECHT 551 SX 5 in 1

Mulching kit included
Speed 3,6 km/h



PATENTED WHEELS DESIGN



- CZ
- SK
- PL
- GB
- DE
- HU



900 x 570 x 515 mm

alternative side ejection



SELF PROPELLED

	engine HECHT	OHV		height adjustment	25–75 mm
	displacement	173 cm ³		max.torque	10 Nm
	working width	51 cm		steel chassis	5 in 1
	weight	38,1 kg		collecting box	60 l
	central adjustment of cutting height			ball bearings	
	wheels (front/rear)	8/11"			

HECHT 553 SW 5 in 1

Mulching kit included
Speed 3,6 km/h



PATENTED WHEELS DESIGN



- CZ
- SK
- PL
- GB
- DE
- HU



900 x 570 x 515 mm

alternative side ejection



SELF PROPELLED

	engine HECHT	OHV		height adjustment	25–75 mm
	displacement	173 cm ³		max.torque	10 Nm
	working width	51 cm		steel chassis	5 in 1
	weight	38,7 kg		collecting box	60 l
	central adjustment of cutting height			ball bearings	
	wheels (front/rear)	8/11"			

HECHT 5534 SX 5 in 1

Mulching kit included
4 speed: 3-4,5 km/h



EASY
ELECTRIC START
- JUST TURN THE KEY -



- CZ
- SK
- PL
- GB
- DE
- HU



900 x 570 x 515 mm

alternative side ejection



SELF PROPELLED

	engine HECHT	OHV		height adjustment	25–75 mm
	displacement	173 cm ³		max.torque	10 Nm
	working width	51 cm		steel chassis	5 in 1
	weight	38,1 kg		collecting box	60 l
	central adjustment of cutting height			ball bearings	
	battery 12 V DC, 4,5 Ah			wheels (front/rear)	8/11"

HECHT 5534 SWE 5 in 1

Mulching kit included
4 speed: 3-4,5 km/h
Electric starter



PATENTED WHEELS DESIGN



- CZ
- SK
- PL
- GB
- DE
- HU



890 x 570 x 480 mm

alternative side ejection



SELF PROPELLED

	engine B&S	Series 625E		height adjustment	25–75 mm
	displacement	150 cm ³		max.torque	8,5 Nm
	working width	51 cm		steel chassis	5 in 1
	weight	33,4 kg		collecting box	60 l
	central adjustment of cutting height			ball bearings	
	wheels (front/rear)	8/11"			

HECHT 551 BS 5 in 1

Mulching kit included
4 speed: 3-4,5 km/h



PATENTED WHEELS DESIGN



- CZ
- SK
- PL
- GB
- DE
- HU



890 x 570 x 480 mm

alternative side ejection



SELF PROPELLED

	engine B&S	Series 675iS		height adjustment	25–75 mm
	displacement	163 cm ³		max.torque	9 Nm
	working width	51 cm		steel chassis	5 in 1
	weight	33,8 kg		collecting box	60 l
	central adjustment of cutting height			ball bearings	
	wheels (front/rear)	8/11"			

HECHT 5534 INSTART 5 in 1

Mulching kit included
4 speed: 3-4,5 km/h



PETROL LAWN MOWERS

HECHT 553 BSA 5 in 1

Mulching kit included
4 speed: 3-4,5 km/h



905 x 570 x 460 mm
alternative side ejection **CE** SELF PROPELLED

engine B&S	Series 675 EXi	height adjustment	25-75 mm
displacement	163 cm ³	max.torque	9,85 Nm
working width	51 cm	aluminium chassis	5 in 1
weight	37 kg	collecting box	60 l
central adjustment of cutting height		ball bearings	
wheels (front/rear)	8/11"		

HECHT 5564 5X 5 in 1

Mulching kit included
4 speed: 3-4,5 km/h



PATENTED WHEELS DESIGN



960 x 650 x 515 mm
alternative side ejection **CE** SELF PROPELLED

engine HECHT	OHV	height adjustment	25-75 mm
displacement	173 cm ³	max.torque	10 Nm
working width	56 cm	steel chassis	5 in 1
weight	42,8 kg	collecting box	70 l
central adjustment of cutting height		ball bearings	
wheels (front/rear)	8/11"		

HECHT 5564 5XE 5 in 1

Mulching kit included
4 speed: 3-4,5 km/h
Electric starter



960 x 650 x 515 mm
alternative side ejection **CE** SELF PROPELLED

engine HECHT	OHV	height adjustment	25-75 mm
displacement	173 cm ³	max.torque	10 Nm
working width	56 cm	steel chassis	5 in 1
weight	42,8 kg	collecting box	70 l
central adjustment of cutting height		ball bearings	
battery 12 V DC, 4,5 Ah		wheels (front/rear)	8/11"

HECHT 556 B5 5 in 1

Mulching kit included
Speed 3,6 km/h



PATENTED WHEELS DESIGN



960 x 650 x 490 mm
alternative side ejection **CE** SELF PROPELLED

engine B&S	Series 675	height adjustment	25-75 mm
displacement	190 cm ³	max.torque	8,8 Nm
working width	56 cm	steel chassis	5 in 1
weight	38,5 kg	collecting box	70 l
central adjustment of cutting height		ball bearings	
wheels (front/rear)	8/11"		

HECHT 5564 B5 5 in 1

Mulching kit included
4 speed: 3-4,5 km/h



960 x 650 x 490 mm
alternative side ejection **CE** SELF PROPELLED

engine B&S	Series 675	height adjustment	25-75 mm
displacement	190 cm ³	max.torque	8,8 Nm
working width	56 cm	steel chassis	5 in 1
weight	38,5 kg	collecting box	70 l
central adjustment of cutting height		ball bearings	
wheels (front/rear)	8/11"		

HECHT 587 Speed about 3 km/h

000587
Optional accessory set
Ploughshare + Chains



1050 x 540 x 600 mm **CE** SELF PROPELLED

engine HECHT	OHV	height adjustment	15-90 mm
displacement	173 cm ³	steel chassis	
working width	87 cm	ball bearings	
weight	57 kg	wheels	13x3,5-6"

PETROL LAWN MOWERS

HECHT 1863 S
5 in 1
Mulching kit included
Speed 3,6 km/h



PATENTED WHEELS DESIGN

CZ SK PL GB DE HU

860 x 570 x 475 mm
alternative side ejection

SELF PROPELLED

⚡	electric	230 V/50 Hz	📏	height adjustment	25-75 mm
🔌	power input	1800 W	🌿	steel chassis	
🛞	working width	46 cm	🗑️	collecting box	60 l
🏋️	weight	33 kg	⚙️	ball bearings	
🛞	wheels (front/rear)	8/11"			

HECHT 5433 SW
5 in 1
Mulching kit included



PATENTED WHEELS DESIGN

CZ SK PL GB DE HU

810 x 530 x 430 mm
alternative side ejection

SELF PROPELLED

🔧	engine HECHT	OHV	📏	height adjustment	25-75 mm
🗑️	displacement	98,5 cm³	🏋️	max.torque	5,1 Nm
🛞	working width	43 cm	🌿	steel chassis	5 in 1
📏	central adjustment of cutting height		🗑️	collecting box	50 l
⚙️	ball bearings		🛞	wheels (front/rear)	8/11"

HECHT 5483 SW
5 in 1
Mulching kit included
Speed 3,3 km/h



PATENTED WHEELS DESIGN

CZ SK PL GB DE HU

850 x 570 x 480 mm
alternative side ejection

SELF PROPELLED

🔧	engine HECHT	OHV	📏	height adjustment	25-75 mm
🗑️	displacement	135 cm³	🏋️	max.torque	7 Nm
🛞	working width	46 cm	🌿	steel chassis	5 in 1
📏	central adjustment of cutting height		🗑️	collecting box	60 l
⚙️	ball bearings		🛞	wheels (front/rear)	8/11"

HECHT 5483 SWE
5 in 1
Mulching kit included
Speed 3,3 km/h
Electric starter



PATENTED WHEELS DESIGN

CZ SK PL GB DE HU

850 x 570 x 480 mm
alternative side ejection

SELF PROPELLED

EASY ELECTRIC START
- JUST PRESS THE BUTTON -

🔧	engine HECHT	OHV	📏	height adjustment	25-75 mm
🗑️	displacement	135 cm³	🏋️	max.torque	7 Nm
🛞	working width	46 cm	🌿	steel chassis	5 in 1
📏	central adjustment of cutting height		🗑️	collecting box	60 l
⚙️	ball bearings		🛞	wheels (front/rear)	8/11"

HECHT 5483 SXE
5 in 1
Mulching kit included
4 speed: 3-4,5 km/h
Electric starter



PATENTED WHEELS DESIGN

CZ SK PL GB DE HU

900 x 570 x 500 mm
alternative side ejection

SELF PROPELLED

EASY ELECTRIC START
- JUST PRESS THE BUTTON -

🔧	engine HECHT	OHV	📏	height adjustment	25-75 mm
🗑️	displacement	135 cm³	🏋️	max.torque	7 Nm
🛞	working width	46 cm	🌿	steel chassis	5 in 1
📏	central adjustment of cutting height		🗑️	collecting box	60 l
⚙️	ball bearings		🛞	wheels (front/rear)	8/11"

HECHT 5543 SXE
Mulching kit included
4 speed: 3-4,5 km/h
Electric starter



PATENTED WHEELS DESIGN

CZ SK PL GB DE HU

900 x 570 x 500 mm
alternative side ejection

SELF PROPELLED

EASY ELECTRIC START
- JUST PRESS THE BUTTON -

🔧	engine HECHT	OHV	📏	height adjustment	25-75 mm
🗑️	displacement	173 cm³	🏋️	max.torque	10 Nm
🛞	working width	51 cm	🌿	steel chassis	5 in 1
📏	central adjustment of cutting height		🗑️	collecting box	60 l
⚙️	ball bearings		🛞	wheels (front/rear)	8/11"

PETROL LAWN MOWERS



PATENTED WHEELS DESIGN



840 x 570 x 500 mm

alternative side ejection

CE SELF PROPELLED

	engine HECHT	OHV		height adjustment	25-75 mm
	displacement	173 cm ³		max.torque	10 Nm
	working width	51 cm		steel chassis	5 in 1
	central adjustment of cutting height			collecting box	60 l
	ball bearings			weight	39,2 kg
	wheels (front/rear)	8/11"			

HECHT 5533 SW 5 in 1

Mulching kit included
Speed 3,3 km/h



PATENTED WHEELS DESIGN



900 x 570 x 490 mm

alternative side ejection

CE SELF PROPELLED

	engine HECHT	OHV		height adjustment	25-75 mm
	displacement	173 cm ³		max.torque	10 Nm
	working width	51 cm		steel chassis	5 in 1
	central adjustment of cutting height			collecting box	60 l
	ball bearings			weight	43,3 kg
	wheels (front/rear)	8/11"			

HECHT 5533 SWE 5 in 1

Mulching kit included
Speed 3,3 km/h
Electric starter



EASY
ELECTRIC START
- JUST PRESS THE BUTTON -

www.hecht.cz



PATENTED WHEELS DESIGN



840 x 570 x 500 mm

alternative side ejection

CE SELF PROPELLED

	engine HECHT	OHV		height adjustment	25-75 mm
	displacement	173 cm ³		max.torque	10 Nm
	working width	56 cm		steel chassis	5 in 1
	central adjustment of cutting height			collecting box	60 l
	ball bearings			weight	43 kg
	wheels (front/rear)	8/11"			

HECHT 5563 SX 5 in 1

Mulching kit included



PATENTED WHEELS DESIGN



900 x 570 x 490 mm

alternative side ejection

CE SELF PROPELLED

	engine HECHT	OHV		height adjustment	25-75 mm
	displacement	173 cm ³		max.torque	10 Nm
	working width	56 cm		steel chassis	5 in 1
	central adjustment of cutting height			collecting box	60 l
	ball bearings			weight	46 kg
	wheels (front/rear)	8/11"			

HECHT 5563 SXE 5 in 1

Mulching kit included
Electric starter



EASY
ELECTRIC START
- JUST PRESS THE BUTTON -

FOR BETTER COLLECTING OF WET GRASS

HECHT 500046

Special lawn mower „TURBO“ blade

46 cm

FOR MODELS:

HECHT 548 SW, 5484 SX, 548 SWE, 5484 SXE



FOR BETTER COLLECTING OF WET GRASS

HECHT 500051

Special lawn mower „TURBO“ blade

51 cm

FOR MODELS:

HECHT 551 SB, 553 SW, 5534 SX, 5534 SWE, 5534 INSTART



HECHT 5060 EU speed 3 km/h



MADE IN CZECH REPUBLIC



1050 x 540 x 600 mm

CE SELF PROPELLED

	engine HECHT	OHV		height	35 mm
	displacement	173 cm ³		steel chassis	
	working width	60 cm		ball bearings	
	weight	50 kg		wheels	16x3,5-8"



RIDERS, LAWN TRACTORS

HECHT 5161

Speed:
Forward
 1,5–4,6 km/h
Reverse
 2,3 km/h



1480x780x730 mm

CE SELF PROPELLED

	engine	HECHT		height adjustment	35–75 mm
	displacement	196 cm ³		recommended area	1500–2000 m ²
	working width	61 cm		steel chassis	
	weight	115 kg		collecting box	150 l
	central adjustment of cutting height			ball bearings	

HECHT 5162



Speed:
Forward
 1,5–4,5 km/h
Reverse
 1,5 km/h



1550 x 780 x 1030 mm

CE SELF PROPELLED

	engine B&S	Series 850		height adjustment	30–90 mm
	displacement	190 cm ³		recommended area	2000–2500 m ²
	working width	62 cm		steel chassis	
	weight	125 kg		collecting box	130 l
	central adjustment of cutting height			ball bearings	



steel structure

Side ejection only

HECHT 5114

Speed:
Forward
 max. 8,3 km/h
Reverse
 2,5 km/h

CE SELF PROPELLED

	engine HECHT	OHV		height adjustment	30–90 mm
	displacement	452 cm ³ 1 cylinder		recommended area	3000–4000 m ²
	working width	98 cm		steel chassis	
	weight	165 kg		ball bearings	
	central adjustment of cutting height				



2590 x 1080 x 1080 mm
 (steel structure)

HECHT 5176



Speed:
Forward
 max. 8,8 km/h
Reverse
 3,8 km/h

CE HYDROSTATIC SELF PROPELLED

	engine B&S	INTEK OHV		height adjustment	30–90 mm
	displacement	501 cm ³ 1 cylinder		recommended area	3000–4000 m ²
	working width	102 cm		steel chassis	
	weight	220 kg		collecting box	270 l
	central adjustment of cutting height			ball bearings	

ROLLER, SERVICE SET, ACCESSORIES

HECHT 5

Service sets for pumping out engine oil or petrol. Suitable for all types of lawn mower engines and lawn tractors.



167 x 155 x 210 mm

	manual
	tank volume 1,5 l

HECHT 501



580 x 350 x 390 mm

	working width	50 cm		weight	9 kg
	diameter	32 cm		filled weight	50 kg ± 20%

HECHT 4T

Recommended oil for 4-stroke engines
Min. order 6 pcs



HECHT 2T

Recommended oil for 2-stroke engines
Min. order 6 pcs



HECHT CHAINOIL 4L

Special oil for greasing bars
Min. order 3 pcs



GREASE GX

Plastic lubricant for angle drives
Min. order 48 pcs



HECHT 5W-40

Recommended oil for 4-stroke engines - suitable for all year use
Min. order 6 pcs



HECHT CHAINOIL

Special oil for greasing bars
Min. order 6 pcs



HECHT HC22

Special hydraulic oil 4 l
Min. order 3 pcs



PLASTIC CAN 5 l

No. K00050



	tank volume	5 l
--	-------------	-----



PLASTIC CAN 20 l

No. K00200



	tank volume	20 l
--	-------------	------



PLASTIC CAN 10 l

No. K00100



	tank volume	10 l
--	-------------	------



PLASTIC CAN KOMBI

No. K00085




	tank volume	6 l + 2,5 l
--	-------------	-------------



ELECTRIC AND ACCU LAWN AERATORS

HECHT 1420 2 in 1




525 x 425 x 308 mm



	electric	230 V/50 Hz		collecting box	40 l
	power input	1500 W		plastic chassis	
	working width	32 cm		roller with metal wires	
	weight	8,5		16 metal knives	

HECHT 1521 2 in 1



560 x 415 x 325 mm



	electric	230 V/50 Hz		collecting box	40 l
	power input	1500 W		recommended area	1000 m ²
	working width	32 cm		plastic chassis	
	weight	10 kg		roller with metal wires	
	16 metal knives			variable adjustment -9 to 3 mm	

HECHT 1538 2 in 1




560 x 540 x 370 mm



	electric	230 V/50 Hz		collecting box	50 l
	power input	1500 W		recommended area	1100 m ²
	working width	38 cm		plastic chassis	
	weight	15		roller with metal wires	
	20 metal knives			variable adjustment -12 to 5 mm	

HECHT 1738 2 in 1




560 x 540 x 370 mm



	electric	230 V/50 Hz		collecting box	50 l
	power input	1700 W		recommended area	1200 m ²
	working width	38 cm		plastic chassis	
	weight	15 kg		roller with metal wires	
	20 metal knives			variable adjustment -12 to 5 mm	

HECHT 1821 2 in 1

Available
from 3/17



680 x 520 x 300 mm



	electric	230 V/50 Hz		collecting box	50 l
	power input	1800 W		recommended area	1200 m ²
	working width	36 cm		plastic chassis	
	weight	13		roller with metal wires	
	18 metal knives			variable adjustment -12 to 10 mm	

HECHT 1384



660 x 480 x 340 mm



	accu Li-ion	DC 40 V		collecting box	45 l
	working width	38 cm		working time	48 min
	weight	14,5		plastic chassis	
	without battery and charger				

ELECTRIC AND PETROL LAWN AERATORS

HECHT 1739




620 x 570 x 360 mm



	electric	230 V/50 Hz		collecting box	50 l
	power input	1700 W		recommended area	1200 m ²
	working width	37 cm		plastic chassis	
	weight	22		variable adjustment	-8 to 12 mm
	26 metal knives				

HECHT 5654



670 x 580 x 540 mm



	engine	HECHT		collecting box	40 l
	displacement	87 cm ³		recommended area	1400 m ²
	working width	38 cm		steel chassis	
	weight	26,5 kg		variable adjustment	-12 to +10 mm
	18 metal knives				

HECHT 5642



670 x 580 x 540 mm



	engine	HECHT		collecting box	45 l
	displacement	163 cm ³		recommended area	1600 m ²
	working width	42 cm		steel chassis	
	weight	44 kg		variable adjustment	-12 to 0 mm
	17 metal knives				

HECHT 5675



670 x 580 x 540 mm



	engine	B&S 750		collecting box	45 l
	displacement	163 cm ³		recommended area	1600 m ²
	working width	42cm		steel chassis	
	weight	38 kg		variable adjustment	-12 to 0 mm
	17 metal knives				

HECHT S 390 H



Original engine
HONDA



630 x 860 x 630 mm



	engine HONDA	GC 135		collecting box	45 l
	displacement	135 cm ³		recommended area	1600 m ²
	working width	38 cm		steel chassis	
	weight	30 kg		variable adjustment	-10 to 0 mm
	16 metal knives			max.torque	10,3 Nm

HECHT S 500 H



Original engine
HONDA



670 x 580 x 540 mm



	engine HONDA	GP 160		collecting box	110 l
	displacement	160 cm ³		recommended area	3 000 m ²
	working width	49 cm		steel chassis	
	weight	49 kg		variable adjustment	-15 to 0 mm
	19 metal knives				

ELECTRIC AND PETROL TILLERS

HECHT 730



345 x 285 x 480 mm



⚡	electric	230 V/50 Hz	📏	working width	32 cm
🔌	power input	750 W	⚖️	weight	8 kg
	4 knives				

HECHT 738



600 x 430 x 275 mm



⚡	electric	230 V/50 Hz	📏	working width	36,5 cm
🔌	power input	1000 W	⚖️	weight	7,7 kg
	4 knives				

HECHT 739



382 x 288 x 502 mm



⚡	electric	230 V/50 Hz	📏	working width	36 cm
🔌	power input	1050 W	⚖️	weight	9,8 kg
	4 knives				

HECHT 745



412 x 365 x 560 mm



⚡	electric	230 V/50 Hz	📏	working width	40 cm
🔌	power input	1500 W	⚖️	weight	11,6 kg
	6 knives				

HECHT 743



560 x 330 x 530 mm



🔧	engine HECHT	2-stroke	📏	working width	23,5 cm
📏	displacement	43 cm ³	⚖️	weight	21,4 kg
	4 knives				

HECHT 761 R



705 x 670 x 390 mm



🔧	engine HECHT	OHV, 4-stroke	📏	working width	36 cm
📏	displacement	139 cm ³	⚖️	weight	34 kg
	4 knives Ø 26 cm			1 speed	

PETROL TILLERS, ACCESSORIES

HECHT 746 R

HECHT 747 SB



Available from 3/17



707 x 668 x 381 mm



	engine HECHT	OHV, 4-stroke		working width	36/60 cm
	displacement	139 cm ³		weight	36 kg
	4/6 knives Ø 26 cm		1 speed		



700 x 380 x 660 mm



	engine B&S	Series 500 E		working width	36/60 cm
	displacement	140 cm ³		weight	36 kg
	4/6 knives Ø 26 cm		1 speed		

ACCESSORIES FOR HECHT 750

HECHT 750

HECHT 000750

Iron wheel set
- 2 pcs.
- for use with
ridger



HECHT 000751

Ridger



1100 x 498 x 460 mm



	engine HECHT	OHV, 4-stroke		working width	50 cm
	displacement	196 cm ³		weight	68 kg
	Ø 34 cm		1 speed		



ACCESSORIES FOR HECHT 785, HECHT 790, HECHT 795, HECHT 790 BS

HECHT 8001001

Rear bracket
for mounting
accessories



HECHT 8001016

Single side
Ridge plough



HECHT 8001020

Potato digger



HECHT 8001015

Double side
Ridge plough



HECHT 8001017

Wheel 8 inch
- 2 pcs



HECHT 8001004

Iron wheel set - 2 pcs
- for use with
plough or digger



HECHT 8001021

Set of distance tubes
(2 pcs) for shaft extension
outer edge of wheels 65 - 85 cm



PETROL TILLERS, ACCESSORIES

HECHT 785

HECHT 790



580 x 405 x 740 mm



	engine HECHT	OHV, 4-stroke		working width	32/50/84 cm
	displacement	196 cm ³		weight	52 kg
	2/4/6 knives Ø 38 cm		1 speed		




600 x 420 x 740 mm



	engine HECHT	OHV		working width	32/50/84 cm
	displacement	196 cm ³		weight	54 kg
	2/4/6 knives Ø 38 cm		1 speed		

HECHT 795

HECHT 790 BS



740 x 660 x 400



	engine HECHT	OHV		working width	32/50/84 cm
	displacement	196 cm ³		weight	56 kg
	2/4/6 knives Ø 38 cm		2 speed forward, 1 reverse		



600 x 420 x 740 mm



	engine B&S	CR 950		working width	32/50/8 cm
	displacement	196 cm ³		weight	55 kg
	2/4/6 knives Ø 38 cm		1 speed		

PETROL TILLER AND ACCESSORIES

**HECHT
000721**
Plough



**HECHT
000720**
Wheels 8"



HECHT 7970

Available
from 5/17



890 x 460 x 660 mm

	engine HECHT	OHV		working width	110 cm
	displacement	212 cm ³		weight	78 kg
8 knives			2 speed, 1 reverse		

Trailer HECHT 57100
also available
(not included)



ACCESSORIES FOR HECHT 7100

**HECHT
007116**
Single side
plough



**HECHT
007115**
Adjustable
digger



**HECHT
007120**
Potato
digger



HECHT 007125
Double side plough 20-25 cm,
working depth cca 10 cm



HECHT 007112
Wheel 12 inch with slipping
pinion
- 2 pcs
- for use with trailer only
(not designed for digging
etc.)



HECHT 007131
Three line seeder
working width cca 47 cm,
capacity cca 10 kg



**HECHT
007104**
Iron wheel set
- 2 pcs
- for use with plough
or digger



**HECHT
007101**
Weights for wheels
- 2 pcs (2x 12 kg)



**HECHT
007128**
LED light (3x AAA)



Batteries not included

PETROL TILLER, ACCESSORIES

HECHT 7100



Speed km/h		Gears			
		Gear 3	Gear 2	Gear 1	Gear -1 backward
Gearbox Standard	Speed on axis (rpm)	130	98.9	33.5	33.5
	4.0-8 Iron wheels (km/h)	10.06	7.65	2.59	2.59
	5.0-12 Wheels with tires (km/h)	13.65	10.38	3.52	3.52



780 x 410 x 780 mm



	engine HECHT	OHV, 4-stroke		working width	81/104 cm
	displacement	208 cm ³		weight	72 kg
	6 knives			3 speed forward, 1 reverse	

HECHT 57101

Drawbar



350 x 105 x 80 mm



1310 x 470 x 350 mm

HECHT 57100

Trailer for HECHT 7100



	dimensions	134 x 92 x 34 cm		wheels	500 x 12"
	weight	46,3 kg		max. load	300 kg net. / 500 kg including operator

Slipping pinion on wheels for better turning



HECHT 7100 + 57100 + 57101 + 007112 + 007101

TRAILERS, FERTILIZER

HECHT 52145

Suitable for:
HECHT 5114
HECHT 5116
HECHT 5176
HECHT 5639
HECHT 5938
HECHT 5922
and most garden tractors

TILTING



Possible to use as trailer for lawn tractor



950 x 520 x 220 mm

body dimensions	94 x 52 x 21 cm / 75 l	wheels	10" x 350-4
weight	15,5 kg	max. load	250 kg

HECHT 260

Hecht 260 is designed for distribution of fertilizers and seeds, in winter even salt.



Suitable for lawn tractors



740 x 560 x 410 mm

Tow-behind spreader for large areas of ground

manual pushed	max capacity	60 l
---------------	--------------	------

HECHT 52184

Suitable for:
HECHT 5114
HECHT 5116
HECHT 5176
HECHT 5639
HECHT 5938
HECHT 5922
and most garden tractors

215 L



Possible to use as trailer for lawn tractor



1050 x 550 x 180 mm

body dimensions	101 x 52 x 41 cm / 215 l	wheels	10" x 350-4
weight	27,6 kg	max. load	300 kg

HECHT 50005

FOLDING



660 x 235 x 860 mm

body dimensions open	131 x 60 x 108,5 cm	weight	13,5 kg
body dimensions folded	22,5 x 60 x 80 cm	steel chassis	

HECHT 53038

Suitable for:
HECHT 5114, HECHT 5116,
HECHT 5176, HECHT 5639,
HECHT 5938, HECHT 5922
and most garden tractors

Available from 4/17

Suitable for:
HECHT 5114, HECHT 5116,
HECHT 5176, HECHT 5639,
HECHT 5938, HECHT 5922
and most garden tractors

Available from 4/17



body dimensions	123 x 77 x 62,5 cm	wheels	3.50-8
weight	21,4 kg	max. load	200 kg



body dimensions	150 x 93,5 x 74,5 cm	wheels	480/400-8
weight	37,3 kg	max. load	300 kg

ELECTRIC AND PETROL HEDGE TRIMMERS

HECHT 606



CE

900 x 145 x 175 mm

	electric	230 V /50 Hz		bar length	50 cm
	power input	520 W		weight	1,9 kg
	max. cutting diameter	20 mm			

HECHT 655



CE

1000 x 205 x 180 mm

	electric	230 V /50 Hz		bar length	62 cm
	power input	600 W		weight	2,7 kg
	max. cutting diameter	20 mm			



Rotary handle

HECHT 610



CE

1120 x 200 x 180 mm

	electric	230 V /50 Hz		bar length	68 cm
	power input	600 W		weight	3,1 kg
	max. cutting diameter	24 mm			



Rotary handle

HECHT 611

with collecting bar



Laser cut blade



CE

1120 x 200 x 213 mm

	electric	230 V/50 Hz		bar length	68 cm
	power input	750 W		weight	4 kg
	max. cutting diameter	24 mm			



Rotary handle

HECHT 9246



CE

1110 x 260 x 240 mm

	engine volume	24,5 cm ³		bar length	70 cm
	power output	1 HP		weight	5,8 kg
	max. cutting diameter	22 mm			



Rotary handle

HECHT 9275 PROFI

otočná rukojeť



CE

1290 x 260 x 250 mm

	engine volume	22,2 cm ³		bar length	75 cm
	power output	1 HP		weight	5,4 kg
	max. cutting diameter	28 mm			



72 cm bar

HECHT 9375 PROFI



CE

1290 x 260 x 250 mm

	engine volume	22,2 cm ³		bar length	72 cm
	power output	0,9 HP		weight	5,3 kg
	max. cutting diameter	20 mm			

HEDGE TRIMMERS

HECHT 640

HECHT 675



CE

1275 x 195 x 166 mm

CE

1150 x 165 x 205 mm

	electric	230 V/50 Hz		bar length	40,5 cm
	power input	450 W		weight	4,2 kg
	max. cutting diameter	16 mm		length	2,16 - 2,87 m


	electric	230 V/50 Hz		bar length	51 cm
	power input	750 W		weight	5 kg
	max. cutting diameter	28 mm		length	2,35 - 2,8 m

www.hecht.cz

HECHT 6504



HECHT 695



CE

1220 x 210 x 140 mm

CE

1067 x 187 x 105 mm

	Accu Li-ion	DC 40 V		bar length	50 cm
	max. cutting diameter	20 mm		weight	4,5 kg
	without battery and charger			length	1,9 - 2,4 m

	electric	230 V/50 Hz		bar length	41 cm
	power input	900 W		weight	4,9 kg
	max. cutting diameter	20 mm		length	2,64 m

PRUNNING SAWS

HECHT 9504



CE

	Accu Li-ion	DC 40 V		bar length	20 cm
	length	2,3–2,8 m		weight	4,4 kg
without battery and charger					

HECHT 971 W



CE

	1360 x 165 x 110 mm
	electric 230 V/50 Hz
	bar length 30 cm
	power input 750 W
	weight 3,2 kg
	length 2–2,8 m

HECHT 975 W



CE

	1730 x 145 x 80 mm
	electric 230 V/50 Hz
	bar length 24 cm
	power input 750 W
	weight 3,1 kg
	length 1,9–2,85 m

HECHT 9260



GARDEN

HECHT 976 W



CE

	1730 x 160 x 100 mm
	electric 230 V/50 Hz
	bar length 24 cm
	power input 750 W
	weight 3,1 kg
	length 1,83–2,69 m

HECHT 690 3in1



CE

	1062 x 255 x 100 mm
	electric 230 V/50 Hz
	bar length - saw 23 cm
	power input 900 W
	weight 2,5 kg
	bar length - hedge trimmer 41 cm
	working width - grass trimmer 36 cm

3in1



CE

	engine volume 26 cm ³
	bar length 34 cm
	power output 1 HP
	weight 8,5 kg
	length 2,96–4,27 m

Net weight of chainsaws is without guide bar and saw chain

PRUNNING SAW, ELECTRIC SAWS

HECHT 59000

Saw for children with sound, moving chain
- 3 batteries AA required (not included)



**REALISTIC SOUND
OF STARTING AND CUTTING**

HECHT 2035

PROFIL



sprocket
teeth detail



465 x 230 x 175 mm



CE	electric	230 V/50 Hz	bar length	35 cm
	power input	2000 W	weight	4,2 kg

HECHT 2250

Soft start – starting capacitor for
reduction of starting current.

PROFIL



sprocket
teeth detail



550 x 210 x 250/85 mm



CE	electric	230 V/50 Hz	bar length	40 cm
	power input	2400 W	weight	5,6 kg

HECHT 2416 QT

Soft start – starting capacitor for
reduction of starting current.

PROFIL



**Quick chain
tension system**

sprocket
teeth detail



480 x 270 x 270 mm



CE	electric	230 V/50 Hz	bar length	40 cm
	power input	2400 W	weight	4,7 kg

HECHT 2439

With Softstart, overload protector,
tool free system & metal gear

PROFIL



**Quick chain
tension system**

sprocket
teeth detail



565 x 200 x 240 mm



CE	electric	230 V/50 Hz	bar length	40 cm
	power input	2400 W	weight	5 kg

ACCU CHAINSAW AND PETROL CHAINSAWS



Battery 000936B

HECHT 936

BATTERY AND CHARGER INCLUDED

Charging time cca 100 min

ACCU SAMSUNG

Running Time: cca 25 minutes (100x 10 cm soft wood)

480 x 270 x 270 mm

CE	Accu (Li-ion) Samsung	36 V, 2600 mAh		bar length	30,5 cm
	charging time	100 min		weight	5 kg



HECHT 9940

ACCU program 5040

ACCU SAMSUNG

BATTERY AND CHARGER NOT INCLUDED

445 x 258 x 290 mm

CE	accumulator	Li-ion Samsung		bar length	35 cm
	accu article (V)	DC 40 V, 4 Ah		weight	5,5 kg



hanger for belt

HECHT 929

HECHT 941



325 x 255 x 255 mm

CE	engine volume	25,4 cm ³		bar length	30 cm
	power output	1,2 HP		weight	2,9 kg



425 x 245 x 300 mm

CE	engine volume	40 cm ³		bar length	35 cm
	power output	1,8 HP		weight	4,7 kg



HECHT 44

HECHT 44 BOX



430 x 255 x 300 mm

CE	engine volume	45 cm ³		bar length	40 cm
	power output	2,7 HP		weight	5,4 kg



455 x 305 x 300 mm

CE	engine volume	45 cm ³		bar length	40 cm
	power output	2,7 HP		weight	5,4 kg



PETROL CHAINSAWS, LOG CUTTING STANDS

HECHT 945

HECHT 950



Carburetor WALBRO
Bar + chain OREGON



440 x 250 x 290 mm

	engine volume	45 cm ³		bar length	39 cm
	power output	2,7 HP		weight	5 kg



Bar + chain OREGON



465 x 265 x 330 mm

	engine volume	49,3 cm ³		bar length	39 cm
	power output	3 HP		weight	5 kg

HECHT 956

HECHT 962



decompressor



Carburetor WALBRO
Bar + chain OREGON



450 x 275 x 315 mm

	engine volume	56 cm ³		bar length	39 cm
	power output	3,2 HP		weight	5,1 kg



decompressor



Carburetor WALBRO
Bar + chain OREGON

2017 model:
Bar 45 cm



570 x 295 x 340 mm

	engine volume	62 cm ³		bar length	50 cm
	power output	4 HP		weight	6,3 kg

HECHT 900

HECHT 901

Not intended for
UK, D, FR, IT, A, CH



1015 x 280 x 40 mm

	weight	8 kg
--	--------	------



1210 x 410 x 70 mm

Log Diameter	25–230 mm		weight	10,7 kg
--------------	-----------	--	--------	---------



ACCESSORIES, CHAIN SHARPENERS

HECHT 000040

Chainsaw file 4 mm



3 pcs

HECHT 000048

Chainsaw file 4,8 mm



3 pcs

HECHT 900051

Chainsaw file 5,5 mm



3 pcs

HECHT 900050

Chainsaw file 5,5 mm



12 pcs

HECHT 9

Spare grinding wheels
H928 (3,2 x 100 x 10)
H928A (4,5x100x10)




275 x 160 x 215 mm



	electric	230 V/50 Hz		weight	1,4 kg
	power input	250 W		disc diameter	100 mm

The original chains HECHT for chainsaws

25Q100R ROLE
0,325 – 1,5 mm
1840 links, 30,5 m



33E100R ROLE
3/8 micro – 1,3 mm,
1640 links, 30,5 m

HECHT 903400

Chain saw sharpening kit
Files 4 mm

HECHT 903480

Chain saw sharpening kit
Files 4,8 mm

HECHT 004048

Chain saw sharpening kit
Files 4 mm,
4,8 mm, 5,5 mm

HECHT 900401
Timber wedge 5"

HECHT 900402
Timber wedge 8"

HECHT 900405
Timber wedge 10"




HECHT 9230

Spare grinding wheels
9230A0007 (145 x 3,2 x 22,3)
9230B0007 (145 x 4,7 x 22,3)
9230C0007 (145 x 6 x 22,3)

Positionable



370 x 255 x 280 mm




	electric	230 V/50 Hz		weight	4,8 kg
	power input	230 W		disc diameter	145 mm

HECHT 900406

Carburetor adjuster set



Blistered



HECHT 002850
Start rope Ø 2,8 mm, 50 m

HECHT 003450
Start rope Ø 3,4 mm, 50 m

HECHT 003850
Start rope Ø 3,8 mm, 50 m



Role



HECHT 900404

Filing stump vise



LASH 228 x 100 mm



HECHT 000045
Grease gun for chainsaw chains



LASH 248 x 90 mm



ACCESSORIES

HECHT 900110

Protection shield



Blistered

HECHT 900102

Ear protection



200 x 245 x 80 mm / blistered


HECHT 900507

Safety shoes



STEEL TOE CAP

STEEL PLATE



34,5 x 25 x 13 cm

HECHT 900107

Protective gloves for chainsaws.

Size: 9, 10, 11, 12

(EN 381-7)

Class I.
20 m/s



100 x 77 mm + plastic bag

HECHT 900108

Winter protective gloves for chainsaws.

Size: 9, 10, 11, 12

(EN 381-7)

Class I.
20 m/s



100 x 77 mm + plastic bag

HECHT 900100

Safety helmet with face shield and ear protection.



310 x 255 x 167 mm



HECHT 900101

Face shield.



250 x 82 mm – plastic bag with header



HECHT 900105

Face shield with ear protection.



242 x 240 x 150 mm



HECHT 900106

Safety goggles



167 x 157 x 45 mm



HECHT 900106Y

Safety goggles




167 x 157 x 45 mm



HECHT 900109

Professional protective covers for shins and knees



HECHT 900120

Professional protective trousers for chainsaws.



Size: M, L, XL, XXL

(EN 381-5)
Class I.
20 m/s



405 x 290 x 95 mm

HECHT 900121

Professional protective trousers for chainsaws.



405 x 290 x 95 mm

HECHT 900122

Professional protective trousers for chainsaws, special lightweight material.



Size: M, L, XL, XXL

(EN 381-5)
Class I.
20 m/s



390 x 320 x 55 mm

HECHT 900130

Professional work jacket.



HECHT 900131

Professional work jacket.



Size: M, L, XL, XXL



400 x 295 x 35 mm

HECHT 900132

Professional work jacket, special lightweight material.



Size: M, L, XL, XXL

3 cm reflective bands



330 x 330 x 49 mm

AXES, ACCESSORIES

HECHT 900600

Universal axe
Lenght 30 cm, Weight 600 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 900680

Universal axe
Lenght 38 cm, Weight 1000 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 901000

Universal axe
Lenght 40 cm, Weight 1000 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 901001

Splitting axe
Lenght 40 cm
Weight 1000 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 901500

Universal axe
Lenght 55 cm
Weight 1500 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 901201

Splitting axe
Lenght 55 cm
Weight 1200 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 901590

Universal axe
Lenght 55 cm
Weight 1590 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 902000

Splitting axe
Lenght 63 cm
Weight 2000 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 902170

Splitting axe
Lenght 40 cm
Weight 2170 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 902360


Splitting axe
Lenght 55 cm
Weight 2360 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 900570 **TEFLON COATED BLADE**

Universal axe
Lenght 35 cm
Weight 570 g*



Handle made of a special composite material which is reinforced with glass fibers.
NYLON + FIBERGLASS

HECHT 900901 **TEFLON COATED BLADE**


Universal axe
Lenght 44 cm
Weight 900 g*



Handle made of a special composite material which is reinforced with glass fibers.
NYLON + FIBERGLASS

HECHT 900950 **TEFLON COATED BLADE**


Siekiera rozłupująca
Lenght 44 cm
Weight 950 g*



Handle made of a special composite material which is reinforced with glass fibers.
NYLON + FIBERGLASS

HECHT 901170 **TEFLON COATED BLADE**

Splitting axe
Lenght 59 cm
Weight 1170 g*



Handle made of a special composite material which is reinforced with glass fibers.
NYLON + FIBERGLASS

HECHT 901550 **TEFLON COATED BLADE**

Splitting axe
Lenght 70 cm
Weight 1550 g*



Handle made of a special composite material which is reinforced with glass fibers.
NYLON + FIBERGLASS

HECHT 902550 **TEFLON COATED BLADE**

Splitting axe
Lenght 80 cm
Weight 2550 g*



Handle made of a special composite material which is reinforced with glass fibers.
NYLON + FIBERGLASS

HECHT 900403

Hook
for timber



HECHT 900613

Tree felling
lever
Lenght
120 cm



HECHT 908500


Splitting axe
Lenght 85 cm
Weight 2700 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 903600

Splitting axe
Lenght 91 cm
Weight 3600 g*



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 909100

Lenght
91 cm



Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS

HECHT 900080

Tree felling
lever
Lenght
80 cm



LOG SAWS, LOG SPLITTERS

HECHT 8220

HECHT 830



CE				996 x 845 x 300 / 130 mm	
⚡	electric	230 V/50 Hz		max. log diameter	135 mm
	power input	2200 W		weight	35 kg



CE				960 x 750 x 580 / 274 mm	
⚡	electric	400 V/50 Hz		max. log diameter	170 mm
	power input	3000 W		weight	76 kg

HECHT 845

HECHT 890

Petrol log saw 4 stroke



				1280 x 970 x 770 mm (steel structure fully assembled)	
⚡	electric	400 V/50 Hz		max. log diameter	230 mm
	power input	4500 W		weight	110 kg



				1260 x 970 x 760 mm (steel structure fully assembled)	
	engine volume	389 cm ³		max. log diameter	230 mm
	power output	13* HP		weight	133 kg

Part no.:
HECHT 000656

HECHT 6370

HECHT 000651

Stand for
HECHT 651

HECHT 651



Part no.:
HECHT
000656



CE				830 x 460 x 285 mm	
⚡	electric	230 V/50 Hz		max. log length	370 mm
	power input	1500 W		max. log diameter	250 mm
	max. pressure	4 t		weight	38 kg

845 x 135 x 180 mm



CE				1000 x 285 x 460 mm	
⚡	electric	230 V/50 Hz		max. log length	520 mm
	power input	1500 W		max. log diameter	250 mm
	max. pressure	5 t		weight	41 kg

* The data of engine performance is measured in 3600 rpm⁻¹. This value can not be reached during normal operation. For accurate comparison of engine power use data of the capacity and type of engine.

LOG SPLITTERS

HECHT 000670

Stand for
HECHT 670

820 x 170 x 135 mm



HECHT 670



Part no.:
HECHT
000671



970 x 290 x 460 mm



	electric	230 V/50 Hz		max. log length	520 mm
	power input	2000 W		max. log diameter	250 mm
	max. pressure	7 t		weight	46 kg

HECHT 656



975 x 325 x 480 mm



	electric	230 V/50 Hz		max. log length	520 mm
	power input	2100 W		max. log diameter	250 mm
	max. pressure	6 t		weight	51 kg



Part no.:
HECHT 006061



1060 x 520 x 380 mm



	electric	230 V/50 Hz		max. log length	1060 mm
	power input	2200 W		max. log diameter	400 mm
	max. pressure	6 t		weight	78 kg



Part no.:
HECHT 006100 A



Part no.:
HECHT 006100 B



1060 x 560 x 440 mm



	electric	230 V/50 Hz		max. log length	1060 mm
	power input	3000 W		max. log diameter	400 mm
	max. pressure	8 t		weight	98 kg



model 2016



Part no.:
HECHT 006100 A



Part no.:
HECHT 006100 B



1100 x 555 x 450 mm



	electric	400 V/50 Hz		max. log length	1070 mm
	power input	3700 W		max. log diameter	400 mm
	max. pressure	10 t		weight	128 kg



Part no.:
006414 A
006414 B
006414 C



1040 x 690 x 520 mm



	electric	400 V/50 Hz		max. log length	1350 mm
	power input	4300 W		max. log diameter	400 mm
	max. pressure	14 t		weight	191 kg

VACUUM CLEANERS / BLOWERS

HECHT 3000

HECHT 3030



Metal blade



815 x 190 x 235 mm



920 x 210 x 305 mm



electric	230 V/50 Hz	air velocity	275 km/h
power input	3000 W	collecting bag	45 l

electric	230 V/50 Hz	collecting bag	50 l
power input	3000 W	air velocity	200–300 km/h
weight	4,8 kg	multistage adjustment of engine power	

HECHT 9254



2 IN 1

metal blade



580 x 290 x 390 mm

2-stroke engine

collecting bag	50 l	
----------------	------	--

engine volume	25,4 cm ³	air velocity	148 km/h
power output	1 HP	air volume	0,2 m ³ /s
weight	5,8 kg	adjustment of engine power	

HECHT 9265

metal blade



2 IN 1

DOUBLE REINFORCEMENT OF SUCTION / BLOWER AUGER



580 x 355 x 370 mm

2-stroke engine



engine volume	25,4 cm ³	air velocity	180 km/h
power output	1 HP	collecting bag	50 l
weight	4,1 kg	adjustment of engine power	

VACUUM CLEANERS / BLOWERS

HECHT 972 PROFI

GARDEN



Filter for dusty environments

Blower only



540 x 430 x 550 mm

		2-stroke engine		CE	
	engine volume	79,4 cm ³		weight without accessory	11 kg
	power output	4,6 HP		air volume	0,4 m ³ /s
	adjustment of engine power				

HECHT 979 PROFI



Filter for dusty environments

Blower only



530 x 410 x 580 mm

		2-stroke engine		CE	
	engine volume	75,6 cm ³		weight without accessory	11,5 kg
	power output	4,2 HP		air volume	0,41 m ³ /s

HECHT 9440

BATTERY AND CHARGER NOT INCLUDED



2 IN 1



440 x 390 x 222 mm

	Li-ion	DC 40 V, 4 Ah		air volume blower	0,07 m ³ /s
	weight blower	2,14 kg		air volume vacuum cleaner	0,1 m ³ /s
	weight vacuum cleaner	2,88 kg	Battery and charger not included		

CE

OPPAMA PET 304

Engine tachometer

Petrol engine tachometer:
2-stroke - 1 cylinder,
4-stroke - 2 cylinder
Max. 20 000 rpm



OPPAMA PET 1000R

Engine tachometer

Petrol engine tachometer:
2-stroke - 1 cylinder
4-stroke - 2 cylinder



OPPAMA PET 4000

Ignition checker



ACCU PROGRAM 5040

HECHT 5035

WITH BATTERY AND CHARGER



735 x 405 x 370 mm **CE** PUSHED

⚡	accu Li-Ion	DC 40 V	📏	height adjustment	25-75 mm
🔋	Li-Ion	2,5 Ah	🌿	plastic chassis	
📏	working width	35 cm	🗑️	collecting box	35 l
👤	weight	17,5 kg	⬆️	central adjustment of cutting height	
🛞	wheels (front/rear)	6/9"			

HECHT 5038

WITH BATTERY AND CHARGER



790 x 455 x 370 mm **CE** PUSHED

⚡	accu Li-Ion	DC 40 V	📏	height adjustment	25-75 mm
🔋	Li-Ion	4 Ah	🌿	plastic chassis	
📏	working width	38 cm	🗑️	collecting box	40 l
👤	weight	16,4 kg	⬆️	central adjustment of cutting height	
🛞	wheels (front/rear)	6/9"			

HECHT 6504

⚡	Accu Li-ion	DC 40 V
📏	max. cutting diameter	20 mm
🗑️	bar length	50 cm
👤	weight	4,5 kg
📏	length	1,9 - 2,4 m



1220 x 210 x 140 mm

HECHT 1384

BATTERY AND CHARGER NOT INCLUDED

www.hecht.cz



660 x 480 x 340 mm **CE**

⚡	accu Li-Ion	DC 40 V	🗑️	collecting box	45 l
📏	working width	38 cm	🕒	working time	48 min
👤	weight	14,5	🌿	plastic chassis	
without battery and charger					

Battery 005040B
DC 40 V, 4 Ah
Available from 1/17



Battery 005025B
DC 40 V, 2,6 Ah
Available from 1/17

HECHT 9040

BATTERY AND CHARGER NOT INCLUDED



570 x 555 x 460 mm

⚡	accu Li-Ion	DC 40 V	🛞	manual pushed	✓
🔋	Li-Ion	4 Ah	👤	weight	19,5 kg
📏	working width	46 cm	Battery and charger not included		

HECHT 9440

BATTERY AND CHARGER NOT INCLUDED



440 x 390 x 222 mm **CE**

⚡	Li-Ion	DC 40 V, 4 Ah	🌬️	air volume blower	0,07 m³/s
👤	weight blower	2,14 kg	🌬️	air volume vacuum cleaner	0,1 m³/s
👤	weight vacuum cleaner	2,88 kg	Battery and charger not included		

2 IN 1

ACCU PROGRAM 5040

HECHT 5046

Mulching kit included

WITH BATTERY AND CHARGER



PATENTED WHEELS DESIGN



845 x 570 x 430 mm

alternative side ejection



SELF PROPELLED

⚡	accu Li-Ion	DC 40 V	📏	height adjustment	25-75 mm
🔋	Li-Ion	4 Ah	🛡️	steel chassis	
📏	working width	46 cm	🗑️	collecting box	60 l
🏠	weight	26 kg	⚙️	ball bearings	
🛞	wheels (front/rear)	8/11"	⬇️	central adjustment of cutting height	



PATENTED WHEELS DESIGN



910 x 570 x 430 mm

alternative side ejection



SELF PROPELLED

⚡	accu Li-Ion	DC 40 V	📏	height adjustment	25-75 mm
🔋	Li-Ion	4 Ah	🛡️	steel chassis	
📏	working width	51 cm	🗑️	collecting box	60 l
🏠	weight	27,7 kg	⚙️	ball bearings	
🛞	wheels (front/rear)	8/11"	⬇️	central adjustment of cutting height	

HECHT 5051

Mulching kit included

WITH BATTERY AND CHARGER



GARDEN

Charger 005040CH

Available from 1/17



Battery cells

SAMSUNG



12 products with 1 battery and charger



BATTERY AND CHARGER NOT INCLUDED



HECHT 1440

Accu brushcutter

⚡	accumulator	Li-ion Samsung
⚡	accu article (V)	DC 40 V, 4 Ah
📏	working width blade	25,4 cm
📏	working width string head	30
🏠	weight	5,5 kg

965 x 280 x 170 mm

HECHT 9504

BATTERY AND CHARGER NOT INCLUDED



Telescopic ± 50 cm

HECHT 9940

⚡	accumulator	Li-ion Samsung	CE
⚡	accu article (V)	DC 40 V, 4 Ah	
📏	bar length	35 cm	
🏠	weight	5,5 kg	

BATTERY AND CHARGER NOT INCLUDED



445 x 258 x 290 mm

HECHT 1040

BATTERY AND CHARGER NOT INCLUDED



1232 x 258 x 118 mm



⚡	Accu Li-Ion	DC 40 V	📏	bar length	20 cm
	length	2,3-2,8 m	🏠	weight	4,4 kg



⚡	accumulator	Li-ion Samsung	📏	working width	28-32 cm
⚡	accu article (V)	DC 40 V, 4 Ah	🏠	weight	3,8 kg



ORIGINAL ACCESSORIES

Adapters for grass trimmers HECHT

HECHT made for you	order number dimensions	Hecht 1238	Hecht 1299	Hecht 1445	Hecht 690	HECHT 124	Hecht 124 R	Hecht 130R	Hecht 129 BTS	Hecht 135 BTS	HECHT 1330	Hecht 142 BTS	Hecht 145	Hecht 151	Hecht 152 BTS	Hecht 154	Hecht 150, 163
			HECHT 000109 EASY-load		x						x	x	x	x	x	x	x
	HECHT 000130 EASY-load											x	x	x	x	x	
	HECHT 000108		x	x	x	x	x	x	x	x	x	x	x	x	x	x	
	74201080	x															
	74203101	x															
	H124-11					x											
	124R00004						x	x									
	16300000H																x
	690002432			x													
	600050 ø 255x1,4mm	x	x					x	x	x	x	x	x	x	x	x	
	600040 ø 255x1,4mm	x	x					x	x	x	x	x	x	x	x	x	
	600250 ø 255x1,4mm	x	x					x	x	x	x	x	x	x	x	x	
	600600 ø 250x3,0mm											x	x	x	x	x	
	600610 ø 300x3,0mm											x	x	x	x	x	
	600590 ø 255x1,4mm												x	x	x	x	
	600640 ø 255x1,8mm													x	x	x	

Strings for grass trimmers HECHT

- Ø 1,3 x 15 m (10001513)
- Ø 1,65 x 15 m (10001516)
- Ø 2,0 x 15 m (10001520)
- Ø 2,4 x 15 m (10001524)
- Ø 1,65 x 180 m (10018016)
- Ø 2,0 x 130 m (10013020)
- Ø 2,4 x 90 m (10009024)
- Ø 3,0 x 60 m (10006030)
- Ø 1,65 x 750 m (10075016)
- Ø 2,0 x 520 m (10052020)
- Ø 2,4 x 360 m (10036024)
- Ø 3,0 x 240 m (10024030)
- Ø 3,3 x 210 m (10021033)
- Ø 4 x 150 m (10015040)
- Ø 2,4 x 15 m (10101524)
- ★ Ø 2,4 x 15 m (10201524)
- Ø 3,0 x 15 m (10101530)
- ★ Ø 3,0 x 15 m (10201530)
- Ø 2,4 x 60 m (10106024)
- Ø 3,0 x 40 m (10104030)
- ★ Ø 2,4 x 90 m (10209024)
- ★ Ø 3,0 x 60 m (10206030)
- Ø 2,4 x 345 m (10134524)
- Ø 3,0 x 232 m (10123230)
- Ø 3,3 x 232 m (10123233)
- ★ Ø 2,4 x 408 m (10240824)
- ★ Ø 3,0 x 285 m (10228530)
- ★ Ø 3,3 x 232 m (10223233)



Strings with core - DUAL POWER

- Ø 1,65 x 15 m (10301516)
- Ø 1,65 x 180 m (10318016)
- Ø 1,65 x 750 m (10375016)
- Ø 2 x 15 m (10301520)
- Ø 2 x 130 m (10313020)
- Ø 2 x 520 m (10352020)
- Ø 2,4 x 15 m (10301524)
- Ø 2,4 x 90 m (10309024)
- Ø 2,4 x 360 m (10336024)
- Ø 3 x 60 m (10306030)
- Ø 3 x 240 m (10324030)
- Ø 3,3 x 210 m (10321033)
- Ø 2,4 x 15 m (10401524)
- Ø 2,4 x 60 m (10406024)
- Ø 2,4 x 345 m (10434524)
- Ø 3 x 15 m (10401530)
- Ø 3 x 40 m (10404030)
- Ø 3 x 232 m (10423230)
- Ø 3,3 x 232 m (10423233)



www.hecht.cz

1.

Insert

2.

Get through

EASY-load

3.

Reel in

4.

Complete

Easy load system - really quick string change without using any tools.

HECHT GREASE GX

Plastic lubricant for angle drives
Min. order 48 pcs



Plastic tube



HECHT 000101

Shoulder strap



Plastic bag with hang tag

HECHT 000102

Shoulder strap

Plastic bag with hang tag



HECHT 000103

Shoulder strap

Plastic bag with tag




HECHT 5036 SET 2in1

Separable handle



SAMSUNG



Scissors



Hedge



740 x 130 x 125 mm

⚡	accumulator	Li-ion Samsung	working width	8/11 cm
⚡	accu article	DC 3,6 V	weight	1 kg

ACCU PROGRAM 6020

You can buy grass trimmer HECHT 5020 with a battery and charger included to have no longer to re-buy batteries for other products, or you can buy a battery and charger for other products individually.

3 in 1

(3 products with 1 battery and charger)

ACCU program 6020

Battery 000620B
DC 20 V, 2 Ah



Charger 000620CH



HECHT 5020



BATTERY AND CHARGER INCLUDED



895 x 250 x 155 mm

CE

	accumulator	Lithium-ion		working width	25 cm
	accu article (V)	DC 20 V, 2 Ah		weight	2 kg
	working time without load	cca 20 min		charging time	cca 2 h

Li-ion
Powered

HECHT 6020



BATTERY AND CHARGER NOT INCLUDED



945 x 220 x 170 mm

CE

	accumulator	Lithium-ion		bar length	61 cm
	accu article (V)	DC 20 V, 2 Ah		weight	1,85 kg
	max. cutting diameter	15 mm	Battery and charger not included		

HECHT 9020



BATTERY AND CHARGER NOT INCLUDED



500 x 170 x 210 mm

CE

	accumulator	Lithium-ion		air velocity	198 km/h
	accu article (V)	DC 20 V, 2 Ah		weight	1,3 kg
Battery and charger not included					

* Net weight of grass trimmers and brush cutters is without cutting cover and tools, with battery.

ELECTRIC AND PETROL GRASS TRIMMERS AND BRUSH CUTTERS

HECHT 300




CE

400 x 195 x 120 mm

CZ SK GB PL HU

⚡	electric	230 V/50 Hz	working width	22 cm
⚡	power input	300 W	weight	1,4 kg

HECHT 530



CE

980 x 245 x 130 mm

CZ SK GB PL HU

⚡	electric	230 V/50 Hz	working width	30 cm
⚡	power input	550 W	weight	2,6 kg

HECHT 630



CE

890 x 250 x 155 mm

CZ SK GB PL HU

⚡	electric	230 V/50 Hz	working width	30 cm
⚡	power input	600 W	weight	2,8 kg

HECHT 1299

Separable shaft



CE

310 x 825 x 140 mm

CZ SK GB PL HU

⚡	electric	230 V/50 Hz	working width	38 cm
⚡	power input	1200 W	weight	4,4 kg

Separable shaft



Basic accessories of the machine are:
string head and metal blade, shoulder belt

CE

977 x 294 x 130 mm

CZ SK GB PL HU

⚡	electric	230 V/50 Hz	working width	38 cm
⚡	power input	1200 W	weight	4,4 kg

HECHT 1445

Separable shaft



Basic accessories of the machine are:
string head and metal blade, shoulder belt

CE

990 x 230 x 110 mm

CZ SK GB PL HU

⚡	electric	230 V/50 Hz	working width	42 cm
⚡	power input	1400 W	weight	5 kg

Separable shaft



Basic accessories of the machine are:
string head and metal blade, shoulder belt

CE

986 x 257 x 233 mm

CZ SK GB PL HU

⚡	engine volume	25 cm ³	working width	43 cm
⚡	power output	1 HP	weight	4,6 kg

PETROL BRUSH CUTTERS

Separable shaft



HECHT 130 R

Separable shaft



HECHT 129 BTs

Basic accessories of the machine are: string head and shoulder belt

Basic accessories of the machine are: string head and metal blade, shoulder belt

2-stroke
autochoke

2-stroke

ULTRA LIGHT



1020 x 260 x 260 mm



	engine volume	30 cm ³		working width	43 cm
	power output	1,2 HP		weight	5 kg



1100 x 270 x 260 mm



	engine volume	26 cm ³		working width	43 cm
	power output	1,1 HP		weight	5,9 kg

Separable shaft



HECHT 135 BTs

Separable shaft



HECHT 142 BTs

Basic accessories of the machine are: string head and metal blade, shoulder belt

Basic accessories of the machine are: string head and metal blade, shoulder belt

2-stroke

2-stroke

ULTRA LIGHT

ULTRA LIGHT



1130 x 270 x 256 mm



	engine volume	33 cm ³		working width	43 cm
	power output	1,5HP		weight	6,1 kg



1100 x 300 x 300 mm



	engine volume	43 cm ³		working width	43 cm
	power output	2 HP		weight	6,8 kg

HECHT 145

Separable shaft



HECHT 152 BTs

Basic accessories of the machine are: string head and metal blade, shoulder belt

Basic accessories of the machine are: string head and metal blade, shoulder belt

2-stroke

2-stroke



1840 x 252 x 302 mm



	engine volume	43 cm ³		working width	42 cm
	power output	2 HP		weight	8,5 kg



1100 x 300 x 300 mm



	engine volume	52 cm ³		working width	43 cm
	power output	2,2 HP		weight	7,9 kg

* Net weight of grass trimmers and brush cutters is without cutting cover and tools

PETROL BRUSH CUTTERS

HECHT 151



Basic accessories of the machine are: string head and metal blade, shoulder belt



1850 x 280 x 285 mm

	engine volume	51 cm ³		working width	44 cm
	power output	2,4 HP		weight	8,9 kg

HECHT 150



Basic accessories of the machine are: string head and metal blade, shoulder belt



1860 x 310 x 306 mm

	engine volume	51,7 cm ³		working width	43 cm
	power output	2,2 HP		weight	10 kg

HECHT 154

Basic accessories of the machine are: string head, shoulder belt and metal blade, carburetor WALBRO



2-stroke
easy start
autochoke



1880 x 315 x 300 mm

	engine volume	52 cm ³		working width	43 cm
	power output	2,6 HP		weight	8,7 kg

A robust cleaning brush cutter for demanding applications

HECHT 163

Basic accessories of the machine are: string head, shoulder belt and metal blade,



3,1 HP



1871 x 313 x 318 mm

	engine volume	63,3 cm ³		working width	43 cm
	power output	3,1 HP		weight	10,8 kg

HECHT 133 R

Basic accessories of the machine are: string head, shoulder belt and metal blade



4-stroke



1840 x 264 x 270 mm

	engine volume	33,5 cm ³		working width	43 cm
	power output	1,1 HP		weight	7,5 kg

HECHT 1330

Multifunctional tool

5in 1



2-stroke



1080 x 260 x 270 mm

	engine volume	26 cm ³		working width	43 cm
	power output	1 HP		weight	7,5 kg

Lawn cutter - optional accessory for HECHT 0001330



PETROL SWEEPERS, GARDEN GLOVES

GARDEN

HECHT 8616

3 in 1 13" Chains 009551



cca 96 cm

62 cm

840 x 630 x 635 mm

4-stroke OHV engine

CZ
 SK
 PL
 GB
 DE
 HU

	displacement	196 cm ³		weight	70 kg
	working width	55/62/85 cm		4 gear forward, 2 gear reverse	

HECHT 8616 SE

With 230 V electric starter and adjustable light

3 in 1 13" Chains 009551



cca 96 cm

62 cm

840 x 630 x 635 mm

4-stroke OHV engine

CZ
 SK
 PL
 GB
 DE
 HU

	displacement	196 cm ³		weight	72 kg
	working width	55/62/85 cm		4 gear forward, 2 gear reverse	

HECHT 8101

Variable brush speed



cca 106 cm

100 cm

1140 x 830 x 740 mm

4-stroke HECHT OHV engine

CZ
 SK
 PL
 GB
 DE
 HU

	displacement	173 cm ³		weight	79 kg
	power input	6,5 HP*		3 gear forward, 1 gear reverse	
	working width	100 cm		brush speed	180 - 350 rpm

Accessories for HECHT 8616 / 8616 E / 8616 SE

Ploughshare 000861 A



61 cm

Collecting box 000861 B



Snow thrower 000861 C



55 cm

Accessories for HECHT 8101 / 8101 S / 8101 BS

Ploughshare 008101 A



Collecting box 008101 B



13" Chains 009551



HECHT 8101 S

Variable brush speed



cca 106 cm

100 cm

1140 x 830 x 740 mm

4-stroke HECHT OHV engine

CZ
 SK
 PL
 GB
 DE
 HU

	displacement	173 cm ³		weight	82 kg
	power input	6,5 HP*		3 gear forward, 1 gear reverse	
	working width	100 cm		brush speed	180 - 350 rpm

HECHT 8101 BS

Variable brush speed



cca 106 cm

100 cm

1140 x 830 x 740 mm

4-stroke engine B&S 750 EX

CZ
 SK
 PL
 GB
 DE
 HU

	displacement	161 cm ³		weight	76 kg
	power input	6,5 HP*		3 gear forward, 1 gear reverse	
	working width	100 cm		brush speed	180 - 350 rpm

* The data of engine performance is measured in 3600 rpm⁻¹. This value can not be reached during normal operation. For accurate comparison of engine power use data of the capacity and type of engine.

GARDEN TOOLS

420 CC



421



498 D2



435 HB 2L



493 A



494 ADN



176 GT



434DLA08
Ratchet shears



527A



023 - 2W



041 C



018KB



020 AKB



036 WLG



telescopic


0185GHJ2



020A5GHJ2



018 LGG




telescopic

020 ALGG




telescopic

0182036L




telescopic

050GAH9L



telescopic

050TAH9L



telescopic

060AH9L



telescopic

2002



2003



2004



G02FHN



JZN200 - universal garden pruning shears 200 cm



JZN356 - universal garden pruning shears 200-356 cm



R4

M4 T2A - aluminium - telescopic

130-243 cm

SPADES, RAKES

HECHT 600801

Working part made of carbon steel.

thickness 1,8 mm
blade length 295 mm
neck length 300 mm
handle length 1050 mm

Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS



Box: 3 pcs

HECHT 600805

Working part made of carbon steel.

thickness 2 mm
blade length 295 mm
neck length 300 mm
handle length 1050 mm

Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS



Box: 3 pcs

HECHT 600808

Working part made of carbon steel.

thickness 1,8 mm
blade length 295 mm
neck length 300 mm
handle length 850 mm

Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS



Box: 3 pcs

HECHT 600821

Working part made of carbon steel.

thickness 2 mm
blade length 295 mm
neck length 300 mm
handle length 1200 mm

Handle made of durable ash wood.



Box: 3 pcs

HECHT 600818

Working part made of carbon steel.

length 1220 mm

Handle made of a special composite material which is reinforced with glass fibers.
- FIBERGLASS



Box: 3 pcs

HECHT 2213

Working part made of carbon steel.

length 1145 mm



GARDEN

5in1

(5 blades with 1 handle)

You can buy one handle HECHT 600101 and then buy the rake blades individually.


HECHT 600101

oval aluminum handle with plastic sleeve, soft grip and end hook

QUICK ASSEMBLY



Box: 6 pcs



161 cm

HECHT 600135

PET rake blade 35 teeth
size 760 x 310 mm



Box: 6 pcs

HECHT 600123

PET rake blade 23 teeth
size 480 x 260 mm



Box: 6 pcs

HECHT 600112

Nylon rake blade 12 teeth
size 410 mm



Box: 6 pcs

HECHT 600118

Nylon rake blade 18 teeth
size 580 mm



Box: 6 pcs

HECHT 600113

PET rake blade 13 teeth
size 240 x 200 mm



Box: 6 pcs

GARDEN TOOLS, BOW SAWS, COMPOSTERS

600631

47 cm



M4B1

pruning shears for trimming branches and tall trees



900442



folding

F2AD



folding

HECHT 600605

length 53,4 cm

Bow saw for wood cutting



HECHT 600620

length 61 cm

Bow saw for wood cutting



M9GLC
tool holder



5 PCS SET



www.hecht.cz

HECHT 36

Garden composter for biological waste, grass, leaves. Ideal for preparing high-quality compost.



235 x 845 x 725 mm



	max capacity	360 l
	dimensions	78 x 78 x 84 cm

HECHT 4600

Garden composter for biological waste, grass, leaves. Ideal for preparing high-quality compost.



770 x 240 X 1090 mm



	max capacity	600 l
	dimensions	80 x 80 x 108 cm

GARDEN CARTS, FERTILIZERS

HECHT GARDEN CART

order no.:
HCG401



PLASTIC WITH WHEELS



	max weight	30 kg
	max capacity	60 l

HECHT PROFI CART

order no.:
HCP402



PLASTIC WITH WHEELS



	max weight	150 kg
	max capacity	110 l

HECHT 33

Hecht 33 is designed for distribution of fertilizers and seeds, in winter even salt.



sprading regulation



plastic bag

	manual		max capacity	cca 3 l
	weight	0,5 kg		max. width of sprading 2 m

HECHT 212

Hecht 212 is designed for distribution of fertilizers and seeds, in winter even salt.



sprading regulation



245 x 210 x 575 mm

	manual pushed		max capacity	12 l
	weight	2 kg		max. width of sprading 45 cm

HECHT 220

Hecht 220 is designed for distribution of fertilizers and seeds, in winter even salt.



sprading regulation



595 x 295 x 210 mm

	manual pushed		max capacity	20 l
	weight	2,9 kg		max. width of sprading 48 cm

HECHT 270

Hecht 270 is designed for distribution of fertilizers and seeds, in winter even salt.



sprading regulation



500 x 280 x 390 mm

	manual pushed		max capacity	27 l
	weight	4,4 kg		max. width of sprading 3 m

FERTILIZERS, GARDEN SHREDDERS

HECHT 229



Hecht 229 is designed for distribution of fertilizers and seeds, in winter even salt.

sprading regulation



620 x 420 x 320 mm

manual pushed	max capacity	29 l
weight	11 kg	max. width of sprading 3 m

HECHT 256



Hecht 256 is designed for distribution of fertilizers and seeds, in winter even salt.

sprading regulation



780 x 550 x 450 mm

manual pushed	max capacity	60 l
weight	17,3 kg	max. width of sprading 3,5 m

Suitable for lawn tractors

HECHT 260



Hecht 260 is designed for distribution of fertilizers and seeds, in winter even salt.

sprading regulation



www.hecht.cz



740 x 560 x 410 mm

Tow-behind spreader for large areas of ground

manual pushed	max capacity	60 l
weight	12,6 kg	max. width of sprading 4 m

HECHT 624



shredded branches



680 x 275 x 360 mm

	electric	230 V/50 Hz	cut branches up to	4,5 cm
	power input	2400 W		electric overload protection

HECHT 6224



shredded branches



650 x 370 x 475 mm

	electric	230 V/50 Hz	cut branches up to	4 cm
	power input	2400 W		electric overload protection

HECHT 624 BOX



shredded branches



485 x 385 x 555 mm

	electric	230 V/50 Hz	cut branches up to	4 cm
	power input	2500 W	collecting box	cca 50 l
	electric overload protection			

GARDEN SHREDDERS

HECHT 6284 XL

box
cca 60 l



shredded
branches



575 x 420 x 505 mm



	electric	230 V/50 Hz		cut branches up to	4,5 cm
	power input	2800 W		collecting box	cca 60 l
	electric overload protection				

HECHT 626 Silent

Including
cca 50 l bag



shredded
branches



620 x 515 x 255 mm



	electric	230 V/50 Hz		cut branches up to	4 cm
	power input	2600 W		automatic branch pulling	
	electric overload protection				
	engine brake				
	shredding by crushing roller (very silent)				

HECHT 6285 XL



shredded
branches



570 x 380 x 520 mm



	electric	230 V/50 Hz		cut branches up to	4,4 cm
	power input	2800 W		collecting box	cca 60 l
	electric overload protection				

HECHT 6280 XL



shredded
branches



box
cca 60 l



600 x 387 x 445 mm



	electric	230 V/50 Hz		cut branches up to	4,5 cm
	power input	2800 W		automatic branch pulling	
	electric overload protection				
	engine brake				
	shredding by crushing roller (very silent)				
	collecting box	cca 60 l			

HECHT 6173

Including
box for
shredded
branches



shredded
branches



790 x 420 x 790 mm



	engine HECHT	OHV		collecting box	cca 30 l
	displacement	173 cm ³		weight	45 kg

HECHT 6420



Shredding knives

Towing rod

Including
bag for
shredded
branches



1125 x 780 x 460 mm



	engine HECHT	OHV		cut branches up to	5 cm
	displacement	389 cm ³		automatic branch pulling	
	weight	110 kg			

HAND AND KNAPSACK SPRAYERS


HECHT 401



Plastic bag

	manual			tank volume	0,9 l
	weight	0,15 kg			

Adjustable spraying jet



- CZ
- SK
- PL
- GB
- DE
- HU

plastic bag

	manual			weight	0,5 kg
	max. pressure	2 bar		piston	
	tank volume	1,5 l			


HECHT 415 V



Relief valve



Adjustable spraying jet



HECHT 405



pressure relief valve




- CZ
- SK
- PL
- GB
- DE
- HU

160 x 185 x 420 mm

	manual			weight	1,3 kg
	max. pressure	3 bar		piston	
	tank volume	5 l			

Adjustable spraying jet



HECHT 408



pressure relief valve



- CZ
- SK
- PL
- GB
- DE
- HU

182 x 182 x 555 mm

	manual			weight	1,4 kg
	max. pressure	3 bar		piston	
	tank volume	8 l			

ACCESSORIES

1.	003016	30-75 cm telescopic rod with a flexible nozzle for HECHT 405, 408, 4500
2.	000408	The ability to connect multiple units in a row 38 cm for HECHT 405, 408, 4500
3.	004500	telescopic rod max 150 cm for HECHT 405, 408, 4500
4.	000416	telescopic rod max 150 cm for HECHT 425, 4120
5.	000400	gloss applicator for HECHT 405, 408, 4500
6.	004112	set of nozzles for HECHT 4112, 4116
7.	000415A	nozzle „F-type“ for HECHT 415 ACCU



Adjustable spraying jet



pressure relief valve

HECHT 4500



Manometer



- CZ
- SK
- PL
- GB
- DE
- HU

181 x 439 x 181 mm

	manual			weight	1,4 kg
	max. pressure	3 bar		piston	
	tank volume	5 l			

SPRAYERS AND MIST DUSTERS

HECHT 41 12



425 x 165 x 559 mm



	manual		tank volume	12 l
	max. pressure		piston	

HECHT 41 16



440 x 185 x 570 mm



	manual		tank volume	16 l
	max. pressure		piston	

HECHT 451

Including applicator for granules

without auxiliary pump



510 x 400 x 690 mm



	engine HECHT	2 stroke		weight	11 kg
	engine volume	51,7 cm ³		tank volume	14 l
	power output	2 HP		range	≤12 m



HECHT 459

Including applicator for granules

with auxiliary pump



500 x 440 x 680 mm



	engine HECHT	2 stroke		weight	10,5 kg
	engine volume	59,2 cm ³		tank volume	14 l
	power output	3,6 HP		range	≤16 m



HECHT 415 ACCU

Li-ion battery included

Available from 4/17



370 x 240 x 550 mm



	accu	12 V, 7 Ah		tank volume	15 l
	max. pressure	2,75 bar		weight	4,4 kg



HECHT 433

Available from 5/17



425 x 350 x 535 mm



	engine HECHT	2 stroke		weight	9,2 kg
	engine volume	25,4 cm ³		tank volume	15 l
	power output	1 HP		max. pressure	25 bar



SUBMERSIBLE, SURFACE AND GARDEN PUMPS

HECHT 3018

Second extension



POND PUMP

Interchangeable attachments




POND PUMP



200 x 200 x 100 mm



200 x 205 x 160 mm



220 x 370 x 160 mm

plastic chassis

⚡ electric	230 V / 50 Hz	↑↑ max. delivery height	1,4 m
⚡ power input	18 W	→ max. delivery volume	900 l/h
📏 pipe diameter	1,4"	🔌 10 m rubber power cable	

⚡ electric	230 V / 50 Hz	↑↑ max. delivery height	2,3 m
⚡ power input	50 W	→ max. delivery volume	1750 l/h
📏 pipe diameter	1,2"	🔌 10 m rubber power cable	

⚡ electric	230 V / 50 Hz	↑↑ max. delivery height	10 m
⚡ power input	350 W	🔌 10 m rubber power cable	
🌊 clear water		→ max. delivery volume	3000 l/h

HECHT 3400



228 x 168 x 325 mm



plastic chassis



228 x 168 x 340 mm



plastic chassis



228 x 168 x 360 mm



inox chassis

⚡ electric	230 V / 50 Hz	↑↑ max. delivery height	5 m
⚡ power input	400 W	🔌 10 m rubber power cable	
🌊 dirty water		→ max. delivery volume	8000 l/h

⚡ electric	230 V / 50 Hz	↑↑ max. delivery height	8 m
⚡ power input	750 W	🔌 10 m rubber power cable	
🌊 dirty water		→ max. delivery volume	12500 l/h

⚡ electric	230 V / 50 Hz	↑↑ max. delivery height	10 m
⚡ power input	1100 W	🔌 10 m rubber power cable	
🌊 dirty water		→ max. delivery volume	16000 l/h

HECHT 3301



150 x 100 x 280 mm



steel chassis



170 x 120 x 280 mm



steel chassis



225 x 175 x 635 mm



steel chassis

⚡ electric	230 V / 50 Hz	↑↑ max. delivery height	55 m
⚡ power input	300 W	🔌 10 m rubber power cable	
		→ max. delivery volume	1400 l/h

⚡ electric	230 V / 50 Hz	↑↑ max. delivery height	70 m
⚡ power input	600 W	🔌 10 m rubber power cable	
		→ max. delivery volume	1700 l/h

⚡ electric	230 V / 50 Hz	↑↑ max. delivery height	55 m
⚡ power input	1000 W	🔌 10 m rubber power cable	
		→ max. delivery volume	5200 l/h

GARDEN PUMPS, GREENHOUSE ACCESSORIES

HECHT 3080



370 x 210 x 260 mm



	electric	230 V/ 50 Hz		max. delivery height	38 m
	power input	800 W		max. delivery volume	3200 l/h
	max. pressure	3,8 bar			

HECHT 3800



465 x 280 x 570 mm



	electric	230 V/ 50 Hz		max. suction lift	8 m
	power input	800 W		max. delivery volume	3200 l/h
	max. delivery height	38 m		tank volume	20 l

HECHT 000031

7m / 1" Suction hose with possibility of easy shortening for the length required.



carton header

HECHT 3101 INOX



465 x 280 x 510 mm



	electric	230 V/ 50 Hz		max. delivery height	44 m
	power input	1000 W		max. delivery volume	3500 l/h
	max. pressure	1,5-3 bar			

HECHT 343



400 x 300 x 400 mm



	engine HECHT	2-stroke		max. suction lift	8 m
	engine volume	43 cm ³		weight	9,5 kg
	max. delivery height	35 m		max. delivery volume	15 000 l/h

HECHT 3635



485 x 383 x 400 mm



	engine HECHT	OHV, 4-stroke		max. suction lift	7 m
	power output	6,5 HP*		max. delivery volume	30000 l/h
	max. delivery height	27 m			

HECHT 3680



Suction strainer included



FOR DIRTY WATER



570 x 445 x 435 mm



	engine HECHT	OHV, 4-stroke		max. suction lift	7 m
	power output	6,5 HP*		weight	37 kg
	max. delivery height	25 m		max. delivery volume	45000 l/h

* The data of engine performance is measured in 3600 rpm⁻¹. This value can not be reached during normal operation. For accurate comparison of engine power use data of the capacity and type of engine.

HOSE CONNECTIONS, EXTENTIONS AND GUNS

CONNECTION



08010C 1/2"

CONNECTION



08011C 1/2"

TAP EXTENSION



08028C 1"

SPRAYING GUN

02095



HECHT 02096



CONNECTION



08029C 3/4"



08030C 3/4"

IRRIGATION NOZZLE



08024C 1/2" & 3/4"

THREE-WAY CONNECTION




08015E

ALUMINIUM

CONNECTION

HECHT 08010


1/2" hoses



1/2"-5/8"

HECHT 08011

1/2" hoses



1/2"-5/8"

HECHT 08111

3/4" - 5/8" - 1/2" hoses



1/2"-5/8"-3/4"

CONNECTION

HECHT 08029

3/4" hoses



3/4"

HECHT 08030

3/4" hoses



3/4"

CORRECTION CONNECTION

HECHT 08013

3/4" - 5/8" - 1/2" hoses



Universal



1/2"-5/8"-3/4"

TAP EXTENSION

HECHT 08018

3/4" hoses



3/4"

HECHT 08023

3/4" & 1" hoses



3/4"



1"

HECHT 08024

1/2" & 3/4" hoses



1/2"



3/4"

TWO-WAY CONNECTION

HECHT 08016



CONNECTION SET

HECHT 08025



SPRINKLER

HECHT 08109

up to 10 m diameter



ELECTRONIC TIMER

HECHT 08907

multifunction pre-set watering selection digital LCD time display only 2 AA batteries required (not included) adaptor 3/4 and 1" hose



MECHANICAL TIMER

HECHT 08901

setting 0/120 min no batteries needed adaptor 3/4 and 1"



TWO-WAY TAP EXTENSION

HECHT 08104



IMPLUSE SPRINKLER

HECHT 01023



HECHT 08103



HECHT 06043



HECHT 02677



HOSE CONNECTIONS, EXTENTIONS AND GUNS

SHOWER



HECHT 08230

65 cm

10 patterns

8 PATTERN OSCILLATING SPRINKLER 3 IN 1

HECHT 06018



8 patterns:
circle, semicircle, rectangle, sector,
shower, square, triangle, semiflat

8 PATTERN SPRINKLER

HECHT 07060



500 x 120 x 165 mm

pressure 2-4 bar, max. 20 l/min,
max. area 280 m²

OSCILLATING SPRINKLER

HECHT 08601

max. 4 bar,
12,4 m diameter



OSCILLATING SPRINKLER


HECHT 08702

17 holes



SPRAYING GUNS

HECHT 02002




HECHT 02063



HECHT 02036



HECHT 02064



HECHT 02037



HOSES

HECHT 05915

332 x 235 mm



HECHT 05120 1/2"

Working pressure 5 bar
Bursting pressure 17 bar
20 m



HOSE HANGER

HECHT 00632



HOSE REEL

HECHT 08666

20 m of 1/2" hose



HECHT 00627

335 x 150 x 370 mm

max 50 m of 1/2" hose

HOSE CART

HECHT 00628

530 x 160 x 395 mm

max 50 m of 1/2" hose



HECHT 08623

570 x 160 x 370 mm

max 50 m of 1/2" hose



HECHT 00638

470 x 190 x 575 mm

max 100 m of 1/2" hose

GREENHOUSES

MINI



BOX: 1020 x 100 x 100 mm



100 x 60 x 60 cm

metal frame, PE cover

TOMATO BASIC



BOX: 570 x 140 x 85 mm



100 x 50 x 150 cm

metal frame, PE cover

ELONGATED



BOX: 900 x 140 x 115 mm



180 x 90 x 92 cm

metal frame, PE cover

BALCONY B



BOX: 500 x 90 x 920 mm



90 x 49 x 150 cm

metal frame, PE cover

BALCONY



BOX: 460 x 67 x 690 mm



68 x 49 x 125 cm

metal frame, PE cover

TILT



BOX: 1020 x 280 x 130 mm



143 x 73 x 195 cm

metal frame, PE cover

TUNNEL

STEEL FRAME



BOX: 1070 x 400 x 170 mm



300 x 200 x 200 cm

metal frame, PE cover

HECHT CANOPY



BOX: 3030 x 650 x 200 mm



435 x 206/258 x 303 cm

metal frame

HECHT WORKBENCH

GALVANIZED STEEL CONSTRUCTION



1 BOX: 1130 x 620 x 90 mm



112 x 61 x 109 cm

galvanized steel construction

HECHT 000608

AUTO VENT OPENER



NOT FOR THE MODEL HECHT GREENHOUSE

GREENHOUSES

HECHT PLANTER I. HECHT SEEDBED I.

ALU FRAME 1 mm
+ POLYCARBONATE

ALU FRAME 1 mm
+ POLYCARBONATE



1 BOX: 1090 x 60 x 560 mm

108 x 56 x 41 cm 0,6 m²

alu frame, 4 mm pc board



1 BOX: 1090 x 60 x 560 mm

108 x 56 x 41 cm 0,6 m²

alu frame, 4 mm twinwall polycarbonate



1 BOX: 620 x 560 x 110 mm

180 x 51 x 51 cm 0,9 m² alu frame, 4 mm pc board

HECHT SEEDBED II.

ALU FRAME 1 mm
+ POLYCARBONATE



HECHT GREENHOUSE I.

ALU FRAME 1 mm
+ POLYCARBONATE

BASE INCLUDED
(GALVANIZED STEEL)



2 BOXES: 1230 x 130 x 620, 2540 x 200 x 160 mm

250 x 190 x 195 cm 4,93 m² 1 mm alu frame, 4 mm twinwall polycarbonate

HECHT RANCHER II.

ALU FRAME 1,2 mm
+ POLYCARBONATE

BASE INCLUDED
(GALVANIZED STEEL)



2 BOXES: 1380 x 640 x 140, 3170 x 200 x 190 mm

315 x 190 x 195 cm 5,98 m² 1,2 mm alu frame, 4 mm twinwall polycarbonate

ALU FRAME 1,2 mm
+ POLYCARBONATE

HECHT GARDENER I.

BASE INCLUDED
(GALVANIZED STEEL)



2 BOXES: 1360 x 680 x 160, 1700 x 260 x 200 mm

310 x 250 x 190 cm 7,75 m² 1,2 mm alu frame, 4 mm twinwall polycarbonate

ALU FRAME 1,5 mm
+ POLYCARBONATE

HECHT GREENGROECER

BASE INCLUDED
(GALVANIZED STEEL)



2 BOXES: 1420 x 730 x 140, 368 x 240 x 140 mm

365 x 244 x 250 cm 8,9 m² 1,5 mm alu frame, 4 mm twinwall polycarbonate

HIGH PRESSURE WASHERS

HECHT 317

Equipment:
variojet, bottle for cleaner with foam jet, power cable 3 meter, 3 meter pressure hose with gun



260 x 250 x 470 mm



	electric	230 V/50 Hz		max. pressure	105 bar
	power input	1600 W		delivery volume	360 l/h

HECHT 320

Equipment:
variojet, bottle for cleaner with foam jet, power cable 5 meter, 5 meter pressure hose with gun, accessories holder



325 x 295 x 600 mm

	max. pressure	180 bar
	max. temperature	60° C

BRUSH - 000320B FOR HECHT 320 AND 323



170 x 70 x 118 mm



	electric	230 V/50 Hz		max. pressure	165 bar
	power input	2000 W		delivery volume	390 l/h

HECHT 323

Equipment:
variojet, bottle for cleaner with foam jet, power cable, 5 meter pressure hose with gun, accessories holder



PRESSURE HOSE - 000320D FOR HECHT 320 AND 323

270 x 90 x 270 mm



ROTARY BRUSH - 000320E FOR HECHT 320 AND 323


170 x 120 x 370 mm



350 x 325 x 735 mm



	electric	230 V/50 Hz		max. pressure	165 bar
	power input	2200 W		delivery volume	480 l/h



Pump with strengthening of the output pressure



350 x 890 x 290 mm

	electric	230 V/50 Hz		max. pressure	135 bar
	power input	1900 W		delivery volume	480 l/h

HECHT 321

Equipment:
variojet, bottle for cleaner with foam jet, power cable 5 meter, 7 meter pressure hose with gun



Self-priming
- no need of pressure water supply, also works with pressure water



HECHT 326

Equipment:
variojet, bottle for cleaner with foam jet, power cable 5 meter, 5 meter pressure hose with gun



860 x 380 x 360 mm



	electric	230 V/50 Hz		max. pressure	200 bar
	power input	2600 W		delivery volume	420 l/h

HECHT 324

Equipment:
bottle for cleaner with foam jet, power cable, 8 meter pressure hose with gun, power cable 5 meter



520 x 410 x 640 mm



	electric	230 V/50 Hz		max. pressure	150 bar
	power input	2300 W		delivery volume	420 l/h

PETROL GENERATOR

HECHT 3227

Equipment:

pressure hose with gun, hose for cleaner, 5 jets, hose holder, gun holder, cleaning tool

Folding handle



575 x 525 x 580 mm



⚡	engine HECHT	4-stroke	max	max. pressure	186 bar
🔧	engine volume	196 cm ³	→	delivery volume	474 l/h

HECHT 3230

Equipment:

pressure hose with gun, hose for cleaner, 5 jets, hose holder, gun holder, cleaning tool



620 x 490 x 555 mm



⚡	engine HECHT	4-stroke	max	max. pressure	207 bar
🔧	engine volume	196 cm ³	→	delivery volume	681 l/h

WASHER ACCESSORIES

HECHT 000317



15 m

This equipment is approved solely for cleaning blockages from pipes, down pipes, drains and toilets (for HECHT 318, 326, 3220 use the reduction H318326).

230 x 100 x 230



Rotating brush (for HECHT 318, 326, 3220 use the reduction H318326)
Part no.: 000318



Reduction Part no.: H318326



Rotating brush for the terrace cleaning (for HECHT 318, 326, 3220 use the reduction H318326)
Part no.: 000326

HECHT GG 950 DC

Machine panel equipped with:
1 socket 230 V
+ 1 socket 12 V, fuse, power syst. grounding,



375 x 330 x 320 mm

2-stroke engine



🔧	displacement	63 cm ³	⚡	voltage	~230 V/12 V
🏠	power output	2 HP*	🔊	noise level	95 dB
⚡	steady electrical output	650 W	🛢️	tank	4,2 l
⚡	max. electrical output	720 W	👤	weight	16,5 kg

Machine panel equipped with:
1 socket 230 V
+ 1 socket 12 V, fuse, voltmeter, power syst. grounding, adj. of el. tension.

HECHT GG 1300



460 x 360 x 410 mm

4-stroke engine



🔧	displacement	87 cm ³	⚡	voltage	~230 V/12 V
🏠	power output	2,4 HP*	🔊	noise level	93 dB
⚡	steady electrical output	900 W	🛢️	tank	5,2 l
⚡	max. electrical output	1000 W	👤	weight	27 kg

Machine panel equipped with:
2 socket 230 V
+ 1 socket 12 V, fuse, voltmeter, power syst. grounding, adj. of el. tension.

HECHT GG 3300



600 x 450 x 515 mm

4-stroke engine



🔧	displacement	208 cm ³	⚡	voltage	~230 V/12 V
🏠	power output	7 HP*	🔊	noise level	96 dB
⚡	steady electrical output	2600 W	🛢️	tank	15 l
⚡	max. electrical output	3000 W	👤	weight	46,5 kg

* The data of engine performance is measured in 3600 rpm⁻¹. This value can not be reached during normal operation. For accurate comparison of engine power use data of the capacity and type of engine.

PETROL GENERATORS, SEPARATOR

Machine panel equipped with:
3 socket 230 V
+ 1 socket 12 V

e-start

1x industrial socket 32 A



725 x 555 x 590 mm



4-stroke engine



	displacement	389 cm ³		voltage	~230 V/12 V
	power output	13 HP*		weight	84 kg
	steady electrical output	5000 W		tank	25 l
	max. electrical output	5500 W			

Machine panel equipped with:
2x socket 230 V,
1x 400 V, 1x 12 V

e-start

folding handle

socket counter-parts included



Available from 3/17

710 x 536 x 600 mm



4-stroke engine



	displacement	420 cm ³		voltage	~230 V / 400 V =12 V
	power output	14 HP*		noise level	98 dB
	steady electrical output	6500 W		tank	25 l
	max. electrical output	7000 W		weight	88 kg

Machine panel equipped with:
2x socket 230 V,
1x 400 V, 1x 12 V

e-start

folding handle

socket counter-parts included



Available from 3/17

710 x 536 x 600 mm



4-stroke engine



	displacement	459 cm ³		voltage	~230 V / 400 V =12 V
	power output	16 HP*		tank	25 l
	steady electrical output	7500 W		weight	102 kg
	max. electrical output	8500 W			

Machine panel equipped with: 1 socket 230 V + 1 socket 12 V, fuse, power syst. grounding, adj. of el. tension.

Produces a constant voltage - suitable for the power supply of computers, TVs, electronics ...



430 x 370 x 290 mm



4-stroke engine



	displacement	53,5 cm ³		voltage	~230 V/12 V
	power output	1,7 HP*		noise level	95 dB
	steady electrical output	900 W		tank	2,7 l
	max. electrical output	1000 W		weight	14 kg

Machine panel equipped with: 1 socket 230 V + 1 socket 12 V, fuse, power syst. grounding, adj. of el. tension.

Produces a constant voltage - suitable for the power supply of computers, TVs, electronics ...



550 x 480 x 320 mm



4-stroke engine



	displacement	105,7 cm ³		voltage	~230 V/12 V
	power output	3 HP*		noise level	92 dB
	steady electrical output	1600 W		tank	3,5 l
	max. electrical output	2000 W		weight	22 kg



610 x 355 x 355 mm



	electric	230 V/50 Hz		tank volume	18 l
	power input	1000 W			

* The data of engine performance is measured in 3600 rpm⁻¹. This value can not be reached during normal operation. For accurate comparison of engine power use data of the capacity and type of engine.

VACUUM CLEANERS, PLATE COMPACTORS

HECHT 008314

5 m hose for HECHT 8212, 8314, 8314 Z



Foam filter for HECHT 8212, nr. EKF 1005



CZ
SK
PL
GB
HU

445 x 321 x 323 mm

	electric	230 V/50 Hz		tank volume	20 l
	power input	1250 W			

HECHT 8212 HECHT 8314

WET & DRY CLEANING



HEPA filter for HECHT 8314, 8314 Z, nr. EKF 1009



CZ
SK
PL
GB
HU

610 x 355 x 355 mm

	tank volume	230 V/50 Hz		tank volume	30 l
	power input	1400 W			



WET & DRY CLEANING

WET & DRY CLEANING



Bag filter for HECHT 8212, 8314, 8314 Z
3 szt,
nr. EKF 1001



CZ
SK
PL
GB
HU

610 x 355 x 355 mm

	tank volume	230 V/50 Hz		tank volume	30 l
	power input	1400 W			

HECHT 8314 Z HECHT 1111

With socket 230 V / 50 Hz

Socket turns on the vacuum cleaner about 3 seconds after switching on the device in the socket (eg drills).



CZ
SK
PL
GB
HU

700 x 398 x 480 mm

	steel chassis				
	engine HECHT	OHV	Compaction pressure	11000 N	
	displacement	163 cm ³	Compaction depth	25 cm	
	Dimensions of plate	530 x 370 mm		weight	63 kg



FOLDING WHEELS AND DAMPING PAD INCLUDED

HECHT 1113



FOLDING WHEELS AND DAMPING PAD INCLUDED



CZ
SK
PL
GB
HU

700 x 442 x 485 mm

	steel chassis				
	engine HECHT	OHV	Compaction pressure	13000 N	
	displacement	196 cm ³	Compaction depth	30 cm	
	Dimensions of plate	540 x 420 mm		weight	83 kg

HECHT 1114



FOLDING WHEELS AND DAMPING PAD INCLUDED

Available from 4/17



CZ
SK
PL
GB
HU

700 x 442 x 485 mm

	steel chassis				
	engine HECHT	OHV	Compaction pressure	20000 N	
	displacement	196 cm ³	Compaction depth	35 cm	
	Dimensions of plate	580 x 500 mm		weight	92 kg

MIXERS, EARTH AUGER

HECHT 2116

HECHT 2140



770 x 690 x 440 mm



	electric	230 V/50 Hz		weight	43,5 kg
	power input	500 W		drum volume	120 l



	electric	230 V/50 Hz		weight	47 kg
	power input	550 W		drum volume	140 l

HECHT 2180

HECHT 2220

www.hecht.cz



770 x 680 x 520 mm



	electric	230 V/50 Hz		weight	71 kg
	power input	800 W		drum volume	180 l



1280 x 910 x 1400 mm



	electric	230 V/50 Hz		weight	95 kg
	power input	1050 W		drum volume	220 l

HECHT 1137

HECHT 001135

Suitable for mixing coarse mixtures

HECHT 001136D

Suitable for mixing fine mixtures



Suitable for mixing coarse mixtures, mixing fine mixtures needs a change of mixing tool

245 x 370 x 320 mm



	electric	230 V/50 Hz		tool diameter	120 mm
	power input	1400 W		tool height	590 mm
	no load speed	0-570/0-760 rpm		weight	3,5 kg

with mixing tool (connection M14)

HECHT 52

Drilling auger bit
150 mm included

Drilling auger bits

Diameter	Part no.
100 mm	0043100
150 mm	0043150
200 mm	0043200
346 mm extension	0043346



	engine type	2-stroke engine		engine volume	52 cm ³
	power output	1,8 kW*		rotation speed	160 / min.
	weight	13 kg		drilling depth	730 mm



760 x 480 x 410 mm



TRANSPORTERS, CHARGERS

HECHT 2630



1650 x 720 x 1150 mm

steel chassis



	engine HECHT	OHV		max load	300 kg
	displacement	196 cm ³		weight	178 kg
Self propelled	3 gears forward, 1 backward		box dimensions	907 x 600 x 210 mm / 1004 x 860 x 210 mm	

HECHT 2950



1650 x 720 x 1100 mm

hydraulic lifting

steel chassis



	engine HECHT	OHV		max load	500 kg
	displacement	270 cm ³		weight	270 kg
Self propelled	3 gears forward, 1 backward		box dimensions	1004 x 700 x 450 mm	



HECHT 2012 smart battery charger

Available
from 3/17

5 steps charging

Input cable length: 1,5 m
Output cable length: 1,5 m



	electric	230 V/50 Hz	for batteries	4-120 Ah
	power input	62 W	output	6V - 0,55A / 12V - 1A

BOOSTER
JUST 5 MIN. CHARGING
6 CHARGING STEPS, UP TO 15 A
SHORT-CIRCUIT AND
POLARITY PROTECTION



12-VOLT
SOCKET FOR
CONNECTING
ACCESSORIES



230 x 155 x 230 mm

	power output	12V / 2-15 A	for batteries	4-300 Ah
	power input	230 V/50 Hz 220 W	weight	1,53 kg

HECHT 2013 smart battery charger



COMPRESSORS

FUNCTIONS:
COMPRESSOR
LIGHT
WARNING FLASH LIGHT

HECHT 2001

Dimensions:
46 x 13 x 33 cm

HECHT 2883



CAN BE PLUGGED IN THE CAR LIGHTER SOCKET

CE

⚡	electric	12 V	📏	weight	1 kg
⚡	current	10 A	⬇️⬇️⬇️	max. output pressure	17 bar

470 x 125 x 335 mm

CE

⚡	electric	230 V / 50 Hz	📏	Max suction power	180 l/min.
🔌	power input	1100 W	⬇️⬇️⬇️	max. output pressure	8 bar

470 x 125 x 335 mm

HECHT 2026

HECHT 2052



CE

⚡	electric	230 V / 50 Hz	📏	air tank volume	24 l
🔌	power input	1,5 kW / 2 HP	⬇️⬇️⬇️	max. output pressure	8 bar
📏	Max suction power	184 l/min.	📏	weight	25 kg

650 x 280 x 630 mm

CE

⚡	electric	230 V / 50 Hz	📏	air tank volume	50 l
🔌	power input	1,5 kW / 2 HP	⬇️⬇️⬇️	max. output pressure	8 bar
📏	Max suction power	184 l/min.	📏	weight	32 kg

740 x 315 x 640 mm



TWO OUTLETS



TWIN CYLINDER

CE

⚡	electric	230 V / 50 Hz	📏	air tank volume	50 l
🔌	power input	2,2 kW / 3 HP	⬇️⬇️⬇️	max. output pressure	8 bar
📏	Max suction power	316 l/min.	📏	weight	44 kg

770 x 370 x 645 mm



POWER TOOLS

HECHT 1150



LED LIGHT

Charger included
Charging indicator



210 x 58 x 163 mm

Adjustable head 60°



	ACCU	3,6 V	chuck capacity	1/4" hex
	battery	Li-ion 1,3 Ah	max. torque	4 N.m
	no load speed	180 rpm	weight	0,41 kg

LED light, LED charging indicator, charger (3-5 h), set of bits, plastic carrying case

HECHT 1153



Charger included

Intergrated bit magazine

LED LIGHT



155 x 55 x 150 mm

Charging indicator



	ACCU	3,6 V	chuck capacity	1/4" hex
	battery	LI-ion, 1,3 Ah	max. torque	4 N.m
	no load speed	0-180 rpm	weight	0,5 kg

battery charger (3-5 h), 10 pcs screw bits, intergrated bit magazine

HECHT 1260



LED LIGHT

Charger included



222 x 67 x 213 mm



	ACCU	10,8 V	chuck capacity	0,8-10 mm
	battery	LI-ion, 1,5 Ah	max. torque	20 N.m
	no load speed	0-350/0-1350 rpm	weight	1 kg

2 speed, with battery, charger (3-5 h), charging base

HECHT 1215



Quick charger 1 h

Charger 001215CH

LED LIGHT

Charging indicator

Battery 001215B



295 x 95 x 230 mm



	ACCU	12 V	chuck capacity	0,8-10 mm
	battery	LI-ion, 1,5 Ah	max. torque	20 N.m
	no load speed	0-350/0-1350 rpm	weight	1,05 kg

2 speed, with battery, quick charger (1 h), 6 pcs screw bits, 6 pcs drill bits, magnetic bit holder, plastic carrying case

HECHT 1223



Quick charger 1 h

LED LIGHT

Charging indicator

Charger 001223CH

2x Battery 001223B



295 x 95 x 230 mm



	ACCU	20 V	chuck capacity	0,8-10 mm
	battery	LI-ion, 1,3 Ah	max. torque	25 N.m
	no load speed	0-350/0-1250 rpm		

2 speed, 2x battery, quick charger (1 h), 6 pcs screw bits, 6 pcs drill bits, magnetic bit holder, plastic carrying case

HECHT 1277



ACCU program 1278

Quick charger 1 h

LED LIGHT

Charging indicator

Charger 001277CH

2x Battery 001277B



230 x 295 x 95 mm



	ACCU	20 V	chuck capacity	0,8-10 mm
	battery	LI-ion, 1,5 Ah	max. torque	25 N.m
	no load speed	0-350/0-1250 rpm	weight	1,4 kg

2 speed, 2x battery, quick charger (1 h), 6 pcs screw bits, 6 pcs drill bits, magnetic bit holder, plastic carrying case

POWER TOOLS

HECHT 1278



230 x 295 x 95 mm

⚡	ACCU	20 V	chuck capacity	2-13 mm
🔋	battery	Li-ion, 1,5 Ah	impact rate	0-525/0-18750
🌀	no load speed	0-350/0-1250 rpm	📏 weight	1,54 kg
🌀	max. torque	35 N.m		

2 speed, 2x battery, quick charger (1 h), 6 pcs screw bits, 6 pcs drill bits, magnetic bit holder, plastic carrying case

ACCU program 1278

Charger
001278CH
2x Battery
001277B



HECHT 1288



339 x 90 x 240 mm

⚡	ACCU	20 V	chuck capacity	2-13 mm
🔋	battery	Li-ion, 1,5 Ah	impact rate	0-6000/0-22500
🌀	no load speed	0-400/0-1500 rpm	📏 weight	1,49 kg
🌀	max. torque	50 N.m		

2 speed, 2x battery, quick charger (1 h), 6 pcs screw bits, 6 pcs drill bits, magnetic bit holder

PROFI TOOL

60 N.m

Charging indicator

Charger
001288CH
2x Battery
001288B



HECHT 1065



300 x 220 x 80 mm

⚡	electric	230 V/50 Hz	drilling capacity - steel	10 mm
🔌	power input	650 W	drilling capacity - concrete	13 mm
🌀	no load speed	0-2800 rpm	drilling capacity - wood	20 mm
🌀	impact rate	0-50400 rpm	📏 weight	1,58 kg

variable speed, auxiliary handle, depth gauge



HECHT 1075



320 x 230 x 80 mm

⚡	electric	230 V/50 Hz	drilling capacity - steel	13 mm
🔌	power input	750 W	drilling capacity - concrete	13 mm
🌀	no load speed	0-3000 rpm	drilling capacity - wood	25 mm
🌀	impact rate	0-54000 rpm		

variable speed, with keyless chuck, auxiliary handle, depth gauge



HECHT 1076



320 x 230 x 80 mm

⚡	electric	230 V/50 Hz	drilling capacity - steel	13 mm
🔌	power input	950 W	drilling capacity - concrete	13 mm
🌀	no load speed	0-3000 rpm	drilling capacity - wood	25 mm
🌀	impact rate	0-54000 rpm		

variable speed, with keyless chuck, auxiliary handle, depth gauge



HECHT 1112



395 x 270 x 95 mm

⚡	electric	230 V/50 Hz	drilling capacity - steel	13 mm
🔌	power input	1200 W	max. chuck size	13 mm
🌀	no load speed	0-1200/0-2800 rpm	📏 weight	3.4 kg

variable speed, auxiliary handle, depth gauge



POWER TOOLS

HECHT 1080



CZ
 SK
 PL
 GB
 HU
 305 x 380 x 105 mm

	electric	230 V/50 Hz	drilling capacity - steel	13 mm
	power input	800 W	drilling capacity - concrete	26 mm
	no load speed	0-1000 rpm	drilling capacity - wood	42 mm
	impact rate	0-5000 rpm	weight	3,1 kg

SDS plus drive, auxiliary handle, depth gauge, 2pcs Chisel Bits(14x250 mm), 3pcs Drill Bits(8x150/10x150/12x150 mm), plastic carrying case

HECHT 1028



CZ
 SK
 PL
 GB
 HU
 380 x 320 x 120 mm

	electric	230 V/50 Hz	tool holder	SDS plus
	power input	1050 W	drilling capacity - concrete	26 mm
	no load speed	950 rpm	impact power	4,5 J
	impact rate	4250 rpm	weight	4,5 kg

SDS plus drive, auxiliary handle, 1pc point chisel 14x250mm, 1 pc flat chisel 14x250mm, 3 drill bits-8/10/12x150mm, depth gauge, wrench, plastic carrying case

HECHT 1069



CZ
 SK
 PL
 GB
 HU
 450 x 385 x 132 mm

	electric	230 V/50 Hz	tool holder	SDS max
	power input	1600 W	drilling capacity - concrete	40 mm
	no load speed	560 rpm	impact power	9 J
	impact rate	3530 rpm	weight	7,3 kg

SDS max drive, auxiliary handle, 1pc point chisel 18x320mm, 1 pc drill bit 18x320mm, wrench, plastic carrying case

HECHT 000996
Set of drill bits for wood 8 pcs
 Ø: 3; 4; 5; 6; 7; 8; 9; 10 mm



HECHT 000995
Set of drill bits for concrete 5 pcs
 Ø: 4; 5; 6; 7; 8 mm



HECHT 000998
Set of drill bits 19 pcs
 drill bits - Ø:
 1; 1,5; 2; 2,5; 3; 3,5; 4; 4,5; 5; 5,5; 6; 6,5; 7; 7,5; 8; 8,5; 9; 9,5; 10 mm, metal box



HECHT 2005 tool set 49 pcs



Suitable for workshop or car

Standard accessory: screwdrivers, precision screwdrivers, double open wrenches, hand saw with 2 blades, utility cutter, cutter blades, 6" combination pliers, bits holder, 250 V electricity tester, hex keys, 10" water pump pliers, 200g machinist hammer, 3m measuring tape, 25 bits, adaptpor, BMC

CZ
 SK
 PL
 GB
 HU
 735 x 130 x 155 mm



LEG FRAME 30X30 MM

HECHT 0003

BAMBOO WORKING DESK

FOLDING



dimensions 62,5 x 60,5 x 75,5 cm
 max. load capacity 100 kg

ACCU PROGRAM - TOOLS FOR THE WHOLE WORKSHOP

Compatible with batteries for HECHT 1277 and HECHT 1278



You buy a drill HECHT 1277 or HECHT 1278 to have no longer to re-buy batteries for other products.

001278B
spare battery 3 Ah
for HECHT 1277 and 1278

001277B
spare battery 1,5 Ah
for HECHT 1277 and 1278

001277CH
charger for HECHT 1277 and 1278

HECHT 1670 accu circular saw

no load speed	0-4200 rpm
blade diameter	150 mm
cutting depth	48 mm
weight	2,37 kg

Battery not included



310 x 225 x 285 mm



AC LASER

HECHT 001670
saw blade for wood
24 teeth, 150x10x1,6 mm

HECHT 1720 accu rotary sander

no load speed	5000 / 7000 / 9000 rpm
baseboard size Ø	125 mm
weight	1,1 kg

Battery not included



182 x 128 x 168 mm



HECHT 001726
sandpaper roughness 60

HECHT 001728
sandpaper roughness 80

HECHT 001720
sandpaper roughness 120

HECHT 1510 accu reciprocating saw

no load speed	0-3000 rpm
cutting depth - wood	115 mm
cutting depth - steel	10 mm
weight	2,11 kg

Battery not included



405 x 85 x 185 mm



8in 1
(8 products with 1 battery)
HECHT 1277 o



ACCU PROGRAM - TOOLS FOR THE WHOLE WORKSHOP

Compatible with batteries for HECHT 1277 and HECHT 1278



HECHT 1320 accu angle grinder

no load speed	8500 rpm
disc size	115 mm
sprindle thread	M14
weight	1,7 kg



Battery not included



350 x 135 x 110 mm

including
2 batteries
and charger
in package

for HECHT 1278



HECHT 1255 accu impact wrench

no load speed	0-2200 rpm
max. torque	150 N.m
chuck capacity	1/4" mm
weight	1,18 kg



Battery not included



195 x 83 x 195 mm

HECHT 1531 accu jigsaw



Battery not included



229 x 86 x 215 mm

no load speed	0-2400 rpm
cutting depth - wood	80 mm
cutting depth - steel	10 mm
weight	1,7 kg

HECHT 1707 accu LED light

LED 9 diod	2,2 W
LED light intensity	40 lumen
time of lighting ca	18 h
weight	293 g



Battery not included



125 x 85 x 210 mm



POWER TOOLS

HECHT 1540



210 x 250 x 78 mm



	electric	230 V/50 Hz	cutting depth - wood	55 mm
	power input	400 W	cutting depth - steel	6 mm
	no load speed	3000 rpm	weight	1,75 kg

with saw blade, hex key

HECHT 1568



283 x 85 x 225 mm



	electric	230 V/50 Hz	cutting depth - wood	65 mm
	power input	650 W	cutting depth - steel	8 mm
	no load speed	800-3000 rpm	weight	2,31 kg

with saw blade, dust adaptor, guide fence

HECHT 1569

AC LASER LED LIGHT



	electric	230 V/50 Hz	cutting depth - wood	80 mm
	power input	810 W	cutting depth - steel	10 mm
	no load speed	800-3000 rpm	weight	2,38 kg

with saw blade, dust adaptor, guide fence

000989

saw blades for metal
for jigsaws 5 pcs




www.hecht.cz



286 x 85 x 225 mm

Standard accessories



HECHT 1630



355 x 266 x 95 mm

	electric	230 V/50 Hz	Quick Change Multi-function Tool	
	power input	300 W		no load speed 15000 - 22000 rpm

1pc saw blade, 1pc spade, 1pc sandpaper fixing plate, 1pc sandpaper for metal, 1pc sandpaper for wood, plastic carrying case

Available accessories

0001630A 2 pcs saw blades	0001630B 10 pcs sanding papers roughness 60, 100, 120, 240	0001630C 2 pcs abrasive blades

POWER TOOLS

HECHT 1372

Quick-release disc guard



330 x 130 x 120 mm

Available from 4/17



	electric	230 V/50 Hz	disc size	115 mm
	power input	710 W	sprindle thread	M14
	no load speed	12000 rpm	weight	1,9 kg

auxiliary handle, wrench, the grindstone is not included

HECHT 1389

Quick-release disc guard



325 x 140 x 120 mm



	electric	230 V/50 Hz	disc size	115 mm
	power input	900 W	sprindle thread	M14
	no load speed	12000 rpm	weight	2,15 kg

auxiliary handle, wrench, the grindstone is not included

HECHT 1390



330 x 140 x 120 mm



	electric	230 V/50 Hz	disc size	125 mm
	power input	900 W	sprindle thread	M14
	no load speed	10500 rpm	weight	2,36 kg

auxiliary handle, wrench, the grindstone is not included

Quick-release disc guard

HECHT 1309



440 x 140 x 130 mm



	electric	230 V/50 Hz	disc size	125 mm
	power input	1200 W	sprindle thread	M14
	no load speed	12000 rpm	weight	2,6 kg

auxiliary handle, wrench, the grindstone is not included

HECHT 1314

Quick-release disc guard



510 x 115 x 150 mm

Available from 4/17



	electric	230 V/50 Hz	disc size	150 mm
	power input	1400 W	sprindle thread	M14
	no load speed	8600 rpm	weight	3,1 kg

auxiliary handle, wrench, the grindstone is not included

HECHT 1318



530 x 114 x 160 mm



	electric	230 V/50 Hz	disc size	180 mm
	power input	1800 W	sprindle thread	M14
	no load speed	8000 rpm	weight	4,48 kg

auxiliary handle, wrench, the grindstone is not included

Quick-release disc guard

Soft start



Rotary handle



565 x 165 x 125 mm

	electric	230 V/50 Hz	disc size	230 mm	
	power input	2350 W	sprindle thread	M14	
	no load speed	6500 rpm		weight	4,9 kg

auxiliary handle, wrench, soft start, the grindstone is not included

CE

000994
diamond blade 115 mm



000993
diamond blade 125 mm



000992
saw blade 185 x 20 x 40T

000991
saw blade 185 x 20 x 60T

HECHT 1726



290 x 185 x 205 mm

	electric	230 V/50 Hz	disc size	150 mm	
	power input	150 W	disc hole diameter	12,7 mm	
	no load speed	2960 rpm		weight	4,3 kg

spark guard, workpiece support

CE

HECHT 1727

HECHT 1728



355 x 240 x 280 mm

CE

	electric	230 V/50 Hz	disc size	200 mm	
	power input	350 W	disc hole diameter	16 mm	
	no load speed	2960 rpm		weight	8,5 kg

spark guard, workpiece support



420 x 260 x 265 mm

CE

	electric	230 V/50 Hz	disc size (dry grinding)	150 mm	
	power input	250 W	disc size (wet grinding)	200 mm	
	no load speed	2960 rpm		weight	8 kg

spark guard, workpiece support

POWER TOOLS

000176060
sandpaper for HECHT 1760
3 pcs, roughness 60

000176080
sandpaper for HECHT 1760
3 pcs, roughness 80

000176020
sandpaper for HECHT 1760
3 pcs, roughness 120



338 x 126 x 247 mm



	electric	230 V/50 Hz	baseboard size	140 X 80 mm
	power input	220 W		weight
	no load speed	13000 rpm		2 kg

sandpaper, plastic dust container

HECHT 1760

000176260
sandpaper for HECHT 1762
5 pcs, roughness 60

000176280
sandpaper for HECHT 1762
5 pcs, roughness 80

000176220
sandpaper for HECHT 1762
5 pcs, roughness 120



338 x 126 x 247 mm



	electric	230 V/50 Hz	baseboard size	187 X 90 mm
	power input	220 W		weight
	no load speed	12000 rpm		1,66 kg

sandpaper, plastic dust container

HECHT 1762

000176460
sandpaper for HECHT 1762
5 pcs, roughness 60

000176480
sandpaper for HECHT 1762
5 pcs, roughness 80

000176420
sandpaper for HECHT 1762
5 pcs, roughness 120



305 x 130 x 190 mm



	electric	230 V/50 Hz	no load orbital stroke rate	26000 rpm
	power input	450 W	baseboard size	Ø 125 mm
	no load speed	13000 rpm		weight
				2 kg

sandpaper, plastic dust container

HECHT 1764

0001781060
sandpaper for HECHT 1781
5 pcs, 533 x 76 mm, roughness 60

0001781080
sandpaper for HECHT 1781
5 pcs, 533 x 76 mm, roughness 80

0001781120
sandpaper for HECHT 1781
5 pcs, 533 x 76 mm, roughness 120



353 x 160 x 165 mm



	electric	230 V/50 Hz	sanding size	140 X 76 mm
	power input	810 W	sanding belt	533 x 76 mm
	no load speed	380 rpm		weight
				3,2 kg

sanding belt, dust bag

HECHT 1781



188 x 340 x 167 mm



	electric	230 V/50 Hz	max. planing width	82 mm
	power input	900 W	max. planing depth	3 mm
	no load speed	16000 rpm	max. rebating depth	15 mm
	weight	2,8 kg	with accessories box (key, allen key), guide fence	

HECHT 1790

HECHT 001790 Upside down table for HECHT 1790



315 x 185 x 230 mm

315 x 185 x 230 mm

POWER TOOLS

001060A 2 pcs blade for wood
001060D 2 pcs blade for aluminium
001060C 2 pcs diamond blade



HECHT 1066



- CZ
- SK
- PL
- GB
- HU

532 x 142 x 234 mm

	electric	230 V/50 Hz	blade diameter	89 mm
	power input	705 W	max. cutting depth	28,5 mm
	no load speed	4500 rpm	weight	2,55 kg

3 blades, guide fence, hex key, dust adapter

HECHT 1618



- CZ
- SK
- PL
- GB
- HU

190 x 330 x 250 mm

	electric	230 V/50 Hz	blade diameter	185 mm
	power input	1300 W	max. cutting depth	65 mm
	no load speed	5000 rpm	weight	4 kg

with saw blade, guide fence

001618
Blade for HECHT 1618
blade diameter 185 mm

HECHT 1615

Available from 3/17



With **LASER AC**

HECHT 001615
Blade for HECHT 1615
blade diameter 185 mm

- CZ
- SK
- PL
- GB
- HU

360 x 245 x 265 mm

	electric	230 V/50 Hz	blade diameter	185 mm
	power input	1500 W	max. cutting depth	65 mm
	no load speed	5500 rpm	weight	5,26 kg

with saw blade

HECHT 1619



With **LASER AC**

001619
Blade for HECHT 1619
blade diameter 190 mm

- CZ
- SK
- PL
- GB
- HU

190 x 343 x 252 mm

	electric	230 V/50 Hz	blade diameter	190 mm
	power input	1600 W	max. cutting depth	63 mm
	no load speed	5000 rpm	weight	4,6 kg

with saw blade, guide fence

HECHT 1570



blade for wood and steel included



- CZ
- SK
- PL
- GB
- HU

480 x 80 x 190 mm

	electric	230 V/50 Hz	cutting depth - wood	115 mm
	power input	710 W	cutting depth - steel	5 mm
	no load speed	0-2500 rpm	weight	2,74 kg

POWER TOOLS, ELECTRIC HEATER

HECHT 814



Mitre saw with laser



490 x 300 x 290 mm



⚡	electric	230 V/50 Hz	No load speed	5000 rpm
⚡	power input	1400 W	Tilting range	-45° / 0° / 45°
🔪	Saw blade	∅ 210 mm	Mitre cuts	0° to 45° to the left

HECHT 818

Double bevel



Mitre saw with AC laser



725 x 455 x 390 mm



⚡	electric	230 V/50 Hz	No load speed	5000 rpm
⚡	power input	1800 W	Tilting range	-45° / 0° / 45°
🔪	Saw blade	∅ 210 mm	Mitre cuts	0° to 45° to the left and right

HECHT 8199 PROFI



Mitre saw with AC laser



740 x 540 x 430 mm



⚡	electric	230 V/50 Hz	No load speed	4700 rpm
⚡	power input	1900 W	Tilting range	-45° / 0° / 45°
🔪	Saw blade	∅ 255 mm	Mitre cuts	0° to 45° to the left

003180

termostat with remote control for HECHT 3180, 3240



1580 x 250 x 145 mm



⚡	electric	230 V/50 Hz	heating area - covered	30 m ²
⚡	power input	2400 W	dimensions	150 x 19 x 6,7 cm
👤	weight	9,7 kg		

HECHT 3240



DIESEL WITH THERMOSTAT AUTOMATIC SHUTDOWN



805 x 335 x 440 mm



⚡	electric	230 V/50 Hz	heating area	166 m ²
⚡	power output	20 kW	thermal performance	70 000 Btu
🛢	fuel tank capacity	19 l	consumption	2 l/h

REMOTE CONTROL



895 x 135 x 525 mm



⚡	electric	230 V/50 Hz	dimensions	220 x 230 x 772
⚡	power input	2000 W	airflow	80 m ³ /h
👤	weight	4,5 kg	setting	1200 / 2000 W

HECHT 3610



ROTARY LCD DISPLAY

CAN BE USED AS A VENTILATOR

CERAMIC HEATER ELEMENT

POWER TOOLS

HECHT 1811

electric	230V/50 Hz
power input [W]	40
glue stick Ø [mm]	11



CZ
 SK
 GB
 DE
 PL
 double blister



Available from 4/17

HECHT 1816

Electrode welder - inverter



CZ
 SK
 PL
 GB
 HU
 428 x 221 x 287 mm



HECHT 1812

electric	230V/50 Hz
power input [W]	80
glue stick Ø [mm]	11,2



Cordless work thanks to heat accumulation
 CZ
 SK
 GB
 DE
 PL
 HU
 270 x 238 x 73 mm



input capacity	6,4 KVA	electrode diameter	1 - 4 mm
welding current	20 - 160 A	weight	5 kg
welding voltage	26,4 V	electrode holder	
duty cycle	160 A - 40 % , 124 A - 60 % , 80 A - 100 %		

HECHT 1817

Electrode welder - inverter



CZ
 SK
 PL
 GB
 HU



CZ
 SK
 PL
 GB
 HU
 428 x 221 x 287 mm



input capacity	6,4 KVA	electrode diameter	1 - 4 mm
welding current	20 - 160 A	weight	5 kg
welding voltage	26,4 V	electrode holder	
duty cycle	160 A - 40 % , 124 A - 60 % , 80 A - 100 %		

HECHT 1820

Electrode welder - inverter



200 A



CZ
 SK
 PL
 GB
 HU
 428 x 221 x 287 mm



input capacity	7,5 KVA	electrode diameter	1 - 4 mm
welding current	20 - 200 A	weight	6,4 kg
welding voltage	27,2 V	electrode holder	
duty cycle	200 A - 40 % , 155 A - 60 % , 126 A - 100 %		

HECHT 900201

Welding shield



CZ
 SK
 PL
 GB
 HU
 238 x 238 x 323 mm

window dimensions	100 x 50 mm
response time	≤ 1/25000 s
weight	0,49 kg
solar cells + replaceable Lithium battery, fully automatic ON/OFF, low battery alarm	

HECHT 900221

Welding shield



CZ
 SK
 PL
 GB
 HU
 238 x 238 x 323 mm

window dimensions	100 x 50 mm
response time	≤ 1/25000 s
weight	0,49 kg
solar cells + replaceable Lithium battery, fully automatic ON/OFF, low battery alarm	

HECHT 900241

Welding shield



CZ
 SK
 PL
 GB
 HU
 238 x 238 x 323 mm

window dimensions	100 x 50 mm
response time	≤ 1/25000 s
weight	0,49 kg
solar cells + replaceable Lithium battery, fully automatic ON/OFF, low battery alarm	

OUTER LED LIGHTS

HECHT 2020



Accessories
nr. 002020 for HECHT
2020, 2021, 2200



293 x 280 x 95 mm



⚡	electric	230 V /50 Hz	temperature setting	350 / 600 °C
🔌	power input	2000 W	air volume	480 l/min
👤	weight	0,6 kg		

HECHT 2021



Adjustable
temperature
setting 80-600 °C



270 x 235 x 76 mm



⚡	electric	230 V /50 Hz	temperature setting	80 - 600 °C
🔌	power input	2000 W	air volume	480 l/min
👤	weight	0,9 kg		

HECHT 2200



Available
from 4/17

Display



Adjustable
temperature
setting 80-600 °C



105 x 105 x 45 mm



⚡	electric	230 V /50 Hz	temperature setting	80 / 600 °C
🔌	power input	2000 W	air volume	480 l/min
👤	weight	0,7 kg		

HECHT 2801

LED light



HECHT 2802

LED light



HECHT 2803

LED light



⚡	electric	230 V/50 Hz	light temperature	6500 K
🔌	power input	10 W	light intensity	750 lm
	dimensions		130 x 90 x 34 mm	

⚡	electric	230 V/50 Hz	light temperature	6500 K
🔌	power input	20 W	light intensity	1500 lm
	dimensions		180 x 126 x 36 mm	

⚡	electric	230 V/50 Hz	light temperature	6500 K
🔌	power input	30 W	light intensity	2400 lm
	dimensions		210 x 147 x 37 mm	

HECHT 2811

LED light with sensor



motion sensor



Setting: sensitivity, lighting time, lighting modes

⚡	electric	230 V/50 Hz	light temperature	6500 K
🔌	power input	10 W	light intensity	750 lm
	dimensions		130 x 90 x 34 mm	

remote control



HECHT 2812

LED light with sensor



motion sensor



Setting: sensitivity, lighting time, lighting modes

⚡	electric	230 V/50 Hz	light temperature	6500 K
🔌	power input	20 W	light intensity	1500 lm
	dimensions		180 x 126 x 36 mm	

remote control



HECHT 2813

LED light with sensor



motion sensor



Setting: sensitivity, lighting time, lighting modes

⚡	electric	230 V/50 Hz	light temperature	6500 K
🔌	power input	30 W	light intensity	2250 lm
	dimensions		210 x 147 x 37 mm	

remote control



HECHT 2815

LED light with sensor



motion sensor



Setting: sensitivity, lighting time, lighting modes

⚡	electric	230 V/50 Hz	light temperature	6500 K
🔌	power input	50 W	light intensity	3750 lm
	dimensions		260 x 182 x 51 mm	

remote control



GARDEN GRILLS

HECHT BALL


Suitable for sheltered garden areas.

- stainless steel
- ash catcher
- height: 100 cm
- width: 65 x 59 cm



Suitable for sheltered garden areas.


- steel plate
- adjustable charcoal grid
- warming rack
- ash catcher
- thermometer
- height: 94 cm
- width: 56 x 69 cm



HECHT MERIDA


Suitable for sheltered garden areas.

- heavy stamped steel construction
- tough baked finish for durability and easy cleaning
- chrome plated cooking grill
- height: 92 cm
- diameter: 53,5 cm



Optional alloy grid HECHT 500 11

- heavy stamped steel construction
- tough baked finish for durability and easy cleaning
- ash catcher



HECHT KUGELGRILL

Suitable for sheltered garden areas.



- height: 116 cm
- width: 60 x 98 cm


HECHT SENTINEL MINOR

Suitable for sheltered garden areas and exteriors.

- heat resistant sheet steel
- 2 heating chambers
- 2 cooking areas
- stacking area
- thermometer



Steel 1 mm




Suitable for sheltered garden areas and exteriors.

- heat resistant sheet steel
- 2 heating chambers
- 3 cooking areas
- stacking area
- thermometer



Steel 1 mm



HECHT SENTINEL



Optional grill cover HECHT 0001058



GARDEN GRILLS

HECHT SENTINEL LUX

Suitable for sheltered garden areas and exteriors.

- heat resistant sheet steel
- 2 heating chambers
- 2 cooking areas
- stacking area
- thermometer

Steel 1,2 mm



710 x 520 x 510 mm

HECHT SENTINEL MAX

Suitable for sheltered garden areas and exteriors.

Steel 1,5 mm

- heat resistant sheet steel
- 2 heating chambers
- 2 cooking areas
- stacking area
- thermometer



1085 x 505 x 515 mm

HECHT STEAMROLLER



Optional alloy grid
HECHT 000666

Suitable for sheltered garden areas and exteriors.

- heat resistant sheet steel
- thermometer



710 x 510 x 520 mm



Steel 1,5 mm

HECHT SMOKEHOUSE

Suitable for sheltered garden areas and exteriors.

- heat resistant sheet steel
- thermometer

Steel 1,5 mm



755 x 505 x 515 mm



Gas grill - suitable for sheltered garden areas and exteriors.

- 3 burners
- 2x enamel wire grills

Cover 003101C



835 x 625 x 310 mm



HECHT CONTACT

Not intended for D and PI

Gas grill - suitable for sheltered garden areas and exteriors.

- 4 burners
- 1 x enamel mat cast iron grill
- + 1 x mat enamel cast cooking plate

Cover 004205C



740 x 730 x 525 mm



HECHT ADELLE

Not intended for D and PI

Optional grill rack 004205M



Standard accessory



GARDEN FURNITURE

Steel-Aluminium with komaxit finish. Suitable for sheltered garden areas. Not for wet places.

EKONOMY SET 4

Steel-Aluminium with komaxit finish. Suitable for sheltered garden areas. Not for wet places.

EKONOMY SET 6



HFC010



Table: L 141 x W 91 x H 73 cm /
Chair: L 55 x W 76 x H 96 cm

Maximum load: 120 kg

Chair 20 pcs stockable:
570 x 800 x 2300 mm



Table:
1420 x 920 x 70 mm



Maximum load: 120 kg

Chair 20 pcs stockable:
570 x 800 x 2300 mm

Table: L 141 x W 91 x H 73 cm /
Chair: L 55 x W 76 x H 96 cm

Table:
1420 x 920 x 70 mm

Aluminium construction and tempered glass. Suitable for sheltered garden areas.

SOFIA SET 4

Aluminium construction and tempered glass. Suitable for sheltered garden areas.

SOFIA SET 6



HFC019



Table: L 150 x W 90 x H 73 cm /
Chair: L 55 x W 75 x H 95 cm

Maximum load: Chair 120 kg

Chair 20 pcs stockable:
570 x 800 x 2300 mm



Table:
1520 x 920 x 70 mm



Maximum load: Chair 120 kg

Chair 20 pcs stockable:
570 x 800 x 2300 mm

Table: L 150 x W 90 x H 73 cm /
Chair: L 55 x W 75 x H 95 cm

Table:
1520 x 920 x 70 mm

Aluminium construction and tempered black glass. Suitable for sheltered garden areas.

HONEY SET 6

Aluminium construction and tempered black glass. Suitable for sheltered garden areas.

HONEY SET MAXI



Maximum load: Chair 120 kg

Chair 20 pcs stockable

Table: L 150 x W 90 x H 72 cm /
Chair: L 58 x W 74 x H 97 cm



Table: 1520 x 920 x 70 mm



Maximum load: Chair 120 kg

Chair 20 pcs stockable

Table: L 168 x W 97 x H 72 cm /
Chair: L 57 x W 86 x H 111 cm



Table: 1700 x 70 x 980 mm

GARDEN FURNITURE

HECHT GRAPHITE SET

Aluminium construction, wood imitation. Suitable for sheltered garden areas.



CZ
SK
GB
DE
PL



Chair stackable



Table: 1520 x 80 x 1520 mm

HECHT BIER SET

Tropical hard wood Meranti. Suitable for sheltered garden areas.



CZ
SK
GB
DE
PL



1450 x 690 x 1300 mm

Aluminium construction and tempered black glass. Suitable for sheltered garden areas.

A set of table with 6 chairs and parasol included.

Folding chairs
Parasol 270 cm,
8 steel ribs,
steel frame



CZ
SK
PL
GB
DE
HU



Chair: (2 pcs. in box)
870 x 570 x 250 mm



Table:
1520 x 920 x 70 mm



Parasol:
1400 x 150 x 150 mm

SHADOW SET

HECHT BALCONY SET A

Hard wood Acacia. Suitable for sheltered garden areas.



CZ
SK
GB
DE
PL

Maximum load: Chair 160 kg

970 x 860 x 140 mm

Table: L 60 x W 60 x H 72 cm /
Chair: L 40 x W 53 x H 80 cm

Tropical hard wood Meranti. Suitable for sheltered garden areas.

HECHT WEEKEND SET



CZ
SK
PL
GB
DE
HU

Maximum load: Chair 150 kg / Bench 300 kg

Bench:
2021 x 571 x 226 mm

Chair: (2 pcs. in box)
2015 x 570 x 225 mm

Table: L 150 x W 90 x H 74 cm /
Chair: L 60 x W 61 x H 93 cm /
Bench: L 120 x W 60 x H 93 cm

Table:
2017 x 570 x 225 mm

GARDEN FURNITURE

Hard wood Acacia.
Suitable for sheltered
garden areas.

HECHT BASIC SET 4

Hard wood Acacia.
Suitable for sheltered
garden areas.

HECHT BASIC SET 6



1 CHAIR
CO03A6F



CZ
SK
GB
DE
PL

Maximum load: Chair 160 kg

Chair: (2 pcs. in box)
1190 x 560 x 210 mm

Table: L 120 x W 75 x H 72 cm /
Chair: L 53 x W 57 x H 86 cm

Table:
1235 x 1160 x 280 mm



CZ
SK
GB
DE
PL

Chair: (2 pcs. in box)
1190 x 560 x 210 mm

Table: L 120 x W 75 x H 72 cm /
Chair: L 53 x W 57 x H 86 cm

Table:
1235 x 1160 x 280 mm

Hard wood Acacia.
Suitable for sheltered
garden areas.

HECHT NARROW SET

Hard wood Acacia.
Suitable for sheltered
garden areas.

HECHT ROUNDED SET



CZ
SK
PL
GB
DE
HU



CZ
SK
GB
DE
PL

Maximum load: Chair 160 kg

Chair: (2 pcs. in box)
650 x 530 x 255 mm

Table: L 165 x W 100 x H 75 cm /
Chair: L 61,5 x W 63 x H 95 cm

Table:
1690 x 1040 x 120 mm

Hard wood Acacia.
Suitable for sheltered
garden areas.

HECHT LEADER SET

Hard wood Acacia.
Suitable for
sheltered
garden areas.

HECHT CAMBERET SET



P015



CZ
SK
GB
DE
PL

Table: L 200/150 x W 100 x H 74 cm /
Chair: L 61 x W 77 x H 106 cm

Maximum load: Chair 160 kg

Chair: (6 pcs. in box)
930 x 630 x 150 mm

Table:
1530 x 1030 x 170 mm



CZ
SK
PL
GB
DE
HU

Table: L 200/150 x W 100 x H 74 cm /
Chair: L 58 x W 68 x H 110 cm

Maximum load: Chair 160 kg

Chair: (1 pcs. in box)
1030 x 610 x 170 mm

Table:
1520 x 1020 x 150 mm

GARDEN FURNITURE

Hard wood Acacia.
Suitable for sheltered garden areas.

HECHT ROYAL SET



Massive construction
Table desk thickness cca 4 cm

Folding table - 3 different sizes



Maximum load: Chair 160 kg

Chair: (1 pcs. in box)
1030 x 610 x 170 mm

Table:
1835 x 1185 x 215 mm

Table: L 180/280 x W 115 x H 76 cm /
Chair: L 58 x W 68 x H 110 cm

HECHT RELAXING CHAIR

Made from steel pipes.
Not suitable for wet places.



Weight: 12,5 kg
Dimensions: 1400 x 770 x 1060 mm
Material: PP



Maximum load: Chair 120 kg

960 x 150 x 650 mm



Maximum load: 120 kg

1030 x 780 x 240 mm

SOFIA LOUNGER

Aluminium construction.
Suitable for sheltered garden areas.



Aluminium construction.
Suitable for sheltered garden areas.



Maximum load: 120 kg



Maximum load: 120 kg

HONEY LOUNGER

GARDEN FURNITURE

HECHT RESORT I

Tropical hard wood Meranti.
Suitable for sheltered garden areas.



Maximum load: 120 kg

1820 x 625 x 90 mm



HECHT RESORT A

Hard wood Acacia.
Suitable for sheltered garden areas.



Maximum load: 160 kg

2030 x 630 x 90 mm



HECHT ERA

Tropical hard wood Meranti.
Suitable for sheltered garden areas.



Maximum load: 250 kg

2018 x 571 x 268 mm



HECHT COMFORT

Hard wood Acacia.
Suitable for sheltered garden areas.



Maximum load: 160 kg

1960 x 660 x 120 mm



HECHT CAMBERET LOUNGER

Hard wood Acacia.
Suitable for sheltered garden areas.



Maximum load: 160 kg

955 x 615 x 195 mm



88276

Dimensions:
46 x 4 x 109 cm



Suitable for:
Deluxe Bench
Weekend set
(bench)

88919

Dimensions:
55 x 4 x 178 cm



Suitable for:
Resort I

88275

Dimensions:
46 x 4 x 46 cm



Suitable for:
Occasional Bench
Manton Set
Chicago Set
Gallery Set
Balcony
Dynasty Set

88278

Dimensions:
47 x 4 x 109 cm



Suitable for:
Dynasty Set, Prague Set
Grandeur Set, Revo Set
Boston Set, Rectangle Set


GARDEN FURNITURE

HECHT TEEBENCH

Tropical hard wood Meranti.
Suitable for sheltered garden areas.




Maximum load: 150 kg per side

 1970 x 560 x 267 mm

Hard wood Acacia.
Suitable for sheltered garden areas.



Maximum load: 300 kg

 1610 x 630 x 140 mm

HECHT WOODBENCH


Available from 3/17



Hard wood Acacia.
Suitable for sheltered garden areas.

HECHT TABLE BENCH




 1630 x 640 x 110 mm

HECHT TOYBOX

Tropical hard wood Meranti.
Suitable for sheltered garden areas.



Maximum load: 150 kg


 1960 x 556 x 266 mm



Hard wood Acacia.
Suitable for sheltered garden areas.

HECHT SPACE



 1220 x 600 x 180 mm

GARDEN FURNITURE

HECHT ROSE

Hard wood Acacia.
Suitable for sheltered
garden areas.



Maximum load: 300 kg

1640 x 580 x 110 mm

HECHT COUNTRY

Hard wood Acacia.
Suitable for sheltered
garden areas.



Maximum load: 300 kg

1700 x 620 x 150 mm

HECHT S TROLLEY

Hard wood Acacia.
Suitable for sheltered
garden areas.



Maximum load: 50 kg

1040 x 450 x 120 mm

Tropical hard
wood Meranti.
Suitable for sheltered
garden areas.



Maximum load: 120 kg

1070 x 560 x 170 mm

HECHT SERVING

www.hecht.cz

HECHT DREAM PINK

Maximum load: 120 kg

Made from steel pipes.
Not suitable for wet
places.



1280 x 760 x 380 mm

HECHT DREAM R

Maximum load: 120 kg

Made from steel pipes.
Not suitable for wet
places.



1280 x 760 x 380 mm

HECHT DREAM S

Maximum load: 120 kg

Made from steel pipes.
Not suitable for wet
places.



1280 x 760 x 380 mm

GARDEN SWINGS

HECHT DREAM HONEY

Maximum load: 120 kg

Made from steel pipes.
Not suitable for wet places.



1280 x 760 x 380 mm

BERLIN



Maximum load: 240 kg

Made from steel pipes.
Suitable for sheltered garden areas.
Not for wet places.



1925 x 685 x 230 mm

BERLIN D



Maximum load: 240 kg

Made from steel pipes.
Suitable for sheltered garden areas.
Not for wet places.



1925 x 685 x 230 mm

HECHT FUTON

Available from 4/17



HECHT MONTE CARLO

Tropical hard wood Meranti.
Suitable for covered garden areas.

Available from 4/17



Suitable for sheltered garden areas.

Maximum load: 200 kg



2000 x 1630 x 370 mm

HECHT BAHARU LUX

Tropical hard wood Meranti.

Available from 3/17

Suitable for covered garden areas.

2 positions:
bench or bed



Maximum load: 300 kg




2334 x 571 x 228 mm

GARDEN SWINGS, PARASOLS

SUNSET

cross-section



Diameter: 240 cm
No. of struts: 6
Height: 2 m
Without base



1340 x 150 x 150 mm

SHADOW

cross-section




Diameter: 270 cm
No. of struts: 8
Height: 2,2 m
Without base



1400 x 150 x 150 mm

SANDY 1

cross-section



Diameter: 250 cm
No. of struts: 6
Diameter of rod rack: 4,8 cm
Polyester 180 g/m²
Base 100 x 100 cm



1850 x 335 x 135 mm

cross-section




Diameter: 300 cm
No. of struts: 8
Diameter of rod rack: 4,8 cm
Polyester 180 g/m²
Base 100 x 100 cm




2010 x 355 x 135 mm

SUNNY



SOL



cross-section

Diameter: 350 cm
No. of struts: 8
Polyester 210 g/m²
Base 100 x 100 cm



2700 x 440 x 180 mm

Opening by handle



Rotating base



GARDEN SHEDS, LED LIGHTS

ANCHOR SET 000808

for HECHT 53x33, 4x6 PLUS, 6x8, 6x8 PLUS, 8x8, 8x8 PLUS, 10x8, 10x8 PLUS, 10x10, 10x10 PLUS



890 x 570 x 480 mm

HECHT 4X6 PLUS

(dark grey)

**GARDEN SHED,
BASE INCLUDED (0,6 mm ZINC STEEL)**



**GARDEN SHED,
BASE INCLUDED
(0,6 mm ZINC STEEL)**

2 BOXES: 1760 x 880 x 50 mm,
1950 x 200 x 120 mm

257 x 205 x 212 cm (L X W X H)

HECHT 6X8 PLUS

(dark grey)



**0,3 mm BOARD
(20 % MORE THAN
OTHER PRODUCERS)**

0,3 mm board, 0,6 mm zinc steel frame

109 x 184 x 181 cm (L X W X H)

0,3 mm board, 0,6 mm zinc steel frame

HECHT 8X8 PLUS

(dark grey)



**GARDEN SHED,
BASE INCLUDED
(0,6 mm ZINC STEEL)**

2 BOXES: 1760 x 880 x 90 mm,
1330 x 200 x 170 mm

**0,3 mm BOARD
(20 % MORE THAN
OTHER PRODUCERS)**

259 x 257 x 212 cm (L X W X H)

0,3 mm board, 0,6 mm zinc steel frame

HECHT 10X8 PLUS

(dark grey)



**GARDEN SHED,
BASE INCLUDED
(0,6 mm ZINC STEEL)**

2 BOXES: 1760 x 880 x 50 mm,
1580 x 200 x 170 mm

**0,3 mm BOARD
(20 % MORE THAN
OTHER PRODUCERS)**

257 x 312 x 212 cm (L X W X H)

0,3 mm board, 0,6 mm zinc steel frame

HECHT 10X10 PLUS

(dark grey)



**GARDEN SHED,
BASE INCLUDED
(0,6 mm ZINC STEEL)**

2 BOXES: 1760 x 880 x 50 mm,
1580 x 200 x 170 mm

**0,3 mm BOARD
(20 % MORE THAN
OTHER PRODUCERS)**


315 x 315 x 217,5 cm (L X W X H)

0,3 mm board, 0,6 mm zinc steel frame

HECHT 5001

**Solar powered
mole scarer**

solar
voltage 1,2 V
signal range ca 30 m
Interval 30 s



cca 38 cm



390 x 100 x 85 mm

HECHT 2706


voltage 1,2 V
solar



10 PCS in BOX
390 x 170 x 100 mm

HECHT 2193

voltage 1,2 V
solar



cca 30 cm



12 PCS in BOX
310 x 100 x 235 mm

GARDEN POOLS, INFLATABLE POOLS

HECHT 3590 BLUESEA

Family pool of solid construction

Available from 4/17



dimensions	350 x 90 cm	foil thickness	0,3 mm
volume	7200 l	wall thickness	0,3 mm
package contains: pool, foil, 12V skimfilter (GS certification, 1700 l/h, filter element), pool ladders (steel/plastic)			



HECHT 3612 BLUESEA

Family pool of solid construction

Available from 4/17



dimensions	360 x 120 cm	foil thickness	0,4 mm
volume	10 680 l	wall thickness	0,4 mm
package contains: pool, foil			



HECHT 3076 BLUESEA

Annular inflatable pool with a self-supporting structure

Available from 4/17



Cartridge filtration



dimensions	300 x 76 cm	volume	3618 l
3 ply PVC material without the use of phthalates, repair kit and cartridge filtration included			



330 x 250 x 580 mm

HECHT 3609 BLUESEA

Annular inflatable pool with a self-supporting structure

Available from 4/17



dimensions	360 x 90 cm	volume	6654 l
3 ply PVC material without the use of phthalates, repair kit included			



445 x 265 x 520 mm

HECHT 520427

inflatable paddling pool



CE



dimensions	190 x 145 x 45 cm	for children aged 6+ years
volume	450 l	wall thickness 0,27 mm
bicameral, strong construction, material PVC without phthalates, repair kit included		



320 x 270 x 100 mm

HECHT 520421

inflatable paddling pool



dimensions	262 x 175 x 51 cm	for children aged 6+ years
volume	778 l	wall thickness 0,27 mm
bicameral, strong construction, material PVC without phthalates, repair kit included		



440 x 340 x 110 mm

POOL ACCESSORIES

HECHT 00090

Ladders for pools

height [cm] 90

Steel frame with surface finish and plastic treads (resistant to UV rays and pool chemicals)

Available from 4/17



390 x 115 x 650 mm

HECHT 00122

Ladders for pools

height [cm] 122

Steel frame with surface finish and plastic treads (resistant to UV rays and pool chemicals)

Available from 4/17



445 x 115 x 890 mm

HECHT 016123

Underlay pad for pools

dimensions [cm] 309x309

material PE [g/m²] 90

Available from 4/17



250 x 90 x 250 mm

HECHT 30003

Skimmer

hose coupler [mm] 32/38

Complete mounting kit

Available from 4/17



HECHT 003609

Cartridge filtration

voltage [V] 220-240

water flow [m³/hod] 1,2

hose coupler [mm] 32

Complete mounting kit

Available from 4/17



230 x 230 x 115 mm

029587



Replacement filters for cartridge filtration 2 pcs

HECHT 302110

10" Sand filtration with prefilter for rough dirt

voltage [V] 220-240

power [W] 250

sand capacity [kg] 13,6

water flow [m³/hod] 4,54

hose coupler [mm] 38

Certification GS/CE

Available from 4/17



480 x 280 x 430 mm

HECHT 302231

10" Sand filtration without prefilter for rough dirt

voltage [V] 220-240

power [W] 250

sand capacity [kg] 13,6

water flow [m³/hod] 4,54

hose coupler [mm] 38

Certification GS/CE

Available from 4/17



480 x 280 x 430 mm

HECHT 302112

12" Sand filtration with prefilter for rough dirt

voltage [V] 220-240

power [W] 250

sand capacity [kg] 42

water flow [m³/hod] 7

hose coupler [mm] 38

Certification GS/CE

Available from 4/17



440 x 590 x 470 mm

POOL ACCESSORIES

HECHT 060501

THERMOMETER



HECHT 060504

FLOATING THERMOMETER



HECHT 060510

THERMOMETER



HECHT 060512

THERMOMETER



HECHT 060104

TRIANGULAR VACUUM CLEANER
30 cm



HECHT 060102

VACUUM CLEANER DE LUX
with side brushes



HECHT 060301

LEAF SKIMMER
for surface-collecting debris



HECHT 060302

LEAF SKIMMER
for surface-collecting debris



HECHT 060308

LEAF SKIMMER
for deep-collecting debris




HECHT 060309

LEAF SKIMMER
for deep-collecting debris
(reinforced frame)



HECHT 060307

LEVEL SKIMMER
ON ALUMINUM ROD
length 1,3 m,
telescopic



HECHT 060402

TELESCOPIC ROD
three parts 1,2 - 3,6m



HECHT 060203

BRUSH
for removing dirt from the
bottom and the edges
Dimension: 25 cm



HECHT 060205

BRUSH
for removing dirt from the
bottom and the edges
Dimension: 45 cm



HECHT 060702

FLOATING CHLORINE
DISPENSER
(medium) 20g / 200g



HECHT 060703

FLOATING CHLORINE
DISPENSER
200g



HECHT 061002

POOL SERVICE KIT
4 pcs



HECHT 060607

TEST STRIPS 4IN1



HECHT 061210

REPAIR KIT
including glue and patches



HECHT 060601

TESTER PH/CL
basic set for measuring
pH / CL in pool water



INFLATABLE TOYS, WATER GUNS

HECHT 000036

Covering tarp

Available from 4/17



250 x 90 x 250 mm

diameter 360 cm material PE 90 g/m²

Drainage holes, pulling rope

HECHT 000030

Covering tarp

Available from 4/17



250 x 60 x 250 mm

diameter 300 cm material PE 90 g/m²

Drainage holes, pulling rope

HECHT 300908

Solar shower

volume [l]	8
cylinder diameter [mm]	110
height [cm]	215


Available from 4/17



1210 x 150 x 150 mm

HECHT 510501

children's inflatable whale



dimensions 170 x 87 cm for children aged 3+ years

wall thickness 0,22 mm

two solid handles for a comfortable fit, material PVC without phthalates, repair kit included

230 x 195 x 70 mm

HECHT 510503

children's inflatable orca



dimensions 190 x 76 cm for children aged 3+ years

wall thickness 0,25 mm

two solid handles for a comfortable fit, material PVC without phthalates, repair kit included

230 x 195 x 70 mm

HECHT 570109

hand airpump



height 30 cm, solid construction, three different attachments

HECHT 20631

water gun

14 cm



HECHT 20632

water gun

14 cm



HECHT 20681

water gun

39 cm



HECHT 20711

water gun

29 cm



POOLS

CHILDREN

TOYS – INFLATABLE BOUNCERS

HECHT 59236



The package of each bouncer includes inflating fan:

330 W for 59314, 59072;

450 W for 59236, 59112, 59160, 59271;

680 W for 59060, 59109.



A new attraction for your children! They can fully enjoy their favorite activities - jumping, sliding, crawling and to spent many hours of great fun and healthy exercise. Bouncy castles are suitable for children from age of 3 years. Bouncy castle sides are fitted with soft mesh security nets for the best safety of your children during play. Ground pins are provided for firm anchor of the castle to the ground. A big advantage is the minimal storage space needed - just simply deflate and fold. Bouncy castle is inflated within 1 minutes.



dimensions	350 x 210 x 200 cm	nr. of children	2
weight	17,6 kg	max. load	90 kg
Jumping part out of a highly durable laminated PVC, other parts of polyester. Included are ground pins, patches for repairing and a fan.			

Not intended for: FR, A, D, H, GR, RO, UA, NL, B, IRL, P, DK.



450 x 430 x 580 mm

www.hecht.cz

HECHT 59072



VOLLEYBALL NET INCLUDED



dimensions	800 x 335 x 180 cm	number of children	10
weight	22,5 kg		
Inflatable part made from highly durable laminated PVC, other parts from polyester. Included are ground pins, patches for repairing and a fan.			



760 x 380 x 380 mm

KIDS GARDEN TOOLS, PEDAL TRACTORS AND KARTS

KIDS GARDEN TOOLS

PT406
Mix children's equipment, 60 pieces, with sales box.



KID'S SPADE
PT406-1



KID'S SHOVEL
PT406-2



KID'S RAKE
PT406-4



KID'S RAKE
PT406-5



KID'S HOE
PT406-6



KID'S SHOVEL
PT406-7



55202
SET OF GARDEN TOOLS FOR CHILDREN AND ADULTS



GIFT PACKAGE

8 pcs



HECHT 51312

Pedal tractor



775 x 430 x 330 mm

93 x 45 x 53 cm
maximum load: 30 kg

Pedal tractor with chain drive.
For children aged 3-6 years.
weight: 7,6 kg

HECHT 51311

Pedal tractor

Available from 4/17



775 x 430 x 330 mm

85 x 45 x 53 cm
maximum load: 25 kg

Pedal tractor with chain drive.
For children aged 3-6 years.
weight: 6,8 kg

HECHT 51413

Pedal tractor with trailer



775 x 430 x 470 mm

154 x 45 x 61 cm
maximum load: 30 kg

Pedal tractor with chain drive.
For children aged 3-6 years.
weight: 10,2 kg

HECHT 51412

Pedal tractor with trailer



775 x 430 x 390 mm

148 x 45 x 53 cm
maximum load: 30 kg

Pedal tractor with trailer and chain drive.
For children aged 3-6 years.
weight: 9,2 kg








CHILDREN

PEDAL AND ACCU CARS

HECHT 59788

Pedal kart
Available
from 5/17




 CZ
 SK
 PL
 GB
 HU
 900 x 280 x 610 mm

94 x 63 x 51 cm	Pedal kart with chain drive. For children aged 3-6 years.
maximum load: 30 kg	weight: 10,2 kg

HECHT 59789

Pedal kart
Available
from 5/17




 CZ
 SK
 PL
 GB
 HU
 900 x 280 x 610 mm

94 x 63 x 51 cm	Pedal kart with chain drive. For children aged 3-6 years.
maximum load: 30 kg	weight: 10,2 kg

HECHT 50100

Pedal kart
Available
from 5/17











 CZ
 SK
 PL
 GB
 HU
 1080 x 280 x 620 mm

106 x 59 x 65 cm	Pedal kart with chain drive. For children aged 3-6 years.
maximum load: 30 kg	weight: 15 kg

HECHT 50200

Pedal kart
Available
from 5/17











 CZ
 SK
 PL
 GB
 HU
 1080 x 280 x 620 mm

106 x 59 x 65 cm	Pedal kart with chain drive. For children aged 3-6 years.
maximum load: 30 kg	weight: 15 kg

HECHT 55128




 CZ
 SK
 PL
 GB
 HU
 1010 x 670 x 525 mm

112 x 70 x 74 cm	battery 12 V / 7 Ah / 2x 25 W, weight 17 kg, speed 3-6 km/h
maximum load: 30 kg	For children aged 3-8 years. Sound effects, reverse, 2 motors.



ACCU CARS

BMW S1000RR-Grey

Available from 4/17

ORIGINAL LICENSED BMW



1100 x 410 x 680 mm



110 cm

52 cm

110 x 52 x 70 cm

battery 12 V / 7 Ah / 2x 35 W, weight 14,6 kg, speed 3-6 km/h

maximum load: 30 kg

For children aged 3-8 years, 2 motors, original licensed BMW

BMW S1000RR-Red

Available from 4/17

ORIGINAL LICENSED BMW



1100 x 410 x 680 mm



110 cm

52 cm

110 x 52 x 70 cm

battery 12 V / 7 Ah / 2x 35 W, weight 14,6 kg, speed 3-6 km/h

maximum load: 30 kg

For children aged 3-8 years, 2 motors, original licensed BMW

HECHT 51117

Available from 4/17



1025 x 530 x 290 mm



101 cm

53 cm

101 x 53 x 43,5 cm

battery (2x) 6 V / 4 Ah / 2x 15 W, weight 9,9 kg, speed 3-5 km/h

maximum load: 25 kg

For children aged 3-8 years. Light and sound effects, reverse, 2 motors, remote control.

HECHT 51119

Available from 4/17



1025 x 530 x 290 mm



101 cm

53 cm

101 x 53 x 43,5 cm

battery (2x) 6 V / 4 Ah / 2x 15 W, weight 9,9 kg, speed 3-5 km/h

maximum load: 25 kg

For children aged 3-8 years. Light and sound effects, reverse, 2 motors, remote control.

MINI HATCH-YELLOW

ORIGINAL LICENSED BMW



1110 x 600 x 330 mm



110 cm

62 cm

110 x 62 x 51 cm

battery 2x 6 V / 4 Ah, weight 14 kg, speed 3-6 km/h

maximum load: 30 kg

For children aged 3-8 years. Light and sound effects, remote control

HECHT 56181



1170 x 610 x 380 mm



110 cm

73 cm

110 x 73 x 78 cm

battery (2x) 6 V / 7 Ah / 25 W, weight 17,5 kg, speed 3,2-6,8 km/h

maximum load: 30 kg

For children aged 3-8 years. Light and sound effects, reverse, big wheels, 2 motors.

ACCUCARS

HECHT 56186

10 AH



1170 x 610 x 380 mm

110 x 73 x 78 cm	battery (2x) 6 V / 10 Ah / 25 W, weight 17,5 kg, speed 4-7 km/h
maximum load: 30 kg	For children aged 3-8 years. Light and sound effects, reverse, big wheels, 2 motors, remote control, audio input.

HECHT 56185

10 AH



1170 x 610 x 380 mm

110 x 73 x 78 cm	battery (2x) 6 V / 10 Ah / 25 W, weight 17,5 kg, speed 4-7 km/h
maximum load: 30 kg	For children aged 3-8 years. Light and sound effects, reverse, big wheels, 2 motors, remote control, audio input.

VOLKSWAGEN GOLF A7 GTI-RED

ORIGINAL LICENSED
VOLKSWAGEN



1140 x 590 x 370 mm

110 x 74 x 55 cm	battery 12 V / 7 Ah / 2x 30 W, weight 15,5 kg, speed 2,5-5 km/h
maximum load: 30 kg	For children aged 3-8 years. Light and sound effects, SD card slot

VOLKSWAGEN GOLF A7 GTI-WHITE

ORIGINAL LICENSED
VOLKSWAGEN



1140 x 590 x 370 mm

110 x 74 x 55 cm	battery 12 V / 7 Ah / 2x 30 W, weight 15,5 kg, speed 2,5-5 km/h
maximum load: 30 kg	For children aged 3-8 years. Light and sound effects, SD card slot

HECHT 58587

+ GUN
AS A GIFT



1200 x 630 x 440 mm

120 x 62 x 44 cm	battery 12 V / 7 Ah / 2x 30 W, weight 19 kg, speed 3-7 km/h
maximum load: 30 kg	For children aged 3-8 years. Light and sound effects, reverse, remote control

HECHT 58588

+ GUN
AS A GIFT



1200 x 630 x 440 mm

120 x 62 x 44 cm	battery 12 V / 7 Ah / 2x 30 W, weight 19 kg, speed 3-7 km/h
maximum load: 30 kg	For children aged 3-8 years. Light and sound effects, reverse, remote control

HECHT 51235



1180 x 650 x 475 mm

118 cm

74 cm

118 x 74 x 75 cm

maximum load: 30 kg

battery 2x 6 V / 10 Ah / 12 V, 30 W, weight 19 kg, speed 3-5 km/h

For children aged 3-8 years. Light and sound effects, reverse

MERCEDES BENZ GLK-CLASS - WHITE



**ORIGINAL
LICENSED
MERCEDES**



78 cm

130 cm

1320 x 660 x 490 mm



130 x 78 x 58 cm

maximum load: 30 kg

battery 12 V, 7 Ah / 12 V, 35 W, weight 22,5 kg, speed 2,5-6,5 km/h

For children aged 3-8 years. Light and sound effects, opening doors, reverse, remote control

MERCEDES BENZ GLK-CLASS - RED



**ORIGINAL
LICENSED
MERCEDES**



130 cm

78 cm

1320 x 660 x 490 mm



130 x 78 x 58 cm

maximum load: 30 kg

battery 12 V, 7 Ah / 12 V, 35 W, weight 22,5 kg, speed 2,5-6,5 km/h

For children aged 3-8 years. Light and sound effects, opening doors, reverse, remote control

HECHT 54812

Accu buggy for children



90 cm

138 cm

83 cm

138 x 83 x 90 cm

battery 48 V, 12 Ah / 1000 W, speed max. 35 km/h

Wheels 13" x 5-6

ACCU CHILDREN ATV - QUADS

Speed and battery life depends on the terrain and the weight of the operator.

Max range 13-18 km

Charging time 8 hours

HECHT 54800



Speed and battery life depends on the terrain and the weight of the operator.

Max range 13-18 km

Charging time 8 hours

HECHT 54801



- CZ
- SK
- PL
- GB
- HU

970 x 570 x 414 mm

dimensions 100 x 60 x 59 cm Battery Lead-acid 36 V, 800 W, 12 Ah, max. speed 20-25 km/h, wheels 6", weight 42 kg

Safety pedal, battery indicator, three speed switch, drive - chain



- CZ
- SK
- PL
- GB
- HU

970 x 570 x 414 mm

dimensions 100 x 60 x 59 cm Battery Lead-acid 36 V, 800 W, 12 Ah, max. speed 20-25 km/h, wheels 6", weight 42 kg

Safety pedal, battery indicator, three speed switch, drive - chain

www.hecht.cz

Speed and battery life depends on the terrain and the weight of the operator.

Max range 13-18 km

Charging time 8 hours

HECHT 56800



Speed and battery life depends on the terrain and the weight of the operator.

Max range 13-18 km

Charging time 8 hours

HECHT 56801



- CZ
- SK
- PL
- GB
- HU

1050 x 580 x 440 mm

dimensions 110 x 60 x 59 cm Battery Lead-acid 36 V, 800 W, 12 Ah, max. speed 20-25 km/h, wheels 6", weight 43 kg

Safety pedal, battery indicator, three speed switch, horn, drive - chain



- CZ
- SK
- PL
- GB
- HU

1050 x 580 x 440 mm

dimensions 110 x 60 x 59 cm Battery Lead-acid 36 V, 800 W, 12 Ah, max. speed 20-25 km/h, wheels 6", weight 43 kg


Safety pedal, battery indicator, three speed switch, horn, drive - chain

ATV have a metal frame as classic motor-powered ATV, just the drive is electric and silent. This allows you to ride also at the places where you would disturb the others by operation the classic petrol ATV. Thus, children can go along with you in the park or a walk in the forest. You can select the mode max. 8 km/h, max 20 km/h or max. 35 km/h according to the skills of the child. Mode is selected by the key, after its removing the child cannot change it by itself.

CUBE B

(beige)

Suitable for kittens



CUBE S

(grey)

Suitable for kittens



GINGER B

(beige)

Suitable for kittens



GINGER S

(grey)

Suitable for kittens



GANDALF B

(beige)



325 x 325 x 310 mm

325 x 325 x 310 mm

310 x 310 x 330 mm

310 x 310 x 330 mm

520 x 520 x 350 mm


ALEX B

(beige)



ALEX S

(grey)




GARFIELD B

(beige)



GARFIELD S

(grey)



570 x 570 315 mm

570 x 570 315 mm

710 x 620 x 440 mm

710 x 620 x 440 mm

ROSE

Material: flax



SINDY

Material: suede



L x W x H [cm]

ROSE S (Nr.: ROSE S)	60 x 40 x 16
ROSE M (Nr.: ROSE M)	75 x 50 x 16

L x W x H [cm]

SINDY L (Nr.: SINDY L)	90 x 60 x 18
SINDY XL (Nr.: SINDY XL)	105 x 70 x 20

SULTAN

Material: flax, corduroy



L x W x H [cm]

SULTAN M (Nr.: SULTAN M)	75 x 50 x 16
SULTAN L (Nr.: SULTAN L)	90 x 60 x 18
SULTAN XL (Nr.: SULTAN XL)	105 x 70 x 20

LORD

Material: corduroy, cotton



L x W x H [cm]

LORD S (Nr.: LORD S)	60 x 40 x 16
LORD M (Nr.: LORD M)	75 x 50 x 16
LORD L (Nr.: LORD L)	90 x 60 x 18
LORD XL (Nr.: LORD XL)	105 x 70 x 20

AGATHA

Material: flax, long plush



L x W x H [cm]

AGATHA S (Nr.: AGATHA S)	50 x 50 x 20
AGATHA M (Nr.: AGATHA M)	70 x 70 x 20
AGATHA L (Nr.: AGATHA L)	90 x 90 x 20

MIKE SD / MIKE L

112 x 96 x 105 cm

88 x 78 x 81 cm



930 x 665 x 130 mm / 1120 x 810 x 170 mm

doghouse

plastic door

insulation

doghouse S	MIKE SD	PLD-MIKES	ISO-MIKES
doghouse L	MIKE L	PLD-MIKEL	ISO-1201L

www.hecht.cz

HOLIDAY

Made from durable wood



98 x 50 x 41 cm

1030 x 480 x 75 mm

BUNNY

Made from durable wood



111,5 x 45 x 92 cm

1140 x 475 x 175 mm

MICKEY

Made from durable wood



91,5 x 45 x 70 cm


 935 x 460 x 137 mm

000022

Suitable for Oliver

Made from durable wood




 1455 x 525 x 171 mm

TWEETY

Made from durable wood



201 x 68 x 102 cm


 1730 x 780 x 110 mm

CLAUDIE

Made from durable wood



180 x 90 x 48 cm


 1820 x 490 x 117 mm

OLIVER

Made from durable wood



134 x 90 x 99 cm


 982 x 976 x 219 mm

OREO

Made from durable wood




195 x 73 x 98 cm

 2 BOXES: 650 x 635 x 131 mm, 955 x 635 x 107 mm

BRAND **HECHT**[®] IN EUROPE

made for garden



HECHT MOTORS s.r.o., U Mototechny 131, 251 62 Mukařov - Tehovec, tel.: +420 323 661 347, fax: +420 323 661 348, WWW.HECHT.CZ

HECHT SK, spol. s r. o., Letisková 20, 971 01 Prievidza, e-mail: hecht@hecht.sk, tel.: +421 46 542 03 20, WWW.HECHT.SK

HECHT Polska Sp. z o. o., Mickiewicza 54, 66-450 Bogdaniec, e-mail: info@hechtpolska.pl, tel.: +48 957 117 140 WWW.HECHTPOLSKA.PL

HECHT HUNGARY Kft., II. Rákóczi Ferenc út 323, 1214 Budapest, e-mail: hecht@hecht.hu, tel.: +36 1/951 4525, WWW.HECHT.HU

Descriptions, pictures and specifications may vary at time of shipping. Weights of chainsaws are stated without cutting accessories. Edition: January 2017


Product images are for illustrative purposes only. Real product and accessories may vary.

E-MAIL: HECHT@HECHT.CZ

WWW.HECHT.CZ

FAX: 800 100 247

2 000000 003740



ОФИЦИАЛЬНЫЙ ДИЛЕР В УКРАИНЕ:

storgom.ua

ГРАФИК РАБОТЫ:

Пн. – Пт.: с 8:30 по 18:30

Сб.: с 09:00 по 16:00

Вс.: с 10:00 по 16:00

КОНТАКТЫ:

+38 (044) 360-46-77

+38 (066) 77-395-77

+38 (097) 77-236-77

+38 (093) 360-46-77

Детальное описание товара: <https://storgom.ua/product/hecht-8616-se-3-in-1.html>

Другие товары: <https://storgom.ua/podmetalnye-mashiny.html>